[RAM. XIV, 815]

Bur. Ent. & P. Q. Issued July 1935

United States Department of Agriculture

BUREAU OF ENTOMOLOGY AND PLANT QUARANTINE

SERVICE AND REGULATORY ANNOUNCEMENTS

MATERIAL 21 AUG 1935 INSTITUTE

LIST OF INTERCEPTED PLANT PESTS, 1934

(List of Pests Recorded During the Period July 1, 1933, to June 30, 1934, Inclusive, as Intercepted in, on, or with Plants and Plant Products Entering United States Territory)

INTRODUCTION

This is the fortieth paper of a series issued under various names and at more or less irregular intervals and listing intercepted plant pests. The present list covers the twenty-first year of the period since the lists were started and includes intercepted plant pests for which determinations were received and indexed during the period specified, including those intercepted in, on, or with plants and plant products (1) imported, (2) offered for but refused entry, (3) held as ships' stores, etc., and hence not imported through customs, (4) offered for entry for immediate export or for immediate transportation and exportation in bond, and (5) in domestic shipments reaching the mainland from Hawaii and Puerto Rico.

The list is compiled in the Washington office from files maintained here. The information summarized was furnished by workers of the Bureau of Plant Quarantine [1] and collaborators (State and customs officials) of the Bureau. Most of the insect determinations are made by specialists of the Bureau and many of the plant-disease determinations by specialists of the Bureau of Plant Industry. The States of California and Florida and the Territory of Hawaii maintain their own staffs of specialists and make many of their own determinations. Frequently the intercepted material is in a stage that is not determinable or is too badly damaged or is inadequate for determination. Many times the only organisms recognized are innocuous. Such interceptions, numbering some thousands, are omitted from the list.

As pointed out in previous lists of interceptions, statement as to the origin of fruits and vegetables carried as ships' stores, as well as of plants used for decorative purposes and of plant material carried by passengers, cannot always be verified, but every effort is made to give the origin of such plants and plant products as accurately as possible.

FRUIT FLIES

The following fruit flies were intercepted: *Acidia* sp. (pupa) in a celery leaf from England; [2] Mexican fruit fly (*Anastrepha ludens*) in lime, mango, orange, sour orange, and sweet lime from Mexico; Central American fruit fly (*A. striata*) in guava from Mexico: *Anastrepha* sp. in jobo from American Virgin Islands, orange from Brazil, mango from Ecuador and Haiti, sapodilla and sapote from Guatemala, mango and star-apple from Honduras, hog plum, mango, and vi-apple from Jamaica, guava, mamey, mango, orange, peach, pear, pomegranate, quince, and sapote from Mexico, cherimoya and mango from Panama, guava and mango from Puerto Rico, grapefruit, nispero, and orange from Trinidad, and custard-apple from the West Indies; melon fly (*Bactrocera cucurbitae*) in cucumber from Hawaii; Mediterranean fruit fly (*Ceratitis capitata*) in apple, loquat, orange, and sorbe apple, and in sawdust packing around sorbe apples from Azores, coffee and mango from Hawaii, fig, sour orange, and tangerine from Italy, apple, grape, orange, and peach, and (pupae) on shelf of fruit locker on which was the debris of grapes and apples from Spain; *Ceratitis* sp. in loquat from the Azores, orange from Brazil, peach from France, *Opuntia* sp. and tangerine from Italy; olive fruit fly (*Dacus oleae*) in olive from Greece and in olive and in bag containing green olives from Italy; *Dacus* sp. in olive and in package containing olives from Italy; apple maggot (*Rhagoletis pomonella*) in apple from Mexico; *R. cerasi* in dry sour cherry,

[1] The Bureau of Plant Quarantine and the Bureau of Entomology were consolidated, effective July 1, 1934, to form the present Bureau of Entomology and Plant Quarantine.

[2] For details of interceptions mentioned in the text see lists under the countries named.

from Yugoslavia; *Rhagoletis* sp. in sour cherry from Italy and Yugoslavia, hawthorn from Mexico, and apple from Nova Scotia; papaya fruit fly (*Toxotrypana curvicauda*) in papaya from the Bahamas, Cuba, and Panama; trypetid in orange from Brazil, pricklypear from Italy, and pear and quince from Mexico.

MISCELLANEOUS INSECTS

Larvae of the vine moth (*Polychrosis botrana*) were intercepted in grapes from Italy. The rhododendron whitefly (*Dialeurodes chittendeni*) was taken on rhododendrons from England. Cipollini from Morocco were infested with *Exosoma lusitanica* (Chrysomelidae). The Asiatic rice borer (*Chilo simplex*) arrived with rice straw from China and Japan. *Apion carduorum* (Curculionidae) infested globe artichokes from Italy. *Leptoglossus chilensis* (Coreidae) was taken on grapes from Chile. *Ceutorhynchus ericae* (Curculionidae) arrived with heather from Ireland and Scotland. The European corn borer (*Pyrausta nubilalis*) was intercepted in green corn and string beans from Japan.

The pink bollworm (*Pectinophora gossypiella*) was intercepted in cotton bolls from Antigua, cottonseed from Egypt, India, Mexico, and the Orient, seed cotton from China and Mexico, and (adult) in a pillow containing raw cotton from Brazil. *Epicaerus* sp. (Curculionidae) was found in potatoes from Mexico. *Kalotermes malatensis* (termite) infested wood used as a base for orchids from the Philippines. Broomcorn from Italy was infested with the durra stem borer (*Sesamia cretica*). *Epilachna borealis distincta* (Coccinellidae) arrived with banana debris from Mexico. The bean pod borer (*Maruca testulalis*) was intercepted in a string bean from China and in lima beans from Cuba. *Chionaspis yanonensis* (Coccidae) was taken on orange and tangerine from Japan. The coffee berry borer (*Stephanoderes hampei*) arrived in unroasted coffee from Brazil and Sumatra.

Larvae of the tobacco wireworm (*Agriotes lineatus*) were intercepted on dahlia roots from Norway. *Laspeyresia splendana* (Olethreutidae) arrived in chestnuts from France, Japan, Portugal, Spain, Switzerland, and U. S. S. R. The turnip gall weevil (*Ceutorhynchus pleurostigma*) infested cauliflower from Belgium and turnips from England and the Netherlands. Seed cotton from China was infested with *Oxycarenus hyalinipennis* (Lygaeidae). The West Indian sweetpotato weevil (*Euscepes batatae*) was taken in sweetpotatoes from Brazil, Jamaica, Mexico, and St. Lucia. The citrus blackfly (*Aleurocanthus woglumi*) was intercepted on orange leaves from the Bahamas and Jamaica. Bamboo canes from China were infested with *Harmolita phyllostachitis* (Eurytomidae). *Psylliodes chrysocephala* (Chrysomelidae) was intercepted in turnips from the Canal Zone, Denmark, England, and Norway, and in brussels sprouts from Denmark.

Avacados from Mexico were infested with *Conotrachelus aguacatae* and *C. perseae* (Curculionidae). The gladiolus thrips (*Taeniothrips gladioli*) was intercepted on gladiolus from Australia, Bermuda, Hawaii, and New Zealand. The coffee leaf miner (*Leucoptera coffeella*) was taken in coffee leaves from Costa Rica and Guatemala. The Philippine orange moth (*Prays citri*) was intercepted in the rind of a pomelo from the Philippines. Mangoes from Hawaii and the Philippines were infested with the mango weevil (*Sternochetus mangiferae*). *Scolytus multistriatus* and *S. scolytus* (Scolytidae) were intercepted in elm logs from France.

MISCELLANEOUS PLANT DISEASES

The Dutch elm disease (*Ceratostomella* (*Graphium*) *ulmi*) with insect vectors was intercepted in burl elm logs from France at several ports, thus indicating the probable mode of entry of this serious disease. Citrus canker (*Bacterium citri*) was intercepted on *Citrus* spp. from China, Japan, and south India; *Cerotelium desmium* on *Gossypium* sp. from the West Indies; *Elsinoe piri* on apple from Switzerland; *Entomosporium maculatum* on *Raphiolepis delacourii* from Argentina; *Gloeosporium beyrodtii* on *Vanda sanderiana* from the Philippines; *G. sorauerianum* on *Codiaeum* sp. from Japan; *Glomerella cingulata* on *Fatsia japonica* from Japan; *Hemileia* sp. on *Oncidium* sp. from Dutch Guiana; *Leptosphaeria heterospora* on *Iris* sp. from England; *Macrophoma*(?) *aucubana* and *Mycosphaerella* sp. on *Aucuba japonica* from Japan; *Pestalozzia neglecta* on *Euonymus obovatus variegatus* from Japan; *Phoma citricarpa* on fresh fruit of *Citrus nobilis* from China and *C. sinensis junos* from Japan; *Phomopsis arecae* on palm seed from Cuba; *Physalospora eucalyptina* on *Eucalyptus* sp. from Mexico; *Septoria citri* on citrus fruits from Australia, Egypt, France, Greece, Italy, and Spain; *S. pittospori* on *Pittosporum* sp. from Scotland; *Sphaceloma fawcettii* var. *viscosa* on orange from Brazil; *Uredo epidendri* and *U. nigropunctata* on orchids from Costa Rica; *Uredo* sp. on orchids from Columbia.

Interceptions of nematodes included *Anguillulina* (*Tylenchus*) *dipsaci* on various hosts from Belgium, Danzig, Denmark, England (including *Iris histrioides major* new host), France, Germany, Italy(?), Morocco (new locality), Netherlands, New Brunswick, Norway, Union of Soviet Socialist Republics (new locality), Scotland, and Sweden; *A. intermedia* in ginger from China; *A. pratensis* from Argentina, Germany, and Japan; *A. robusta* in *Hosta* sp. from Italy; (*Aphelenchoides bicaudatus* in *Eryngium foetidum* offered for export from Puerto Rico to the mainland and hence interception not shown in list); *A. parietinus* from Brazil, China, Danzig, England, France, Germany, Italy, Japan, Netherlands, Norway, Scotland, Sweden, and Wales; *A. tenuicaudatus* in ginger from China and in yam from Japan; *Aphelenchoides* sp. from Belgium, Japan, and Lithuania; *Aphelenchus avenae* from England, Germany, Hungary, Italy, Japan (in Puerto Rico in material offered for export to mainland), and Sweden; (*Dorylaimus* n. sp. in *Hosta* sp. from Italy, not a plant parasite and hence not in list), *Hoplolaimus bradys* in yam from Puerto Rico; *Paraphelenchus amblyurus* in yam from Japan; *P. maupasi* in hyacinth from the Netherlands.

The interceptions of root-knot nematode (*Heterodera marioni*) are not shown in the main list but included the following new hosts: *Hydrangea opuloides* from Azores; *Antennaria dioica tomentosa, Convolvulus limatus, Gentiana acaulis, Geum hybridum, Lamium orvala alba,* and *Raphithamnus cyanocarpus* from England; *Epiphyllum* sp., *Rehmannia bergi,* and *Iris laevigata* from Japan; *Helenium pumilum* from the Netherlands; *Spathoglottis parsoni* from the Philippines.

For a number of diseases the causal organism could be determined to genus only because it was an undescribed species or appeared to be so because it did not agree with the description of any species reported as occurring on the host or related plants. Among these were *Ascochtya* sp. on *Fatsia japonica* from Japan; *Ceratostomella* sp. on ginger from China; *Cylindrosporium* sp. on *Aspidistra lurida* from Japan; *Gloeosporium* sp. on *F. japonica* from Japan; *Leptothyrium* sp. on *Paeonia suffruticosa* from Japan; *Linochora* sp. on *Ficus* sp. from Guatemala; *Mycosphaerella* sp. on *Wisteria multijuga* from Japan; *Paraphelenchus* sp. (later described as *P. amblyurus*) in yam from Japan; *Pestalozzia* sp. on *F. japonica* from Japan; *Phoma* sp. on *Aucuba japonica* from Japan; *Phomatospora* sp. on *F. japonica* from Japan; *Phomopsis* sp. on *Eriobotrya japonica* from Italy and on *Sciadopitys verticillata* from Japan; *Phyllosticta* sp. on *Codiaeum* sp. from South Africa; *Sclerotium,* n. sp., on *Narcissus* sp. from the Netherlands; and *Selenophoma* sp. on *Dendrobium ashworthiae* from England.

AIRCRAFT INTERCEPTIONS

Two hundred and four interceptions of insects were made. Among these were the following: *Anastrepha* sp. (Trypetidae) in nispero from Trinidad; *Aspidiotus cocotiphagus* (Coccidae) on coconut from the Bahamas; *Coccus viridis* (Coccidae) on Cape-jasmine, and *Lawsonia alba* from Cuba; *Frankliniella cubensis* (thrips) on *Rosa* sp. from Cuba; *F. insularis* on Cape-jasmine from Cuba; *Pseudischnaspis alienus* (Coccidae) on orchid from the Canal Zone; and *Targionia hartii* (Coccidae) on yam from Cuba.

Four plant-disease interceptions were made: *Cephaleuros virescens* (alga) on an orchid from Costa Rica; *Colletotrichum* sp. on coconut from the Bahamas (2) and on an orchid from Brazil. Scale insects on an orchid from Costa Rica were infected with *Aschersonia cubensis* and scale insects on cherimoya from Cuba with *Cephalosporium lecanii.*

COMMON PESTS INTERCEPTED

In addition to the pests named in the itemized list which makes up the body of this report, there were numerous interceptions of cosmopolitan pests that are more or less prevalent in this country. While it is true that many of these interceptions may represent forms or strains not yet introduced and potentially dangerous, it is not believed essential to the purposes of this list to include the details of their interception. They are, however, included in brief form in this preliminary text. Following each pest name are two figures in parenthesis and separated by a dash, the first indicating the number of countries from which the pest was intercepted and the second the total number of interceptions. The customary data regarding this material are on file and available to anyone interested.

INSECTS

Aspidiotus camelliae (4–6), *A. cyanophylli* (9–21), *A. hederae* (20–191), *A. lataniae* (19–71), *A. perniciosus* (4–9), *Aulacaspis pentagona* (10–26), *A. rosae* (3–3), *Carpocapsa pomonella* (10–34), *Cerataphis lataniae* (4–31), *Ceroplastes floridensis* (1–18), *Chionaspis citri* (12–28), *C. euonymi* (4–16), *Chrysomphalus aonidum* (36–645), *C. aurantii* (25–375), *C. dictyospermi* (20–176), *Coccus elongatus* (3–21), *C. hesperidum* (19–53), *Diaspis boisduvalii* (17–106), *D. bromeliae* (7–141), *D. echinocacti* (3–8), *D. echinocacti opuntiae* (3–6), *Ephestia* sp. (36–181), *Etiella zinckenella* (4–13), *Gnorimoschema operculella* (20–70), *Heliothis obsoleta* (8–1,020), *H. virescens* (6–73), *Heliothrips hemorrhoidalis* (10–16), *Hemichionaspis aspidistrae* (18–88), *H. minor* (16–116), *Howardia biclavis* (6–31), *Ischnaspis longirostris* (10–18), *Lepidosaphes beckii* (65–1,395), *L. gloverii* (23–306), *L. ulmi* (13–29), *Parlatoria pergandii* (39–337), *P. proteus* (8–30), *Pseudococcus adonidum* (9–26), *P. brevipes* (20–242), *P. citri* (15–36), *P. maritimus* (13–31), *P. nipae* (9–11), *Rhizoglyphus hyacinthi* (10–45), *Saisselia hemisphaerica* (19–43), *S. nigra* (8–36), *S. oleae* (11–27): Total of these insect interceptions, 6,205.

DISEASES

Actinomyces scabies (48–681), *Alternaria* sp. (27–134), *Aspergillus niger* (41–224), *Bacillus carotovorus* (28–221), Bacteriaceae (48–679), *Bacterium tumefaciens* (13–72), *Botrytis* sp. (31–202), *Cephalothecium roseum* (8–19), *Cladosporium herbarum* (3–4) *Cladosporium* sp. (36–294), *Colletotrichum gloeosporioides* (21–109), *C. lindemuthianum* (9–20), *Coniothyrium fuckelii* (6–9), *Diaporthe phaseolorum* (1–2), *Fusarium* sp. (63–1,347), *Heterodera marioni* (15–52), *Macrosporium* sp. (32–260), *Oospora pustulans* (14–50), *Penicillium digitatum* (28–91), *P. expansum* (20–45), *P. italicum* (20–46), *Penicillium* sp. (71–1,269), *Phomopsis citri* (39–213), *Phytophthora infestans* (20–137), *Rhizoctonia solani* (51–765), *Rhizopus nigricans* (31–99), *Rhizopus* sp. (8–91), *Spondylocladium atrovirens* (41–549), *Spongospora subterranea* (14–60), *Venturia inaequalis* (28–135), *Verticillium cinnabarina* (27–109): Total of these disease interceptions, 7,988.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934 inclusive

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
AFRICA							
Insects:							
Chrysomphalus dictyospermi var. (Coccidae).	Palm				1		Ga.
Hylemyia sp. (Anthomyiidae)	*Solanum tuberosum*					1	Ala.
Noctuid	*Crotalaria* sp		1				D. C.
Diseases:							
Puccina ornithogali-thyrsoides	*Ornithogalum thyrsoides* (chinkerichee).		1				Pa.
ALGERIA							
Insects:							
Aspidiotus spinosus (Coccidae)	*Eriobotrya japonica* (loquat)		1				D. C.
Chilo sp. (*Pyralidae*)	*Oryza sativa* (rice)			1			Md.
Diseases:							
Capnodium citri	*Citrus sinensis* (orange)					1	Do.
AMERICAN SAMOA							
Diseases:							
Ganoderma polychormium	*Aleurites moluccana* (candlenut tree).			1			Calif.*
AMERICAN VIRGIN ISLANDS							
Insects:							
Anastrepha sp. (Trypetidae)	*Spondias mombin* (jobo)		1				Do.*

[1] The common names for the following have been omitted: *Ananas sativus* (pineapple), *Brassica oleracea capitata* (cabbage), *Capsicum annuum* (pepper), *Lycopersicum esculentum* (tomato), *Saccharum officinarum* (sugarcane), and *Solanum tuberosum* (potato). Where the same host occurs frequently the common name has been omitted part of the time. All horticultural variety names have been omitted.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ANTIGUA							
Insects:							
Pectinophora gossypiella (pink bollworm).	*Gossypium* sp. (cotton boll)		1				Mass.
Rhizoglyphus sp. (mite)	*Zingiber officinale* (ginger)		1				Do.
Targionia hartii (Coccidae)	*Dioscorea* sp. (yam)			1			Do.
Targionia sp. (Coccidae)	*Zingiber officinale* (ginger)		1				Do.
ARABIA							
Insects:							
Bruchidius sp. (Bruchidae)	*Sesbania* sp.		1				D. C.
ARGENTINA							
Insects:							
Agromyza sp. (Agromyzidae)	*Brassica rapa* (turnip)					1	N. Y.
Alphitophagus sp. (Tenebrionidae)	In box of grapes	1					Do.
Do	On packing material in box of grapes.	1					Do.
Anthomyiid	*Cucumis sativus* (cucumber)					1	La.
Aspidotus sp. (Coccidae)	*Ceiba* sp.	1					D. C.
Ataenius picinus (Scarabaeidae)	In packing for grapes	1					N. Y.
Blapstinus punctulatus (Tenebrionidae).	On packing material in box of grapes.	1					Do.
Bostrychulus sp. (Bostrichidae)	*Vitis* sp. (grape)	1					Do.
Camponotus sp. (ant)	On packing material in box of grapes.	1					Do.
Carpocapsa sp. (Olethreutidae)	*Prunus domestica* (plum)	1					Do.
Chrysomphalus dictyospermi var. (Coccidae).	*Citrus limonia* (lemon)	1					Do.
Do	*Laurus nobilis* (Grecian laurel)					1	Do.
Curculionid	*Brassica rapa* (turnip)					1	Pa.
Do	*Citrus grandis* (grapefruit)	1					N. Y.
Do	In soil around roots of *Tabebuia flavescens*.	1					D. C.
Desmometopa sp. (Agromyzidae)	*Solanum tuberosum*					1	N. Y.
Diaphania sp. (Pyralidae)	*Cucumis sativus* (cucumber)					2	La.
Distraea sp. (Pyralidae)	*Holcus sorghum* var. (broomcorn).	2					N. Y.
Dysdercus sp. (Pyrrhocoridae)	*Gossypium* sp. (cottonseed and lint).		1				D. C.
Edessa sp. (Pentatomidae)	*Allium cepa* (onion)					1	Ala.
Euzesta sp. (Ortalidae)	*Solanum tuberosum*					1	La.
Glischrochilus sp. (Nitidulidae)	*Zea mays* (corn)					1	Do.
Hylemyia poeciloptera (Anthomyiidae).	*Vitis* sp. (grape)	1					N. Y.
Lorelus sp. (Tenebrionidae)	*Solanum tuberosum*					1	Miss.
Oedaleothrips sp. (thrips)	*Acacia farnesiana* (sweet acacia).	1					D. C.
Orthezia sp. (Coccidae)	*Coleus* sp.				1		Pa.
Phycitinae (Pyralidae)	*Chomelia brasiliana*		1				D. C.
Plodia sp. (Pyralidae)	do		1				Do.
Do	*Guettarda uruquensis*		1				Do.
Rhizoglyphus sp. (mite)	*Allium cepa* (onion)					1	Ala.
Do	do					1	Mass.
Do	*Ipomoea batatas* (sweetpotato)					1	La.
Do	*Solanum tuberosum*					2	Mass.
Salax lacordairei (Tenebrionidae)	In excelsior packing around grapes.	1					N. Y.
Saulaspis graphica (Chrysomelidae)	do	1					Do.
Tetranychoides sp. (mite)	*Lagunaria patersonii*	1					D. C.
Tetranychus sp. (mite)	*Solanum tuberosum*					1	Wash.
Tomaspis sp. (Cercopidae)	*Vitis* sp. (grape)	1					N. Y.
Diseases:							
Alternaria brassicae	*Brassica oleracea capitata*					1	La.
Do	do					1	Pa.
Anguillulina pratensis	*Solanum tuberosum*					1	Md.
Botryosphaeria ribis	*Poinciana* sp.	1					D. C.
Colletotrichum sp.	*Capsicum annuum*					1	La.
Diplodia tubericola	*Ipomoea batatas* (sweetpotato)					1	Do.
Entomosporium maculatum	*Raphiolepis delacourii*	1					D. C.
Oleocellosis	*Citrus sinensis* (orange)				1		La.
Phoma sp.	Unidentified leaf	1					Md.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ARGENTINA—Continued							
Diseases—Continued.							
Puccinia sp.	*Allium sativum* (garlic)					1	Pa.
Sclerotinia sclerotiorum	*Daucus carota* (carrot)					1	Do.
Sclerotinia sp.	*Allium cepa* (onion)					1	N. Y.
Do.	*Capsicum annuum* (pepper)					1	Mass.
Do.	*Daucus carota* (carrot)					1	La.
Do.	do.					1	Tex.
Do.	*Lactuca sativa* (lettuce)					1	Pa.
Sclerotium sp.	*Brassica rapa* (turnip)					1	Do.
Septoria apii	*Apium graveolens* (celery)				1		Do.
Sphaceloma fawcettii	*Citrus limonia* (lemon)					1	Tex.
Sphaceloma sp.	do.					1	La.
Do.	*Citrus sinensis* (orange)					1	N. Y.
AUSTRALIA							
Insects:							
Apachyus sp. (earwig)	*Juglans* sp. (walnut)	1					Calif.*
Aspidiotus ostreaeformis (Coccidae)	*Malus sylvestris* (apple)					2	Pa.
Aspidiotus sp. (Coccidae)	do.					1	Md.
Do.	do.					1	N. Y.
Blastobasid	*Macrozamia* sp.	1					Calif.*
Brachypeplus sp. (Nitidulidae)	*Juglans* sp. (walnut)	1					Do.*
Brontes australis (Cucujidae)	do.	2					Va.
Bryobia sp. (mite)	*Malus sylvestris* (apple)					1	Pa.
Camponotus sp. (ant)	*Juglans* sp. (walnut)	1					Calif.*
Ceropria sp. (Tenebrionidae)	*Acer* sp. (maple)	1					Md.
Chrysomphalus rossi (Coccidae)	*Dendrobium superbiens* (orchid)	1					Hawaii.*
Do.	*Strelitzia reginae* (bird-of-paradise-flower).			1			Do.*
Cicadellid	do.			1			Do.*
Coccotrypes dactyliperda (Scolytidae)	Palm		1				Calif.*
Cryptorhynchinae (Curculionidae)	*Juglans* sp. (walnut)	1					Va.
Curculionid	*Acer* sp. (maple)	1					Md.
Do.	*Callistemon lanceolatus* (lemon bottle-brush).		1				D. C.
Do.	*Dendrobium senile* (orchid)		1				Hawaii.*
Do.	*Juglans* sp. (walnut)	1					Calif.*
Do.	do.	4					Va.
Elaphidion sp. (Cerambycidae)	do.	1					Do.
Elaterid	*Alcicornium* sp. (staghorn fern)			1			Calif.*
Do.	*Dendrobium falcorostrum* (orchid).		1				Hawaii.*
Do.	*Juglans* sp. (walnut)	1					Calif.*
Lepidosaphes sp. (Coccidae)	*Dendrobium superbiens* (orchid).	1					Hawaii.*
Melolonthinae (Scarabaeidae)	In soil	1					Calif.*
Meracantha sp. (Tenebrionidae)	*Acer* sp. (maple)	1					Md.
Mirid	*Juglans* sp. (walnut)	1					Calif.*
Necrobia sp. (Corynetidae)	do.	1					Va.
Nitidulid	do.	2					Calif.*
Orthorrhinus cylindrirostris (Curculionidae).	do.	1					Do.*
Pheidole sp. (ant)	*Acacia* sp.		1				Do.*
Do.	*Juglans* sp. (walnut)	1					Do.*
Phenacaspis sp. (Coccidae)	Palm					7	Do.*
Phycitinae (Pyralidae)	*Plumeria* sp. (frangipani)		1				Do.*
Platydema tetraspilota (Tenebrionidae).	*Acer* sp. (maple)	1					Md.
Pseudococcus sp. (Coccidae)	*Alcicornium* sp. (staghorn fern)			1			Calif.*
Do.	*Macrozamia* sp.	1					Do.*
Do.	Palm				1		Do.*
Psychid	do.				1		Do.*
Psyllid	*Boronia* sp.			1			Hawaii.*
Saperda sp. (Cerambycidae)	*Juglans* sp. (walnut)	1					Va.
Silvanus sp. (Cucujidae)	do.	1					Calif.*
Spongiphora australiana (earwig)	*Acer* sp. (maple)	2					Md.
Do.	*Juglans* sp. (walnut)	1					Calif.*
Do.	Log	1					Do.*
Spongiphora sp. (earwig)	*Juglans* sp. (walnut)	1					Do.*
Taeniothrips gladioli (gladiolus thrips)	*Gladiolus* sp.		1				Do.*

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
AUSTRALIA—Continued							
Insects—Continued.							
Tenebrionid	*Dendrobium falcorostrum* (orchid).		1				Hawaii.*
Do	*Juglans* sp. (walnut)	1					Calif.*
Tenebroides sp. (Ostomidae)	Botanical specimen	1					Do.*
Do	*Kentia* sp. (palm)	1					Do.*
Tetranychid (mite)	*Citrus* sp			1			Do.*
Do	In soil			1			Do.*
Xyleborus morigerus (Scolytidae)	*Dendrobium phalaenopsis schroederianum* (orchid).			1			Hawaii.*
Diseases:							
Bacterium marginatum	*Gladiolus* sp		1				D. C.
Bitter pit	*Malus sylvestris* (apple)					1	Mass.
Gloeosporium cinctum?	*Dendrobium* sp. (orchid)	1					D. C.
Internal blackening	*Solanum tuberosum*					1	Mass.
Oleocellosis	*Citrus sinensis* (orange)					1	Md.
Do	do					1	Pa.
Pestalozzia sp	*Dendrobium* sp	1					D. C.
Puccinia graminis	*Triticum aestivum* (wheat)		2				Do.
Russeting	*Malus sylvestris* (apple)					1	Mass.
Sclerotium gladioli	*Gladiolus* sp		2				D. C.
Septoria citri	*Citrus limonia* (lemon)					1	Md.
Stemphylium sp	*Dendrobium* sp	1					D. C.
Ustilago avenae	*Avena sativa* (oats)		1				Do.
AUSTRIA							
Insects:							
Anthonomus rectirostris (Curculionidae).	*Prunus avium* (mazzard)		1				Do.
Do	*Prunus mahaleb* (mahaleb cherry).		1				Do.
Do	*Prunus padus* (European bird cherry).	1					Pa.
Blastodacna sp. (Cosmopterygidae)	*Malus sylvestris* (apple)		1				D. C.
Brachyrhinus porcatus (Curculionidae).	*Dahlia* sp		1				Pa.
Bruchid	*Cytisus hirsutus*		1				D. C.
Bruchidius villosus (Bruchidae)	*Cytisus sessilifolius* (sessile broom).		1				Do.
Do	*Cytisus supinus*		1				Do.
Do	*Laburnum vulgare* (goldenchain)	1					Pa.
Chlorochroa juniperina (Pentatomidae).	*Juniperus* sp. (juniper)		1				Do.
Coleophora sp. (Coleophoridae)	*Malus* sp		1				D. C.
Curculio sp. (Curculionidae)	*Corylus colurna* (tree hazelnut)	1					Pa.
Gelechiid	*Picea excelsa* (Norway spruce)	1					Do.
Phyllotreta sp. (Chrysomelidae)	In soil around dahlia tubers		1				Do.
Diseases:							
Phoma sp	*Syringa vulgaris flora alba*	1					Do.
AZORES							
Insects:							
Blastobasid	*Eriobotrya japonica* (loquat)		1				Mass.
Ceratitis capitata (Mediterranean fruit fly).	*Citrus sinensis* (orange)			1			N. Y.
Do	*Eriobotrya japonica*			2			R. I.
Do	*Malus sylvestris* (apple)			1			N. Y.
Do	*Sorbus* sp. (sorbe apple)			1			Mass.
Do	In sawdust packing around sorbe apple.			1			Do.
Ceratitis sp. (Trypetidae)	*Eriobotrya japonica*			1			N. Y.
Do	do			1			R. I.
Chrysomphalus dictyospermi var. (Coccidae).	*Citrus limonia* (lemon)			1			Do.
Curculionid	*Malus sylvestris*			1			N. Y.
Fiorinia fioriniae (Coccidae)	*Camellia* sp		1				Mass.
Do	do			1			R. I.
Iridomyrmex humilis (Argentine ant)	*Eriobotrya japonica*			1			Do.
Do	Fern			1			Do.
Marmara sp. (Gracilariidae)	*Malus sylvestris*			1			N. Y.
Rhizoglyphus sp. (mite)	*Colocasia esculenta* (dasheen)	1					Mass.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
AZORES—Continued							
Insects—Continued.							
Sitophilus sp. (Curculionidae)	*Malus sylvestris* (apple)			1			N. Y.
Targionia bromeliae (Coccidae)	*Ananas sativus* (pineapple)		1			1	Mass.
Do	do					1	N. Y.
Tenebrionid	Palm			1			R. I.
Tineid	*Begonia* sp			1			Do.
Diseases:							
Puccinia sorghi	*Zea mays* (corn)					1	Pa.
BAHAMAS							
Insects:							
Aleurocanthus woglumi (citrus blackfly).	*Citrus sinensis* (orange)			1			Fla.*
Aphis sp. (aphid)	*Rosa* sp			1			Do.*
Aspidiotus cocotiphagus (Coccidae)	*Casuarina equisetifolia* (Australian pine).			1			Do.*
Do	*Cocos nucifera* (coconut)			7			Do.*
Do	*Cycas revoluta* (sago cycas)			1			Do.*
Aspidiotus destructor (Coccidae)	*Cocos nucifera* (coconut)			3			Do.*
Do	*Rosa* sp			1			Do.*
Aspidiotus herculeanus (Coccidae)	*Poinciana regia* (royal poinciana).			1			Do.*
Asterolecanium pustulans (Coccidae)	*Achras sapota* (sapodilla)			1		1	Do.*
Do	*Nerium oleander* (oleander)			1	1		Do.*
Coccus sp. (Coccidae)	*Achras sapota*					1	Do.*
Diatraea saccharalis (sugarcane borer).	*Saccharum officinarum*			1			Do.*
Ereunetis minuscula (Tineidae)	*Poinciana regia*			1			N. Y.
Frankliniella cubensis (thrips)	Bouquet			1			Fla.*
Frankliniella insularis (thrips)	Rose and snapdragon			1			Do.*
Lepidosaphes alba (Coccidae)	*Poinsettia pulcherrima* (poinsettia).			1			Do.*
Ortalid	*Zea mays* (corn)				1		Do.*
Pseudaonidia articulatus (rufous scale).	*Annona squamosa* (sugar-apple).			1			Do.*
Pseudococcus sp. (Coccidae)	*Agave indagatorum*	1					D. C.
Do	*Saccharum officinarum*			1			Fla.*
Pyralid	*Holcus sorghum var.* (kafir corn).			1			Do.*
Pyroderces sp. (Cosmopterygidae)	*Poinciana regia*			1			N. Y.
Syrphid	*Holcus sorghum* var. (kafir corn).			1			Fla.*
Targionia sacchari (Coccidae)	*Saccharum officinarum*			1		1	Do.*
Tineid	*Poinciana regia* (royal poinciana).			1			N. Y.
Toxotrypana curvicauda (papaya fruit fly).	*Carica papaya* (papaya)			1			Fla.*
Diseases:							
Colletotrichum falcatum	*Saccharum officinarum*			1			Do.*
Colletotrichum sp	*Cocos nucifera* (coconut)			2			Do.*
Glocosporium limetticolum	*Citrus aurantifolia* (lime)					1	Do.*
BARBADOS							
Insects:							
Diatraea sp. (Pyralidae)	*Saccharum officinarum*			1			Mass.
Metamasius sericeus (silky cane weevil).	do			1			Do.
Pseudaonidia articulatus (rufous scale).	*Citrus grandis* (grapefruit)			1			Do.
Do	*Citrus sinensis* (orange)					1	Do.
Pseudococcus (Coccidae)	*Bryophyllum* sp		1				Do.
Sitophilus linearis (tamarind pod borer).	*Tamarindus indica* (tamarind)		1				Do.
Targionia hartii (Coccidae)	*Dioscorea* sp. (yam)		1	3			Do.
Wasmannia auropunctata (ant)	*Eryngium* sp		1				Do.
Diseases:							
Capnodium citri	*Citrus aurantifolia* (lime)		1				Do.
Melanconium sacchari	*Saccharum officinarum*		1				Do.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
BELGIUM							
Insects:							
Agromyzid	*Cichorium intybus* (witloof)	2					N. Y.
Do	do					1	Pa.
Aspidiotus palmae (Coccidae)	*Aechmea drakeana*	1					D. C.
Do	*Aechmea weilbachii*	1					Do.
Do	*Billbergia speciosa*	1					Do.
Do	*Billbergia thyrsoidea*	1					Do.
Do	*Nidularium marechali*	1					Do.
Do	*Nidularium* sp	1					Do.
Ceutorhynchus pleurostigma (turnip gall weevil).	*Brassica oleracea botrytis* (cauliflower).					1	Miss.
Ceutorhynchus sp. (Curculionidae)	*Brassica rapa* (turnip)					1	N. Y.
Chrysomphalus personatus (Coccidae).	*Vriesia rubida*	1					D. C.
Do	*Vriesia saundersi*	1					Do.
Corcyra cephalonica (Pyralidae)	*Oryza sativa* (rice)	2					La.
Diaspis sp. (Coccidae)	*Bromelia humilis*	1					D. C.
Do	*Nidularium chlorostictum*	1					Do.
Elaterid	*Allium cepa* (onion)					1	Fla.*
Gymnaspis aechmeae (Coccidae)	*Aechmea coelestis*	1					D. C.
Hepialus sp. (Hepialidae)	*Stachys sieboldi* (chorogi)		1				Pa.
Histiostoma sp. (mite)	*Allium cepa*					1	Ala.
Do	*Solanum tuberosum*					1	La.
Hylemyia sp. (Anthomyiidae)	*Brassica rapa* (turnip)					1	Ala.
Do	do					1	Pa.
Hypnoidus sp. (Elateridae)	*Allium porrum* (leek)					1	Do.
Ludius sp. (Elateridae)	*Apium graveolens* (celery)					1	Do.
Rhabdophaga sp. (Cecidomyiidae)	*Salix discolor* (pussy willow)				1		Do.
Rhizophagus ferrugineus minor (Rhizophagidae).	*Solanum tuberosum*					1	Do.
Rhizoglyphus sp. (mite)	*Allium cepa*					1	Ala.
Sciara sp. (Mycetophilidae)	*Brassica rapa* (turnip)					1	N. Y.
Do	*Solanum tuberosum*					2	Pa.
Syrphid	*Apium graveolens* (celery)					1	Do.
Thrips tabaci pullus (thrips)	*Allium porrum* (leek)					1	Do.
Tinea sp. (Tineidae)	Bagging	1					Md.
Do	*Cichorium intybus* (witloof)	3					La.
Diseases:							
Alternaria brassicae	*Brassica oleracea capitata*					1	Pa.
Anguillulina dipsaci	*Allium cepa* (onion)					1	Miss.
Aphelenchoides sp	*Beta vulgaris* (beet)					1	Ala.
Fusarium oxysporum	*Solanum tuberosum*					1	Fla.*
Gloeodes sp	*Malus sylvestris* (apple)					1	Pa.
Heterosporium sp	*Avena sativa* (oats)	1					Do.
Internal blackening	*Solanum tuberosum*					1	Tex.
Mosaic?	*Allium porrum* (leek)					1	Pa.
Oedema	*Brassica oleracea capitata*					1	Do.
Pestalozzia guepini	*Camellia* sp		1				D. C.
Petrifaction	*Solanum tuberosum*					1	Tex.
Phoma lingam	*Brassica oleracea capitata*					1	Pa.
Phyllosticta sp	*Apium graveolens* (celery)					1	Do.
Plasmodiophora brassicae	*Brassica rapa* (turnip)					1	Do.
Puccinia sp	*Allium sativum* (garlic)					1	Md.
Sclerotinia sclerotiorum	*Daucus carota* (carrot)					4	Ala.
Do	do					2	Ga.
Do	do					1	Miss.
Sclerotinia sp	*Beta vulgaris* (beet)					1	Ala.
Do	*Daucus carota*					1	Pa.
Do	*Lycopersicum esculentum*					1	N. Y.
Sclerotium sp	*Cichorium intybus* (witloof)	1					Do.
Do	*Pastinaca sativa* (parsnip)					1	Do.
Septoria apii	*Apium graveolens* (celery)					4	Pa.
Sphaerotheca humuli	*Rosa* sp		1				D. C.
Spindle tuber	*Solanum tuberosum*					3	Fla.*
Verticillium albo-atrum	*Dahlia* sp		1				D. C.
Verticillium sp	*Beta vulgaris* (beet)					1	Ala.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
BERMUDA							
Insects:							
Agromyzid	*Brassica oleracea acephala* (kale)	1					N. Y.
Ceroplastes sp. (Coccidae)	*Duranta repens*			1			Do.
Heliothis sp. (Noctuidae)	*Pelargonium* sp. (geranium)			1			Mass.
Noctuid	*Lilium* sp		1				Pa.
Phenacoccus gossypii (Coccidae)	*Pelargonium* sp. (geranium)			1			Mass.
Phenacoccus sp. (Coccidae)	do			1			Do.
Phycitinae (Pyralidae)	*Eriobotrya japonica* (loquat)			1			N. Y.
Prodenia sp. (Noctuidae)	*Lilium* sp				1		Do.
Pulvinaria psidii (Coccidae)	*Duranta repens*			1			Do.
Rhizoglyphus sp. (mite)	*Pelargonium* sp. (geranium)			1			Mass.
Taeniothrips gladioli (gladiolus thrips).	*Gladiolus* sp			1			Do.
Taeniothrips sp. (thrips)	*Amaryllis* sp				1		Do.
Tetranychid (mite)	*Lilium* sp	1					Calif.*
Diseases:							
Colletotrichum sp	*Theobroma cacao* (cacao)			1			Mass.
Diplodia cacaoicola	do			1			Do.
Phyllosticta sp	*Nerium oleander* (oleander)			1			N. Y.
Pythium sp	*Bryophyllum* sp		1				Pa.
BRAZIL							
Insects:							
Acanthoscelides sp. (Bruchidae)	Bean					1	Mass.
Acrolophus sp. (Acrolophidae)	*Solanum tuberosum*					1	La.
Aleurothrixus floccosus (whitefly)	*Citrus sinensis* (orange)			1		1	Do.
Anastrepha sp. (Trypetidae)	do					1	Md.
Anthomyiid	Log	1					La.
Aspidiotus destructor (Coccidae)	*Cocos nucifera* (coconut)				1		Pa.
Aspidiotus tamarindi (Coccidae)	*Codiaeum* sp. (croton)					1	Tex.
Aspidiotus sp. (Coccidae)	*Citrus limonia* (lemon)					1	N. Y.
Ataenius sp. (Scarabaeidae)	Hardwood log	1					Va.
Autographa sp. (Noctuidae)	*Brassica oleracea capitata*					1	N. Y.
Brachyrhinus sulcatus (black vine weevil).	Bean					1	Mass.
Brentid	Hardwood log	1					Va.
Cerambycid	*Bertholletia nobilis* (Brazil nut)			1			La.
Ceratitis sp. (Trypetidae)	*Citrus sinensis* (orange)					1	Do.
Coccus viridis (Coccidae)	do					1	N. Y.
Colopterus abdominalis (Nitidulidae)	In package with potatoes		1				D. C.
Curculionid	*Ipomoea batatas* (sweetpotato)					1	N. Y.
Do	*Solanum tuberosum* (potato)					1	Md.
Do	do					1	N. Y.
Diatraea sp. (Pyralidae)	*Zea mays* (corn)					1	Do.
Euscepes batatae (West Indian sweetpotato weevil).	*Ipomoea batatas* (sweetpotato)					1	Md.
Do	do					1	N. Y.
Euxesta sp. (Ortalidae)	*Citrus sinensis* (orange)			1			La.
Do	Unidentified log	1					Do.
Hemichionaspis minor strachani (Coccidae).	*Citrus sinensis* (orange)					1	N. Y.
Histiostoma sp. (mite)	*Allium cepa* (onion)					1	Mass.
Mirid	*Swietenia* sp. (mahogany)	1					La.
Murmidius sp. (Murmidiidae)	Unidentified log	1					Do.
Mycetophilid	*Solanum melongena* (eggplant)					1	N. Y.
Olethreutid	*Citrus sinensis*					1	Do.
Orthezia insignis (greenhouse orthezia).	*Begonia* sp				2		La.
Parlatoria sp. (Coccidae)	*Citrus sinensis*			1	1	2	Fla.*
Do	do					1	Mass.
Do	do					1	Pa.
Do	*Citrus* sp					1	Md.
Pectinophora gossypiella (pink bollworm).	In a pillow containing raw cotton.			1			La.
Pinnaspis buxi (Coccidae)	Palm				1		N. Y.
Platydema picicorne (Tenebrionidae)	Hardwood log	1					Va.
Psalis americana (earwig)	*Cucurbita pepo* (pumpkin)					1	La.
Pseudaonidia duplex (camphor scale)	*Codiaeum* sp. (croton)					1	Tex.
Pseudaonidia trilobitiformis (Coccidae).	*Mangifera indica* (mango)					1	N. Y.
Pseudococcus sp. (Coccidae)	*Solanum melongena* (eggplant)					1	Do.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
BRAZIL—Continued							
Insects—Continued.							
Pyraustinæ (Pyralidae)	*Lycopersicum esculentum*					1	La.
Do	Unidentified log	1					Do.
Rhizoglyphus sp. (mite)	*Allium cepa* (onion)					1	Ala.
Sciara sp. (Mycetophilidae)	*Capsicum annuum*					1	La.
Solenopsis sp. (ant)	*Cucurbita pepo* (pumpkin)					1	Mass.
Do	Orchid			1			La.
Stephanoderes hampei (coffee berry borer).	*Coffea* sp	1					N. Y.
Stephanoderes sp. (Scolytidae)	*Cassia fistula* (golden-shower)			1			La.
Do	*Zea mays* (corn)		1				Calif.*
Temnochila sp. (Ostomidae)	Hardwood log	1					Va.
Tenebrionid	do	1					Do.
Tenebroides sp. (Ostomidae)	do	1					Do.
Tipulid	Log	1					La.
Trypetid	*Citrus sinensis* (orange)					1	Md.
Xyleborus affinis (Scolytidae)	*Serjania grandiflora*	1					N. Y.
Xyleborus grenadensis (Scolytidae)	do	1					Do.
Diseases:							
Alternaria brassicae	*Brassica oleracea capitata*					1	La.
Aphelenchoides parietinus	*Chayota edulis* (chayote)		1				Pa.
Do	*Daucus carota* (carrot)					1	La.
Capnodium citri	*Citrus nobilis deliciosa* (tangerine).					1	N. Y.
Colletotrichum lagenarium	*Chayota edulis*		1				Pa.
Do	*Cucurbita maxima* (squash)					1	Do.
Do	*Cucurbita pepo* (pumpkin)					1	Md.
Colletotrichum nigrum	*Capsicum annuum*					1	Do.
Colletotrichum sp	Orchid	1					Fla.*
Do	do			1			N. Y.
Corticium sp	*Allium sativum* (garlic)					1	Ala.
Diplodia cacaoicola	*Persea americana* (avocado)					1	La.
Gloeosporium limetticolum	*Citrus aurantifolia* (lime)					1	Fla.*
Gloeosporium sp	Orchid				1		La.
Mycosphaerella pinodes	*Pisum sativum* (pea)					1	Do.
Do	do					1	N. Y.
Oleocellosis	*Citrus aurantifolia* (lime)					1	Pa.
Do	do					1	La.
Do	*Citrus nobilis deliciosa* (tangerine).					1	N. Y.
Do	*Citrus sinensis* (orange)					1	Pa.
Oospora citri-aurantii	do					1	Do.
Phoma sp	*Chayota edulis* (chayote)		1				Do.
Phyllosticta sp	Unidentified leaf			1			N. Y.
Puccinia sp	*Allium sativum* (garlic)					6	Md.
Russeting	*Malus sylvestris* (apple)					1	Tex.
Do	*Solanum tuberosum*					1	Do.
Schizophyllum commune	Hardwood log	1					Va.
Sclerotinia sclerotiorum	*Daucus carota* (carrot)					1	La.
Sclerotinia sp	*Apium graveolens* (celery)					1	Do.
Do	*Capsicum annum*					1	Md.
Do	*Chayota edulis* (chayote)					1	La.
Do	do					1	Miss.
Do	*Cucurbita pepo* (pumpkin)					1	Pa.
Do	*Daucus carota* (carrot)					3	La.
Do	*Pisum sativum* (pea)					1	Do.
Do	*Raphanus sativus* (radish)					1	Pa.
Do	*Solanum tuberosum* (potato)					1	La.
Sclerotium sp	*Solanum* sp. (tuber)					1	N. Y.
Septobasidium sp	*Citrus sinensis* (orange)					1	Pa.
Sphaceloma fawcettii	*Citrus aurantifolia* (lime)				1		Tex.
Do	*Citrus limetta* (sweet lime)				1		Do.
Do	*Citrus limonia* (lemon)					3	Calif.*
Do	do					1	La.
Do	do					1	N. Y.
Do	do					1	Tex.
Do	*Citrus nobilis deliciosa* (tangerine).					1	N. Y.
Do	*Citrus sinensis* (orange)					1	La.
Sphaceloma fawcettii var. *viscosa*	do				1		Do.
Do	do					1	Md.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
BRAZIL—Continued							
Diseases—Continued.							
Sphaceloma fawcettii var. *viscosa* (?)	*Citrus sinensis* (orange)					2	Md.
Sphaceloma sp.	*Citrus limonia* (lemon)					1	N. Y.
Do	*Citrus sinensis*				1		La.
Do	do					2	Md.
Do	do					1	N. Y.
Do	*Vitis* sp.					1	Md.
Stysanus stemonites	*Solanum tuberosum*					1	La.
BRITISH COLUMBIA							
Insects:							
Aspidiotus britannicus (Coccidae)	*Ilex* sp. (holly)		1				Calif.*
Brachyrhinus sulcatus (black vine weevil).	*Viola* sp. (violet)		1				Do.*
Brachyrhinus sp. (Curculionidae)	*Fragaria* sp. (strawberry)	1					Do.*
Dorytomus sp. (Curculionidae)	*Salix discolor* (pussy willow)		1				Minn.
Epuraea sp. (Nitidulidae)	Cut flowers		1				Calif.*
Frankliniella sp. (thrips)	do		1				Do.*
Do	*Iris* sp.		1				D. C.
Lioligus nitidus (Byrrhidae)	*Aster* sp.		1				Calif.*
Olethreutid	do		1				Do.*
Phytomyza sp. (Agromyzidae)	*Ilex* sp. (holly)	1	1				Do.*
Prociphilus sp. (aphid)	*Rheum rhaponticum* (rhubarb)			1			Wash.
Syrphid	*Aster* sp.		1				Calif.*
Tetranychid	Salix cuttings and sphagnum moss packing.		1				Do.*
BRITISH GUIANA							
Insects:							
Eucalymnatus tessellatus (Coccidae)	*Caryota urens* (toddy palm)				1		Mass.
Histiostoma sp. (mite)	*Allium cepa* (onion)					1	Pa.
Lasioderma sp. (Anobiidae)	*Oryza sativa* (paddy rice)			1			Mass.
Rhizoglyphus sp. (mite)	*Allium cepa*					1	Pa.
Xyleborus affinus (Scolytidae)	*Borassus flabellifer*		1				D. C.
Diseases:							
Diplodia cacaoicola	*Nipa fruticans*		1				Do.
Do	*Orbignya speciosa*		1				Do.
BRITISH HONDURAS							
Insects:							
Camponotus angulatus (ant)	Banana debris	1					Pa.
Do	*Musa* sp. (banana)	1					S. C.
Camponotus sp. (ant)	Banana debris	1					Pa.
Chrysomphalus perseae (Coccidae)	*Musa* sp. (banana)	1					Fla.*
Colopterus denticulatus (Nitidulidae).	*Zea mays* (corn)					1	La.
Curculionid	*Bactris* sp.		1				D. C.
Diatraea sp. (Pyralidae)	*Zea mays* (corn)					1	La.
Euxesta sp. (Ortalidae)	do					1	Do.
Iridomyrmex sp. (ant)	Banana debris	1					Pa.
Mecistorhinus tripterus (Pentatomidae).	do	1					Do.
Pheidole sp. (ant)	do	2					Do.
Do	*Musa* sp. (banana)	1					S. C.
Psychid	Banana debris	1					Pa.
Tapinoma sp. (ant)	do	1					Do.
Telephanus setulosus (Cucujidae)	do	1					Do.
BRITISH ISLES							
Insects:							
Ceutorhynchus sp. (Curculionidae)	*Calluna vulgaris* (heather)		1				Do.
Taeniothrips ericae (thrips)	do		4				Do.
BRITISH WEST INDIES							
Insects:							
Coccus viridis (Coccidae)	*Citrus aurantifolia* (lime)	1					N. Y.
Oncometopia sp. (Cicadellidae)	*Ixora coccinea* (scarlet ixora)			1			Do.
Pseudaonidia articulatus (rufous scale).	*Citrus grandis* (grapefruit)					1	Do.
Diseases:							
Oleocellosis	*Citrus aurantifolia* (lime)	2					Do.
Sphaceloma fawcettii	*Citrus limonia* (lemon)					1	Do.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
CANADA							
Insects:							
Agriotes sp. (Elateridae)	In soil around roots of fern, ivy, and cactus plants.			1			Mass.
Camponotus sp. (ant)	*Musa* sp. (banana)	1					Calif.*
Dilachnus sp. (aphid)	*Picea canadensis* (white spruce)	1					Mich.
Elaterid	*Fragaria* sp. (strawberry)		1				Calif.*
Emphytinae (sawfly)	*Gypsophila* sp. (Bristol fairy)	1					Hawaii.*
Histiostoma sp. (mite)	*Solanum tuberosum*					1	Pa.
Lioligus nitidus (Byrrhidae)	*Fragaria* sp. (strawberry)		1				Calif.*
Lygus sp. (Miridae)	Cut flowers		1				Do.*
Noctuid	In soil around roots of fern, ivy, and cactus plants.			1			Mass.
Do	*Picea excelsa* (Norway spruce)	1					Mich.
Peronea emargana (Tortricidae)	In packing around plants		1				D. C.
Phytomyza sp. (Agromyzidae)	*Ilex aquifolium* (English holly)		1				Calif.*
Do	*Ilex* sp. (holly)		1				Do.*
Psila rosae (carrot rust fly)	*Daucus carota* (carrot)					1	Pa.
Rhizoglyphus sp. (mite)	do					1	Do.
Sciara sp. (Mycetophilidae)	In soil around roots of fern			1			Mass.
Sericus sp. (Elateridae)	In soil around roots of evergreen tree.			1			Do.
Tetranychid	*Dahlia* sp		1				Calif.*
Diseases:							
Alternaria brassicae	*Brassica oleracea capitata*					2	Pa.
Bacterium marginatum	*Gladiolus* sp		2				D. C.
Botrytis tulipae	*Tulipa* sp		1				Do.
Gloeodes pomigena	*Malus sylvestris* (apple)					1	Pa.
Leptothyrium pomi	do					1	Do.
Mycosphaerella fragariae	*Fragaria* sp. (strawberry)	1					Mich.
Penicillium gladioli	*Gladiolus* sp		1				D. C.
Phoma sp.	*Beta vulgaris* (beet)					1	La.
Plasmodiophora brassicae	*Raphanus sativus* (radish)					1	Pa.
Sclerotinia sclerotiorum	*Daucus carota* (carrot)					1	Ala.
Do	do					1	La.
Do	do					1	Pa.
Septoria sp	*Veronica crispa*	1					Wash.
Verticillium albo-atrum	*Dahlia* sp		8				D. C.
CANAL ZONE							
Insects:							
Aspidiotus cocotiphagus (Coccidae)	*Cocos nucifera* (coconut)			1		1	Calif.*
Blastobasid	In packing with *Eugenia* seeds		1				D. C.
Camponotus angulatus (ant)	*Musa* sp. (banana)	1					La.
Camponotus sp. (ant)	do	2					Calif.*
Ceutorhynchus sp. (Curculionidae)	*Brassica rapa* (turnip)					1	N. Y.
Chilo sp. (Pyralidae)	Bamboo					1	Calif.*
Coccotrypes sp. (Scolytidae)	*Eugenia* sp		1				D. C.
Crematogaster sp. (ant)	Bamboo					1	Calif.*
Curculionid	*Pisum sativum* (pea)		1				Do.*
Discocephala humilis (Pentatomidae)	*Musa* sp. (banana)	2					Do.*
Elaterid	do	1					Do.*
Frankliniella sp. (thrips)	*Sobralia panamensis* (orchid)		1				Hawaii.*
Heliothis sp. (Noctuidae)	*Pisum sativum* (pea)		1				Calif.*
Ips sp. (Scolytidae)	*Musa* sp. (banana)	1					Do.*
Liothrips sp. (thrips)	*Dracontomelon sinensis*		1				D. C.
Lorelus sp. (Tenebrionidae)	*Musa* sp. (banana)	1					La.
Lygus sp. (Miridae)	do	1					Calif.*
Metamasius sericeus (silky cane weevil)	do	1					Do.*
Noctuid	do	1					Do.*
Phycitinae (Pyralidae)	*Carica papaya* (papaya)					1	La.
Do	*Pisum sativum* (pea)		1				Calif.*
Pseudaonidia articulatus (rufous scale)	*Citrus grandis* (grapefruit)					1	Mass.
Pseudischnaspis alienus (Coccidae)	Orchid	1					Fla.*
Psyliodes chrysocephala (Chrysomelidae)	*Brassica rapa* (turnip)					1	N. Y.
Pyralid	Bamboo					1	Calif.*
Do	*Dracontomelon sinensis*		1				D. C.
Do	*Tabebuia guayacan*		1				Hawaii.*
Stigmaeodes sp. (mite)	*Ananas sativus* (pineapple)		1				Do.*
Telephanus setulosus (Cucujidae)	*Musa* sp. (banana)	1					La.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
CANAL ZONE—Continued							
Diseases:							
Oleocellosis	*Citrus sinensis* (orange)				1		Tex.
Oospora citri-aurantii	do					1	Pa.
Saccharomycetaceae	*Mangifera indica* (mango)		1				Do.
CANARY ISLANDS							
Insects:							
Gelechiid	*Beta vulgaris* (beet)					1	La.
Tineid	do					1	Do.
Tyroglyphid (mite)	Peat used as packing for potatoes.	1					P. R.
Diseases:							
Alternaria brassicae	*Brassica rapa* (turnip)					1	Pa.
Capnodium citri	*Citrus sinensis* (orange)					1	Tex.
Macrosporium tomato	*Lycopersicum esculentum*					1	Pa.
Oospora lactis parasitica	do					2	Do.
Sclerotinia sp	do					1	Fla.*
Sclerotium sp	*Phaseolus* sp. (stringbean)					1	Pa.
CAPE OF GOOD HOPE							
Insects:							
Frankliniella sp. (thrips)	Flower seed		1				Calif.*
Prociphilus sp. (aphid)	*Haworthia* sp		1				D. C.
Psyllid	do		1				Do.
Trionymus sp. (Coccidae)	*Apicra deltoidea*		1				Do.
CENTRAL AMERICA							
Insects:							
Chrysomphalus perseae (Coccidae)	*Musa* sp. (banana)					1	Hawaii.*
Corcyra cephalonica (Pyralidae)	*Theobroma cacao* (cacao)	1					Calif.*
Coscineuta sp. (Acrididae)	*Musa* sp. (banana)	1					Do.*
Elaterid	*Guaiacum officinale* (lignum-vitae).	1					Do.*
Labia sp. (earwig)	do	1					Do.*
Mordellid	do	1					Do.*
Tenebrionid	do	1					Do.*
Xyleborus sp. (Scolytidae)	do	1					Do.*
CEYLON							
Insects:							
Coniopteryx sp. (Coniopterygidae)	*Citrus limonia* (lemon)					1	Pa.
Galleriinae (Pyralidae)	*Pometia eximia*		1				D. C.
Diseases:							
Colletotrichum sp	*Vanda caerulea* (orchid)	1					Do.
Gloeosporium sp	do	1					Do.
Phyllosticta sp.?	*Amherstia nobilis*	1					Do.
CHILE							
Insects:							
Aspidiotus sp. (Coccidae)	*Malus sylvestris* (apple)	1					N. Y.
Blapstinus punctulatus (Tenebrionidae).	*Cucumis melo* (melon)	2					Do.
Do	On packing around melons	1					Do.
Cryptohypnus sp. (Elateridae)	*Vitis* sp. (grape)	1					Do.
Curculionid	*Solanum tuberosum*					1	S. C.
Euxesta sp. (Ortalidae)	*Allium sativum* (garlic)	1					La.
Grammophorus sp. (Elateridae)	In packing for melons	1					N. Y.
Heliophygus sp. (Tenebrionidae)	do	1					Do.
Leptoglossus chileneis (Coreidae)	*Vitis* sp. (grape)	2					Do.
Oiethreutid	*Prunus domestica* (plum)	1					Do.
Do	*Vitis* sp. (grape)	1					Do.
Pseudococcus sp. (Coccidae)	*Punica ganatum* (pomegranate).			1			Do.
Tetranychus sp. (mite)	*Malus sylvestris* (apple)	1					Do.
Tribolium sp. (Tenebrionidae)	*Cucumis melo* (melon)	1					Do.
Diseases:							
Erinose	*Amygdalus persica nectarina* (nectarine).	1					Do.
Tranzschelia punctata	do	1					Do.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
CHINA							
Insects:							
Aegeriid	Medicinal wood		1				Calif.*
Agromyzid	*Meconopsis* sp		1				Hawaii.*
Aniselabis marginalis (earwig)	*Mangifera indica* (mango)	1					Do.*
Anisolabis sp. (earwig)	*Aglaonema* sp	1					D. C.
Anobiid	On bark of dry wood		1				Hawaii.*
Anobiini (Anobiidae)	In rice straw packing for pictures.	1					La.
Aspidiotus sp. (Coccidae)	*Castanea mollissima*		1				D. C.
Do	*Castanea* sp		1				Do.
Blapstinus sp. (Tenebrionidae)	*Oryza sativa* (rice)		1				Pa.
Bostrichid	*Ginkgo biloba* (maidenhair-tree)	1					Calif.*
Do	Herb			1			Do.*
Bostrichini (Bostrichidae)	Bamboo	1					N. Y.
Bruchus sp. (Bruchidae)	*Albizzia julibrissin* (silktree)		1				Calif.*
Buprestid	Medicinal wood		1				Do.*
Cecidomyiid	*Meconopsis* sp		1				Hawaii.*
Chilo simplex (Asiatic rice borer)	*Oryza sativa* (rice)		1				Pa.
Do	Rice straw used as packing	1					Ill.
Do	do	3					La.
Do	do	1					Md.
Do	do			1			Pa.
Chilo sp. (Pyralidae)	On case of bean cake	1					Calif.*
Chionaspis sp. (Coccidae)	*Citrus grandis* (pomelo)			2			Wash.
Chrysomelini (Chrysomelidae)	*Brassica juncea* (leaf-mustard)					1	Do.
Chrysomphalus sp. (Coccidae)	*Citrus grandis* (pomelo)					1	La.
Creontiades sp. (Miridae)	*Zingiber officinale* (ginger)	1					N. Y.
Curculio sp. (Curculionidae)	*Castanea* sp. (chestnut)	1					D. C.
Curculionid	*Meconopsis* sp		1				Hawaii.*
Cylas formicarius (sweetpotato-weevil).	*Ipomoea batatas* (sweetpotato)			2		1	Calif.*
Do	do					1	Va.
Dinoderus minutus (Bostrichidae)	Bamboo	1					La.
Do	do	1					N. Y.
Fiorinia sp. (Coccidae)	*Litchi chinensis* (lychee)	3					Oreg.
Do	do	1					Pa.
Forficula sp. (earwig)	*Eleocharis tuberosa* (waternut)	1					Calif.*
Gryllodes sp. (Gryllidae)	*Pueraria thunbergiana* (kudzu)	1					Mass
Harmolita phyllostachitis (Eurytomidae).	Bamboo cane	1					N. Y.
Homoeogryllus japonicus (Gryllidae)	Baggage			1			Calif
Lophocateres pusillus (Siamese grain beetle).	*Gossypium* sp. (seed cotton)	1					Oreg
Do	*Oryza sativa* (rice)	1					N. Y
Lyonetiid	Medicinal wood		1				Calif.*
Maruca testulalis (bean pod borer)	*Phaseolus* sp. (string bean)					1	Wash.
Merodon sp. (Syrphidae)	*Narcissus tazetta orientalis* (Chinese sacred lily).			1			Do.
Minthea rugicollis (Lyctidae)	Herb			1			Calif.*
Nikkoaspis sp. (Coccidae)	Bamboo	1					Do.*
Oecanthus sp. (Gryllidae)	*Aglaonema* sp	1					D. C.
Oxycarenus hyalinipennis (Lygaeidae).	*Gossypium* sp. (seed cotton)	1					Oreg.
Oxycarenus sp. (Lygaeidae)	do	1					Do.
Parlatoria ziziphus (Coecidae)	*Citrus grandis* (pomelo)	1				20	Calif.*
Do	do					1	Md.
Do	do					1	Wash.
Pectinophora gossypiella (pink bollworm).	*Gossypium* sp. (seed cotton)	1					Oreg.
Pheidole sp. (ant)	Fiber packing			1			Calif.*
Prolabia arachidis (earwig)	*Eleocharis tuberosa* (waternut)	1					Mass.
Prolabia sp. (earwig)	*Colocasia esculenta* (taro)	1					Calif.*
Psammoecus sp. (Cucujidae)	*Aglaonema* sp	2					D. C.
Pseudaonidia duplex (camphor scale)	*Citrus grandis* (pomelo)	1				2	Calif.*
Pseudococcus comstocki (Coccidae)	*Aglaonema costatum*	1					D. C.
Pseudococcus sp. (Coccidae)	*Aglaonema* sp			1			Wash.
Rhizoglyphus sp. (mite)	*Allium cepa* (onion)					2	Pa.
Do	*Colocasia esculenta* (taro)	1					Calif.*
Do	*Eleocharis tuberosa* (waternut)	5					Mass.
Do	do	3					N. Y.
Do	*Pueraria thunbergiana* (kudzu)	3					Mass.
Do	*Zingiber officinale* (ginger)	1					D.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
CHINA—Continued							
Insects—Continued.							
Rhizoglyphus sp. (mite)	*Zingiber officinale* (ginger)	1					N. Y.
Do	do	1					Wash.
Sciara sp. (Mycetophilidae)	*Aglaonema* sp.	2					Mich.
Do	*Colocasia esculenta* (taro)	1					Mass.
Do	do	1					Wash.
Taeniothrips sp. (thrips)	*Allium sativum* (garlic)			1			Do.
Tinea sp. (Tineidae)	do			1			Do.
Tyroglyphid (mite)	*Eleocharis tuberosa* (waternut)	1					Calif.*
Urophorus humeralis (Nitidulidae)	do	1					Do.*
Do	Legume	1					Do.*
Diseases:							
Acrothecium bicolor	Bamboo	1					N. Y.
Alternaria brassicae	*Brassica oleracea capitata* (cabbage).					1	Pa.
Anguillulina intermedia	*Zingiber officinale* (ginger)	1					Mass.
Do	do	1					N. Y.
Aphelenchoides parietinus	*Eleocharis tuberosa* (waternut)	1					Do.
Do	*Pueraria thunbergiana* (kudzu)	1					Mass.
Do	*Zingiber officinale* (ginger)	3					Do.
Do	do	5					N. Y.
Aphelenchoides tenuicaudatus	do	1					Mass.
Do	do	1					N. Y.
Bacterium citri	*Citrus aurantifolia* (lime)			1			Calif.*
Do	*Citrus grandis* (pomelo)	1					Do.*
Cephaleuros sp.	*Litchi chinensis* (lychee)	1					Oreg.
Ceratostomella adiposum	*Eleocharis tuberosa* (waternut)	15					Mass.
Do	do	1					Mich.
Do	do	53					N. Y.
Do	do	1					Pa.
Do	*Zingiber officinale* (ginger)	1					N. Y.
Ceratostomella sp.	do	2					Do.
Colletotrichum sp.	*Aglaonema* sp.			3			Wash.
Do	*Cucurbita pepo* (pumpkin)					1	Do.
Coniothyrium sp.	*Aglaonema* sp.			1			Do.
Diplodia sp.	*Colocasia esculenta* (taro)	1					Mass.
Epicoccum sp.	*Aglaonema* sp.			3			Wash.
Gloeosporium sp.	do			3			Do.
Heterosporium sp.	do			1			Do.
Internal blackening	*Solanum tuberosum*					1	Mass.
Melanconium sacchari	*Saccharum officinarum*			1			Wash.
Mycosphaerella schoenoprasi	*Allium porrum* (leek)					1	Pa.
Myxomycetes	*Aglaonema* sp.	1					Mich.
Do	Legume	1					N. Y.
Phoma citricarpa	*Citrus nobilis*			1			Wash.
Do	*Citrus sinensis* (orange)	1				1	Calif.*
Do	do	1					Pa.
Do	do			1			Wash.
Phytophthora sp.	*Eleocharis tuberosa* (waternut)	1					N. Y.
Physarum compressum	*Aglaonema costatum*	1					D. C.
Rhizoctonia sp.	*Eleocharis tuberosa*	1					Mass.
Saccharomycetaceae	do	1					N. Y.
Do	*Ipomoea batatas* (sweetpotato)					1	Va.
Do	*Solanum tuberosum*					1	Do.
Sclerotinia sp.	*Colocasia esculenta* (taro)	1					N. Y.
Do	*Eleocharis tuberosa*	2					Mass.
Do	do	3					N. Y.
Do	Legume	1					Do.
Do	*Litchi chinensis* (lychee)	1					Oreg.
Do	*Zingiber officinale* (ginger)	1					Mass.
Do	do	1					N. Y.
Sclerotium sp.	*Colocasia esculenta* (taro)	3					Do.
Do	*Eleocharis tuberosa*	1					Do.
Do	*Zingiber officinale* (ginger)	2					Do.
Sphaceloma fawcettii	*Citrus sinensis* (orange)					1	Calif.*
Sphaeronema sp.?	*Colocasia esculenta*	1					Mass.
Stachybotrys sp.	*Zingiber officinale* (ginger)	1					N. Y.
Stilbum incarnatum	*Pueraria thunbergiana* (kudzu)	1					Do.
Do	*Trapa bicornis*	1					Wash.
Thielaviopsis paradoxa	*Eleocharis tuberosa* (waternut)	6					Mass.
Do	do	40					N. Y.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
CHINA—Continued							
Diseases—Continued.							
Venturia pyrina	*Pyrus communis* (pear)			1			Wash.
Verticillium sp	*Eleocharis tuberosa*	3					Mass.
Do	do	2					N. Y.
Do	*Lilium* sp	1					Mass.
Do	*Zingiber officinale* (ginger)	4					N. Y.
COLOMBIA							
Insects:							
Camponotus sp. (ant)	*Cattleya warscewiczii sanderiana* (orchid).	1					D. C.
Do	*Cattleya* sp	1					Do.
Cecidomyiid	*Cattleya warscewiczii sanderiana.*	1					Do.
Chrysomphalus sp. (Coccidae)	*Cattleya dowiana aurea*	1					Do.
Cryptocerus sp. (ant)	*Cattleya* sp. (orchid)	1					Do.
Dinoderus minutus (Bostrichidae)	Bamboo	1					Do.
Eurytoma sp. (Eurytomidae)	*Cattleya* sp	1					Do.
Noctuid	*Gossypium* sp. (cotton)			1			Calif.*
Do	*Musa* sp. (banana)	1					S. C.
Pheidole sp. (ant)	*Cattleya warscewiczii sanderiana.*	1					D. C.
Pseudaonidia articulatus (rufous scale).	*Citrus limetta* (sweet lime)	1					Fla.*
Pseudococcus sp. (Coccidae)	*Musa* sp. (banana)	1					S. C.
Solenopsis sp. (ant)	*Cattleya* sp	1					D. C.
Do	Fern packing for plants	1					Do.
Do	In case with orchid plants	1					Do.
Sysinas sp. (Miridae)	*Cattleya* sp	1					Do.
Diseases:							
Gloeosporium sp	*Cattleya dowiana aurea*	1					Do.
Do	Orchid	1					Do.
Stilbella flavida	*Coffea* sp	1					N. Y.
Uredo sp	*Epidendrum* sp. (orchid)	1					D. C.
Do	*Odontoglossum* sp (orchid)	1					Do.
Do	*Oncidium* sp. (orchid)	1					Do.
COSTA RICA							
Insects:							
Acanalonia sp. (Fulgoridae)	*Coffea* sp	1					N. Y.
Camponotus angulatus (ant)	Banana debris	1					S. C.
Camponotus sp. (ant)	do	1					Mass.
Do	do	3					S. C.
Do	*Musa* sp. (banana)	22					Calif.*
Cecidomyiid	*Guilielma utilis*		1				Mich.
Do	Orchid			1			La.
Cephaloleia puncticollis (Chrysomelidae).	*Musa* sp. (banana)	2					Calif.*
Cephaloleia sp. (Chrysomelidae)	do	2					Do.*
Chrysomphalus dictyospermi var. (Coccidae).	*Guilielma utilis*		1				Mich.
Coccus sp. (Coccidae)	Orchid	1					Fla.*
Crematogaster sp. (ant)	*Musa* sp. (banana)	3					S. C.
Dialeurodes citri (citrus whitefly)	*Oncidium carthaginense* (orchid).		1				D. C.
Diaspis sp. (Coccidae)	*Guilielma utilis*		1				Mich.
Dinocoris tripterus (Pentatomidae)	*Musa* sp. (banana)	1					Calif.*
Ciscocephala humilis (Pentatomidae).	do	13					Do.*
Dolichoderus bispinosus (ant)	Banana debris	1					S. C.
Do	*Musa* sp. (banana)	1					Do.
Dolichoderus sp. (ant)	Banana debris	1					Mass.
Geotrupes sp. (Scarabaeidae)	do	1					Do.
Homalodisca sp. (Cicadellidae)	*Coffea* sp	1					N. Y.
Hylemyia sp. (Anthomyiidae)	Banana debris	1					Mass.
Leptobyrsa plicata (Tingitidae)	*Cattleya dowiana aurea* (orchid)	1					D. C.
Leucoptera coffeella (coffee leaf miner).	*Coffea* sp	2					N. Y.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
COSTA RICA—Continued							
Insects—Continued.							
Metamasius sericeus (silky cane weevil).	Banana debris	2					S. C.
Do	*Musa* sp. (banana)	6					Calif.*
Do	do	3					N. Y.
Metriona propingua (Chrysomelidae).	*Musa* sp. (banana)	1					Calif.*
Neoponera sp. (ant)	do	1					Do.*
Odontomachus sp. (ant)	Orchid	1					D. C.
Pheidole anastasii (ant)	*Trichopilia suavis* (orchid)		1				Do.
Pheidole sp. (ant)	In packing around orchids		1				Do.
Pityophthorus sp. (Scolytidae)	*Musa* sp. (banana)	1					Calif.*
Platamus debilis (Cucujidae)	Banana debris	1					S. C.
Ponera sp. (ant)	Orchid	1					D. C.
Do	do		1				La.
Prenolepis sp. (ant)	do	1					D. C.
Priapismus sp. (Pentatomidae)	Banana debris	1					Mass.
Pseudaonidia articulatus (rufous scale).	*Citrus sinensis* (orange)					1	Calif.*
Do	*Cocos nucifera* (coconut)				1		Do.*
Pseudococcus virgatus (Coccidae)	*Coffea* sp	1					N. Y.
Pseudococcus sp. (Coccidae)	Orchid	1					D. C.
Psychid	*Musa* sp. (banana)	1					La.
Selenis sparsa (Noctuidae)	do	1					Calif.*
Solenopsis sp. (ant)	Orchid	1					D. C.
Syntomid	Banana debris	1					S. C.
Sysinas floridulus (Miridae)	In packing around orchids		1				D. C.
Telephanus setulosus (Cucujidae)	Orchid leaf		1				La.
Tineid	In packing around orchids		1				D. C.
Tythomimus rofotestaceus (Curculionidae).	Banana debris	2					S. C.
Diseases:							
Capnodium citri	*Citrus aurantifolia* (lime)					1	Do.
Capnodium sp	Orchid		1				D. C.
Cephaleuros virescens	do	1					Fla.*
Colletotrichum sp	do			1			La.
Diplodia cacaoicola	*Theobroma cacao* (cacao)			1			Mass.
Gloeosporium sp	Orchid (several genera)	2	4				D. C.
Oil burning	*Citrus aurantifolia* (lime)					1	S. C.
Podonectria coccicola	*Lepidosaphes beckii* on orange					1	Fla.*
Sterigmatocystis sp	*Diospyros* sp. (persimmon)		1				Mich.
Tuberculariaceae	*Manihot esculenta* (cassava)		1				D. C.
Uredo epidendri	*Epidendrum endressi* (orchid)		1				Do.
Uredo nigropunctata	*Stanhopea oculata* (orchid)		1				Do.
CUBA							
Insects:							
Acanthoscelides sp. (Bruchidae)	*Lysiloma latisiliqua*		1				D. C.
Agromyzid	*Brassica* sp. (mustard greens)	1					N. Y.
Do	*Phaseolus lunatus macrocarpus* (lima bean).	1					Do.
Aleurodicus cardini (whitefly)	*Psidium guajava* (guava)				1		Fla.*
Aleurothrixus howardii (woolly whitefly).	*Rosa* sp				1		Do.*
Allocorhynus sp. (Curculionidae)	*Zamia kickxii*	1					D. C.
Anisolabis minuta (earwig)	*Lycopersicum esculentum*	1					La.
Aspidiotus cocotiphagus (Coccidae)	*Annona cherimola* (cherimoya)			1			N. Y.
Aspidiotus destructor (Coccidae)	*Rosa* sp				1		Fla.*
Aspidiotus sp. (Coccidae)	*Syngonium auritum*	1					D. C.
Asterolecanium pustulans (Coccidae).	*Gardenia florida* (Cape-jasmine).			1			Fla.*
Atherigona sp. (Anthomyiidae)	*Lycopersicum esculentum*	1					La.
Aulacaspis major (Coccidae)	*Salix chinensis*	1					D. C.
Baris sp. (Curculionidae)	*Brassica chinensis* (pakchoi cabbage).					1	Pa.
Bephrata cubensis (Eurytomidae)	*Annona cherimola* (cherimoya)			1			Tex.
Do	*Annona muricata* (soursop)			1			La.
Brontes sp. (Cucujidae)	Banana debris	2					Pa.
Do	*Musa* sp. (banana)	1					Do.
Camponotus sp. (ant)	do	1					Do.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
CUBA—Continued							
Insects—Continued.							
Cecidomyiid	*Ananas sativus* (pineapple)	6					La.
Do	do	1					Mich.
Ceratocombus sp. (Cryptostemmatidae).	Banana debris	1					Pa.
Ceutorhynchus sp. (Curculionidae)	*Brassica* sp.					1	Do.
Chrysauginae (Pyralidae)	Incased on inside of burlap bag containing calabash.				1		N. Y.
Coccus viridis (Coccidae)	*Citrus aurantifolia* (lime)					1	Mass.
Do	*Citrus sinensis* (orange)		1				D. C.
Do	*Gardenia florida* (Cape-jasmine).			6	3		Fla.*
Do	*Lawsonia alba*			1			Do.*
Do	*Psidium guajava* (guava)				1		Do.*
Corcyra cephalonica (Pyralidae)	*Hibiscus esculentus* (okra)	1					La.
Crematogaster sp. (ant)	*Ananas sativus* (pineapple)	1					Do.
Crocidosema plebeiana (Olethreutidae).	*Hibiscus esculentus* (okra)	2					Do.
Crocidosema sp. (Olethreutidae)	do	3					Do.
Do	do	1					N. Y.
Cryptotermes sp. (termite)	*Ananas sativus* (pineapple)	2					La.
Cucujid	Banana debris	1					Pa.
Cyclocephala cubana (Scarabaeidae)	On floor of car of pineapples	1					N. Y.
Cycloptilum antillarum (Gryllidae)	*Ananas sativus*	1					La.
Cylas formicarius (sweetpotato weevil).	*Ipomoea batatas* (sweetpotato)					1	Fla.*
Do	do					2	N. Y.
Do	do					2	Pa.
Do	do					1	Tex.
Do	do					2	Va.
Diaphania sp. (Pyralidae)	*Cucumis sativus* (cucumber)	1					N. Y.
Diatraea saccharalis (sugarcane borer).	*Saccharum officinarum* (sugarcane).		1				Fla.*
Diatraea sp. (Pyralidae)	do			2			La.
Dinoderus minutus (Bostrichidae)	*Ananas sativus* (pineapple)	3					Do.
Epuraea sp. (Nitidulidae)	do	1					Do.
Eucalymnatus tessellatus (Coccidae)	*Gardenia florida* (Cape-jasmine).				1		Fla.*
Eucalymnatus sp. (Coccidae)	*Annona cherimola* (cherimoya)			1			Do.
Eupodid (mite)	Banana debris	1					Pa.
Frankliniella cubensis (thrips)	*Rosa* sp.			1			Fla.*
Frankliniella insularis (thrips)	*Gardenia florida*			1			Do.*
Gynaikothrips uzeli (thrips)	*Ficus indica*			1			N. Y.
Hellula sp. (Pyralidae)	*Brassica* sp. (mustard)	1					Do.
Hypothenemus sp. (Scolytidae)	*Musa* sp. (banana)	1					Pa.
Icerya purchasi (cottony-cushion scale).	*Rosa* sp.				1		Fla.*
Kalotermes sp. (termite)	*Ananas sativus*	1					La.
Labia curvicauda (earwig)	Banana debris	1					Pa.
Laspeyresia sp. (Olethreutidae)	*Phaseolus lunatus macrocarpus* (lima bean).	1					N. Y.
Maruca testulalis (bean pod borer)	do	56					Do.
Metamasius sericeus (silky cane weevil).	do	1					Do.
Monanus concinnulus (Cucujidae)	*Ananas sativus*	1					La.
Do	Banana debris	7					Pa.
Do	*Musa* sp. (banana)	3					Md.
Do	do	1					Pa.
Monanus sp. (Cucujidae)	Banana debris	2					Do.
Monocrepidius bifoveatus (Elateridae).	*Ananas sativus*	1					La.
Monocrepidius sp. (Elateridae)	*Capsicum annuum*	1					N. Y.
Monomorium minutum var. (ant)	*Musa* sp. (banana)	1					Pa.
Nasutitermes ripperti (termite)	*Coccoloba uvifera* (seagrape)					1	Ala.
Neoconocephalus affinis (Tettigoniidae).	*Musa* sp. (banana)	1					Md.
Noctuid	*Ananas sativus*	1					La.
Do	do	1					N. Y.
Do	*Brassica chinensis* (pakchoi cabbage).					1	Pa.
Do	*Solanum melongena* (eggplant)	1					La.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
CUBA—Continued							
Insects—Continued.							
Olethreutid	*Phaseolus lunatus macrocarpus*	1					N. Y.
Oliarus sp. (Fulgoridae)	*Ananas sativus*	1					La.
Orthezia insignis (Coccidae)	*Pelargonium graveolens* (rose geranium).			1			Fla.*
Phlyctaenia sp. (Pyralidae)	*Lycopersicum esculentum*	1					La.
Phycitinae (Pyralidae)	*Ananas sativus*	6					Do.
Do	do	2					N. Y.
Do	Banana debris	1					Pa.
Phyllotreta sp. (Chrysomelidae)	*Ananas sativus*	1					La.
Platynota sp. (Tortricidae)	*Capsicum annuum*	1					Do.
Prodenia sp. (Noctuidae)	Banana debris	1					Pa.
Do	*Lycopersicum esculentum*	2					La.
Protopulvinaria pyriformis (Coccidae).	*Gardenia florida* (Cape-jasmine).	3					Fla.*
Do	*Jasminum* sp. (jasmine)			1			Do.*
Psalis americana (earwig)	Palm		1				D. C.
Pseudaonidia articulatus (rufous sca'e).	*Citrus aurantifolia* (lime)			1			Fla.*
D	*Citrus grandis* (grapefruit)			1			Do.*
Do	*Citrus nobilis* (King orange)	1					La.
Do	*Gardenia florida* (Cape-jasmine).			1			Fla.*
Do	*Rosa* sp.			1			Do.*
Do	*Tamarindus indica* (tamarind)			1			La.
Pseudischnaspis alienus (Coccidae)	*Agave sisalana* (sisal)			1			Fla.*
Pseudococcus virgatus (Coccidae)	*Hibiscus esculentus* (okra)	2					La.
Pseudococcus sp. (Coccidae)	*Ananas sativus*	2					Do.
Do	Banana debris	1					Pa.
Do	*Lycopersicum esculentum*	1					La.
Do	*Musa* sp. (banana)	1					Pa.
Psychid	*Hibiscus esculentus*	1					La.
Pyralinae (Pyralidae)	*Musa* sp. (banana)	1					Pa.
Pyraustinae (Pyralidae)	*Ananas sativus*	1					La.
Do	*Lycopersicum esculentum*	1					N. Y.
Pyroderces sp. (Cosmopterygidae)	*Ananas sativus*	20					La.
Rhizoglyphus sp. (mite)	*Musa* sp. (banana)	1					Mass.
Rhopalosiphum sp. (aphid)	*Raphanus sativus* (radish)					1	Pa.
Rhyncolus sp. (Curculionidae)	*Hevea* sp.		1				D. C.
Sciara sp. (Mycetophilidae)	Banana debris	1					Pa.
Silvanus sp. (Cucujidae)	*Ananas sativus*	1					La.
Sitophilus sp. (Curculionidae)	*Tamarindus indica* (tamarind)		1				Fla.*
Stephanoderes sp. (Scolytidae)	Banana debris	1					Pa.
Do	*Ficus* sp.	1					La.
Do	*Poinciana regia* (royal poinciana).			1			Do.
Tapinoma sp. (ant)	*Musa* sp. (banana)	1					Fla.*
Targionia bromeliae (Coccidae)	*Ananas sativus*	1					Mich.
Do	do	1					N. Y.
Targionia hartii (Coccidae)	*Dioscorea* sp. (yam)			1			Fla.*
Telephanus minutus (Cucujidae)	Banana debris	1					Pa.
Telephanus sp. (Cucujidae)	do	5					Do.
Do	*Musa* sp. (banana)	1					Do.
Tenebrionid	do	1					Md.
Tinea sp. (Tineidae)	Banana debris	2					Pa.
Do	*Musa* sp. (banana)	2					Md.
Do	*Poinciana regia*			1			La.
Tineid	Banana debris	6					Pa.
Tipulid	do	1					Do.
Tortricid	*Ananas sativus*	4					La.
Do	*Lycopersicum esculentum*	1					N. Y.
Do	*Fiscus indica* used as packing for cut flowers.		1				Do.
Toxotrypana curvicauda (papaya fruit fly).	*Carica papaya* (papaya)			1			La.
Trichothrips sp. (thrips)	Banana debris	1					Pa.
Uleiota sp. (Cucujidae)	do	1					Do.
Wasmannia auropunctata (ant)	*Ananas sativus*	1					La.
Do	Banana debris	2					Pa.
Zygothrips sp. (thrips)	*Ananas sativus*					1	Do.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
CUBA—Continued							
Diseases:							
Albugo candida	*Brassica pekinensis* (Chinese cabbage).	2					N. Y.
Do	*Brassica* sp. (mustard)	1					Do.
Alternaria brassicae	*Brassica chinensis* (pakchoi cabbage).	1					Do.
Do	do					1	Pa.
Alternaria solani	*Lycopersicum esculentum*					1	N. Y.
Bacterium maculicolum	*Brassica* sp					1	Pa.
Bacterium phaseoli	*Phaseolus lunatus macrocarpus* (lima bean).	7					N. Y.
Bacterium vesicatorium	*Lycopersicum esculentum*	2					La.
Capnodium citri	*Citrus sinensis* (orange)	2					Do.
Do	do				1		Pa.
Capnodium sp	*Saccharum officinarium*				1		La.
Do	do				2		Va.
Cephaleuros virescens	*Citrus grandis* (grepefruit)					1	La.
Cephaleuros sp	*Codiaeum* sp. (croton)			1			N. Y.
Cephalosporium lecanii	*Eucalymnatus tessellatus* on cherimoya.			1			Fla.*
Cercospora beticola	*Beta cicla* (Swiss chard)					1	N. Y.
Cercospora rosaecola	*Rosa* sp					1	Do.
Cercospora sp	*Capsicum annuum*	1					La.
Do	*Rosa* sp			1			N. Y.
Cladosporium fulvum	*Lycopersicum esculentum*	1					La.
Colletotrichum agaves	*Agave* sp	1					Pa.
Colletotrichum falcatum	*Saccharum officinarum*		1				Fla.*
Diplocarpon rosae	*Rosa* sp				1		La.
Diplodia natalensis	Palm		1				Fla.*
Dothidiaceae	Unknown leaf	1					Pa.
Elsinoe phaseoli	*Phaseolus lunatus macrocarpus* (lima bean).	21					N. Y.
Gloeosporium limetticolum	*Citrus aurantifolia* (lime)			1			Fla.*
Gloeosporium sp	*Euphorbia* sp		1				D. C.
Do	*Ficus carica* (fig)		1				Fla.*
Do	*Livistona rotundifolia* (Java fan palm).		1				D. C.
Helminthosporium sp	*Oryza sativa* (rice)		1				Fla.*
Macrosporium tomato	*Lycopersicum esculentum*	1					La.
Do	do					1	N. Y.
Melanconium sacchari	*Saccharum officinarum*				2		La.
Do	do				1		Pa.
Do	do				3		Va.
Meliola sp	*Holcus sorghum* (sorghum)		1				Fla.*
Microcera sp	*Lepidosaphes beckii* on grapefruit.	1					La.
Myriangium duriaei	*Citrus sinensis* (orange)	1					Do.
Oidium sp	*Rosa* sp			1			Do.
Oil burning	*Citrus aurantifolia* (lime)				1		Pa.
Oleocellosis	do				1		Do.
Oospora lactis parasitica	*Capsicum annuum*	1					La.
Phoma destructiva	*Lycopersicum esculentum*	4					Do.
Phoma sp	*Vinca rosea* (Madagascar periwinkle).				1		Pa.
Phomopsis arecae	Palm		2				D. C.
Phomopsis vexans	*Solanum melongena* (eggplant)	1					La.
Phomopsis sp	*Livistona rotundifolia* (Java fan palm).		3				D. C.
Phytophthora sp	*Cucurbita* sp. (snake gourd)	1					N. Y.
Puccinia purpurea	*Holcus sorghum sudanensis* (Sudan grass).	1					La.
Sclerotinia sp	*Ipomoea batatas* (sweetpotato)					1	Tex.
Sclerotium sp	*Lycopersicum esculentum*					1	Pa.
Sphaceloma fawcettii	*Citrus aurantifolia* (lime)					1	Ga.
Sphaeropsis sp	Palm					1	Pa.
Sphaerostilbe coccophila	*Citrus sinensis* (orange)	1					La.
Stilbella flavida	*Gardenia* sp			1			N. Y.
Thielaviopsis paradoxa	*Ananas sativus*					1	Pa.
Do	do	1					La.
Do	*Saccharum officinarum*				1		Md.
Do	do				1		Pa.
Do	do				1		Va.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
CYPRUS							
Diseases:							
Oleocellosis	*Citrus limonia* (lemon)					1	Pa.
Petrifaction	*Solanum tuberosum*					1	Mass.
CZECHOSLOVAKIA							
Insects:							
Acalypta sp. (Tingitidae)	In packing around rose plants		1				D. C.
Adelid	do		1				Do.
Apion seniculus (Curculionidae)	do		1				Do.
Apion sp. (Curculionidae)	do		1				Calif.*
Do	*Rosa* sp		1				Do.*
Brachyrhinus scaber (Curculionidae)	In packing around rose plants		1				D. C.
Cecidomyiid	*Vitis* sp. (grape)			1			Md.
Ceutorhynchus atomus (Curculionidae).	In packing around rose plants		1				D. C.
Ceutorhynchus floralis (Curculionidae).	do		1				Do.
Chaetocnema hortensis (Chrysomelidae).	do		1				Do.
Chaetocnema sp. (Chrysomelidae)	do		1				Calif.*
Chrysomelid	*Rosa* sp		3				Do.*
Drymus sylvaticus (Lygaeidae)	In packing around rose plants		1				D. C.
Epuraea melina (Nitidulidae)	do		1				Do.
Haplothrips aculeatus (thrips)	do		1				Do.
Do	*Rosa* sp		1				Calif.*
Hylemyia sp. (Anthomyiidae)	In soil around roots of narcissus		1				Pa.
Lecanium coryli (Coccidae)	*Malus sylvestris* (apple)		1				D. C.
Limothrips denticornis (thrips)	In packing around rose plants		1				Do.
Lygus sp. (Miridae)	*Rosa* sp		1				Calif.*
Meligethes umbrosus (Nitidulidae)	In packing around rose plants		1				D. C.
Meligethes sp. (Nitidulidae)	do		1				Calif.*
Newsteadia floccosa (Coccidae)	do		1				D. C.
Pheidole sp. (ant)	In moss used as packing around grape cuttings.			1			Md.
Phyllotreta atra (Chrysomelidae)	In packing around rose plants		1				Calif.*
Phyllotreta nemorum (Chrysomelidae).	do		1				Do.*
Do	do		1				D. C.
Phytobius quadrituberculatus (Curculionidae).	do		1				Do.
Psyllid	*Euphorbia* sp		1				Pa.
Pyraustinae (Pyralidae)	In packing around rose plants		1				D. C.
Rhyparochromus chiragra (Lygaeidae).	do		1				Do.
Scolytid	*Euphorbia* sp		1				Pa.
Strophosoma rufipes (Curculionidae).	In packing around rose plants		1				D. C.
Strophosoma sp. (Curculionidae)	do		1				Do.
Tenebrionid	*Rosa* sp		1				Calif.*
Thamnurgus euphorbiae (Scolytidae).	*Euphorbia* sp		1				Pa.
Diseases:							
Septoria sp	do		1				Do.
Stysanus sp	*Rosa* sp		1				D. C.
Verticillium albo-atrum	*Dahlia* sp		3				Do.
DANZIG							
Insects:							
Sciara sp. (Mycetophilidae)	*Apium graveolens* (celery)					1	La.
Diseases:							
Anguillulina dipsaci	*Solanum tuberosum*					1	Do.
Aphelenchoides parietinus	do					1	Do.
DENMARK							
Insects:							
Anthonomus rectirostris (Curculionidae).	*Prunus avium* (mazzard)		1				D. C.
Ceutorhynchus sp	*Brassica rapa* (turnip)					1	Pa.
Haplothrips aculeatus (thrips)	*Allium porrum* (leek)					1	Do.
Hylemyia sp. (Anthomyiidae)	*Brassica rapa*					1	Do.
Laspeyresia sp. (Olethreutidae)	*Picea* sp. (spruce)		1				Mich.
Oecophorid	Hay used as packing		1				Minn.
Olethreutid	*Juglans* sp. (walnut)		1				Calif.*

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
DENMARK—Continued							
Insects—Continued.							
Psila rosae (carrot rust fly)	*Daucus carota* (carrot)	----	----	----	----	1	Pa.
Psylliodes chrysocephala (Chrysomelidae).	*Brassica oleracea gemmifera* (brussels sprouts).	----	----	----	----	1	Do.
Do	*Brassica rapa* (turnip)	----	----	----	----	2	Do.
Sciara sp. (Mycetophilidae)	*Brassica campestris* (rutabaga)	----	----	----	----	1	Do.
Thrips tabaci pullus (thrips)	*Allium porrum* (leek)	----	----	----	----	2	Do.
Urophorus humeralis (Nitidulidae)	*Brassica rapa*	----	----	----	----	1	La.
Diseases:							
Alternaria brassicae	*Brassica oleracea capitata*	----	----	----	----	3	Pa.
Anguillulina dipsaci	*Solanum tuberosum*	----	----	----	----	2	Do.
Cercospora sp	*Hedera* sp. (ivy)	----	1	----	----	----	Wash.
Cladosporium fulvum	*Lycopersicum esculentum*	----	----	----	----	1	Pa.
Puccinia sp	*Allium porrum* (leek)	----	----	----	----	1	Do.
Saccharomycetaceae	*Solanum tuberosum*	----	----	----	----	1	La.
Sclerotinia sclerotiorum	*Daucus carota* (carrot)	----	----	----	----	1	Pa.
Sclerotinia sp	*Brassica rapa* (turnip)	----	----	----	----	1	Do.
Do	*Cucumis sativus* (cucumber)	----	----	----	----	1	Do.
Do	*Daucus carota* (carrot)	----	----	----	----	1	Do.
Do	*Solanum tuberosum*	----	----	----	----	1	Do.
DOMINICA							
Insects:							
Pseudaonidia articulatus (rufous scale).	*Citrus aurantifolia* (lime)	----	----	----	----	1	Mass.
Do	*Citrus sinensis* (orange)	----	----	----	----	1	Fla.*
Do	do	----	----	----	----	1	Mass.
Pseudaonidia trilobiliformis (Coccidae).	*Mangifera indica* (mango)	----	----	1	----	----	Do.
Targionia hartii (Coccidae)	*Dioscorea* sp. (yam)	----	----	1	----	----	N. Y.
Diseases:							
Capnodium citricola	*Citrus sinensis*	----	----	----	----	1	Mass.
Diplodia cacaoicola	*Citrus limonia* (lemon)	2	----	----	----	----	Do.
Oleocellosis	*Citrus sinensis*	----	----	----	----	1	Md.
DOMINICAN REPUBLIC							
Insects:							
Brenthus sp. (Brentidae)	*Musa paradisiaca* (plantain)	1	----	----	----	----	P. R.
Corcyra cephalonica (Pyralidae)	*Theobroma cacao* (cacao)	1	----	----	----	----	Calif.*
Diaphania sp. (Pyralidae)	*Chayota edulis* (chayote)	1	----	----	----	----	N. Y.
Hemichionaspis minor strachani (Coccidae).	*Cucurbita pepo* (pumpkin)	1	----	----	----	----	Do.
Metamasius sericeus (silky cane weevil).	*Musa* sp. (banana)	1	----	----	----	----	P. R.
Monanus concinnulus (Cucujidae)	do	1	----	----	----	----	Do.
Pseudoparlatoria ostreata (Coccidae)	*Oncidium henckenii* (orchid)	----	1	----	----	----	D. C.
Diseases:							
Cercospora sp	*Capsicum annuum*	----	----	----	----	1	Tex.
Colletotrichum nigrum	do	----	----	----	----	1	Do.
Diplodia cacaoicola	*Cocos nucifera* (coconut)	----	----	1	----	----	N. Y.
Gloeosporium sp	Orchid	----	1	----	----	----	D. C.
Melanconium sacchari	*Saccharum officinarum*	----	----	----	1	----	Va.
Phoma destructiva	*Capsicum annuum*	----	----	----	----	1	Tex.
DUTCH GUIANA							
Insects:							
Pseudaonidia articulatus (rufous scale).	*Citrus grandis* (grapefruit)	----	----	----	----	1	Ala.
Diseases:							
Hemileia sp	*Oncidium* sp. (orchid)	1	----	----	----	----	D. C.
DUTCH WEST INDIES							
Diseases:							
Diplodia cacaoicola	*Cocos nucifera* (coconut)	----	----	1	----	----	Md.
EAST AFRICA							
Insects:							
Brachypeplus rubidus (Nitidulidae)	*Juglans nigra* (black walnut)	3	----	----	----	----	Do.
Crematogaster sp. (ant)	do	1	----	----	----	----	Do.
Silvanus sp. (Cucujidae)	do	1	----	----	----	----	Do.
Xyleborus affinus (Scolytidae)	do	1	----	----	----	----	Do.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ECUADOR							
Insects:							
Anastrepha sp. (Trypetidae)	*Mangifera indica* (mango)					1	Wash.
Aspidiotus palmae (Coccidae)	*Musa* sp. (banana)	1					Ala.
Camponotus sp. (ant)	do	2					Calif.*
Cephaloleia sp. (Chrysomelidae)	Banana debris	1					Ala.
Do	*Musa* sp. (banana)	1					Calif.*
Ceramidia sp. (Syntomidae)	do	1					Ala.
Do	do	3					Calif.*
Cicadella sp. (Cicadellidae)	do	1					Do.*
Crematogaster sp. (ant)	*Ananas sativus*	1					Do.*
Do	*Musa sapientum* (banana)	1					Wash.
Do	*Musa* sp. (banana)	1					Calif.*
Dinocoris tripterus (Pentatomidae)	do	1					Do.*
Lethocerus camposi (Belostomatidae)	do	1					Wash.
Metamasius sericeus (silky cane weevil).	Banana debris	1					Do.
Do	*Musa* sp. (banana)	2					Ala.
Do	do	4					Calif.*
Do	do	1					Wash.
Neoconocephalus sp. (Tettigoniidae)	do	1					Calif.*
Pseudaonidia articulatus (rufous scale).	*Citrus grandis* (grapefruit)					1	Ala.
Pseudococcus sp. (Coccidae)	*Musa* sp. (banana)	2					Do.
Do	do	1					Wash.
Pyralid	do	1					Calif.*
Stenoma sp. (Stenomidae)	*Persea americana* (avocado)					1	N. Y.
Do	*Persea* sp.					1	Wash.
Stephanoderes guatemalensis (Scolytidae).	*Musa* sp. (banana)	1					Ala.
Tineid	do	1					Calif.*
EGYPT							
Insects:							
Curculionid	*Brassica rapa* (turnip)					1	Pa.
Fiorinia theae (Coccidae)	*Citrus grandis* (pomelo)					1	Mass.
Gelechiid	*Beta vulgaris* (beet)					1	Pa.
Lixus sp. (Curculionidae)	do					1	Do.
Parlatoria ziziphus (Coccidae)	*Citrus grandis* (pomelo)					1	Mass.
Do	*Citrus nobilis deliciosa* (tangerine).					1	Pa.
Do	*Citrus sinensis* (orange)					1	Mass.
Pectinophora gossypiella (pink bollworm).	*Gossypium* sp. (cottonseed)		1				Ill.
Do	do	2	1				N. Y.
Prolabia arachidis (earwig)	*Solanum tuberosum*					1	Mass.
Pyraustinae (Pyralidae)	*Brassica rapa* (turnip)					1	Pa.
Rhizoglyphus sp. (mite)	*Allium cepa* (onion)					2	Do.
Do	*Solanum tuberosum*					1	N. Y.
Do	do					1	Pa.
Do	*Zingiber officinale* (ginger)					1	Mass.
Sciara sp. (Mycetophilidae)	*Solanum tuberosum*					1	Pa.
Tetranychus sp. (mite)	*Allium porrum* (leek)					1	Mass.
Diseases:							
Internal blackening	*Solanum tuberosum*					1	Do.
Oil burning	*Citrus sinensis* (orange)					1	Pa.
Oleocellosis	*Citrus aurantifolia* (lime)					1	Do.
Do	*Citrus limonia* (lemon)					3	Do.
Sclerotinia sclerotiorum	*Daucus carota* (carrot)					1	Ga.
Sclerotinia sp	*Citrus aurantifolia* (lime)					1	Mass.
Sclerotium sp	*Brassica rapa* (turnip)					1	Ala.
Septoria citri	*Citrus limonia* (lemon)					1	Pa.
Sphaceloma fawcettii?	*Citrus aurantifolia* (lime)					1	S. C.
Do	*Citrus limonia*					1	Pa.
ENGLAND							
Insects:							
Acidia sp. (Trypetidae)	*Apium graveolens* (celery)					2	Do.
Agromyzid	*Brassica oleracea acephala* (kale).					1	Mass.
Do	*Brassica oleracea capitata*					1	Pa.
Aspidiotus sp. (Coccidae)	*Laurus nobilis* (Grecian laurel)				1		Mass.
Do	*Stapelia grandiflora*		1				D. C.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ENGLAND—Continued							
Insects—Continued.							
Blastodacna sp. (Cosmopterygidae)	*Malus sylvestris* (apple)		1				D. C.
Brachyrhinus sp. (Curculionidae)	Around living plants		1				Pa.
Cercopid	*Sidalcea* sp	1					D. C.
Ceutorhynchus pleurostigma (turnip gall weevil).	*Brassica rapa* (turnip)					1	Ala.
Do	do					1	Mass.
Do	do					3	N. Y.
Do	do					2	Pa.
Do	do					1	Tex.
Ceutorhynchus sulcicollis (Curculionidae).	do					1	Pa.
Ceutorhynchus sp. (Curculionidae)	*Brassica campestris* (rutabaga)					1	Md.
Do	*Brassica oleracea capitata*					2	Pa.
Do	*Brassica rapa*					1	Ala.
Do	do					4	La.
Do	do					4	Md.
Do	do					5	Mass.
Do	do					8	N. Y.
Do	do					10	Pa.
Do	do					2	Tex.
Chloropid	*Daucus carota* (carrot)					1	La.
Cicadellid	*Polypodium vulgare* (polypody).		1				D. C.
Coccus sp. (Coccidae)	*Dendrobium phalaenopsis schroederianum.*	2					Hawaii.*
Curculio sp. (Curculionidae)	*Corylus maxima* (cob nut)		1				D. C.
Dialeurodes chittendeni (rhododendron whitefly).	*Rhododendron loderi*	1					Wash.
Do	*Rhododendron* sp	2					D. C.
Drycoetes villosus (Scolytidae)	*Quercus* sp. (oak)	2					N. Y.
Emphytus cinctus (sawfly)	*Rosa chinensis manetti*	2					Conn.*
Do	do	1					Ill.*
Endrosis lacteella (Oecophoridae)	*Anemone fulgens* (flame anemone).		1				D. C.
Euxesta sp. (Ortalidae)	*Solanum tuberosum*					1	Tex.
Frankliniella pallida (thrips)	*Sempervivum* spp		1				D. C.
Frankliniella tenuicornis (thrips)	*Hemerocallis forrestii*		1				Do.
Do	*Hemerocallis mulleri*		1				Do.
Geometrid	*Clematis orientalis*		1				Do.
Gracilariid	*Quercus ilex* (holly)	1					Do.
Gryllodes sigillatus (Gryllidae)	Packing material for orchids	1					Hawaii.
Heliothis sp. (Noctuidae)	*Brassica oleracea capitata*					1	Pa.
Histiostoma sp. (mite)	*Brassica rapa* (turnip)					1	Do.
Do	*Malus sylvestris* (apple)		1				Mich.
Do	*Solanum tuberosum*					1	La.
Do	do					1	N. Y.
Do	do					2	Pa.
Hylemyia sp. (Anthomyiidae)	*Brassica campestris* (rutabaga)					1	Md.
Illinoia sp. (aphid)	*Calluna vulgaris* (heather)		1				Pa.
Lecanium corni (European fruit lecanium).	*Veronica baylana*	1					D. C.
Do	*Veronica bidwillii*	1					Do.
Lepidosaphes tuberculata (Coccidæ)	*Cymbidium* sp. (orchid)	2					Do.
Liothrips vaneeckei (thrips)	*Lilium pyrenaicum*		1				Do.
Liparid	*Ilex* sp. (holly)		1				Pa.
Macrosiphum lutea (aphid)	Orchid	1					D. C.
Merodon sp. (Syrphidae)	*Narcissus* sp		1				Pa.
Mordellid	*Pyrus communis* (pear)	1					Va.
Mycetophilid	*Helianthemum* sp. (sunrose)	1					Calif.*
Do	Moss packing	1					Do.*
Noctuid	*Allium porrum* (leek)					1	Mass.
Do	*Brassica oleracea botrytis* (cauliflower).					1	Do.
Do	*Brassica oleracea capitata*					1	Do.
Do	In box of Althaea cuttings		1				N. Y.
Notodontid	*Pyrus communis* (pear)	1					Va.
Oecophorid	*Quercus* sp. (oak)	1					N. Y.
Do	*Ulmus* sp. (elm)	2					La.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ENGLAND—Continued							
Insects—Continued.							
Olethreutid	*Cytisus scoparius* (Scotch broom).		1				Pa.
Do	*Prunus incisa* x *sargenti*		1				D. C.
Parallelodiplosis cattleyae (cattleya midge).	*Cattleya mendeli* (orchid)	1					Hawaii.*
Do	*Cattleya triumphans* (orchid)	1					Do.*
Do	*Cattleya warscewiczii* (orchid)	1					Do.*
Do	*Laeliocattleya* sp. (orchid)	1					Do.*
Parthenothrips dracaenae (thrips)	*Sobralia colmaniae* (orchid)	1					Do.*
Pheidole sp. (ant)	*Lactuca sativa* (lettuce)					1	Mass.
Phorodon sp. (aphid)	*Mentha* sp. (mint)					1	Do.
Pieris sp. (Pieridae)	*Brassica oleracea botrytis* (cauliflower).					1	Pa.
Do	*Brassica oleracea capitata*					2	Do.
Ponera sp. (ant)	*Sobralia xantholeuca* (orchid)	1					Hawaii.*
Pseudococcus gahani (citrophilus mealybug).	*Clematis* sp		1				D. C.
Pseudococcus sp. (Coccidae)	Orchid	1					Do.
Pseudoparlatoria parlatorioides (Coccidae).	*Cypripedium* sp. (orchid)	1					Do.
Psila rosae (carrot rust fly)	*Daucus carota* (carrot)					1	Pa.
Psila sp. (Psilidae)	*Apium graveolens* (celery)					2	Do.
Psylliodes chrysocephala (Chrysomelidae	*Brassica rapa* (turnip)					2	La.
Do	do					1	N. Y.
Do	do					1	Pa.
Pulvinaria floccifera (Coccidae)	*Dendrobium nobile virginale* (orchid).	1					D. C.
Do	*Odontonia olga* (orchid)	1					Do.
Pulvinaria sp. (Coccidae)	*Anguloa ruckeri* (rucker cradle-orchid).	1					Do.
Do	*Davidia involucrata*	1					Wash.
Pyraustinae (Pyralidae)	In box of *Althaea* cuttings		1				N. Y.
Pyrophorinae (Elateridae)	*Camellia reticulata*		1				Calif.*
Rhizoglyphus sp. (mite)	*Allium cepa* (onion)					1	Pa.
Do	*Barbarea* sp		1				Do.
Do	*Brassica rapa* (turnip)					1	Tex.
Rhizophagus bipustulatus (Rhizophagidae).	*Quercus* sp. (oak)	1					N. Y.
Scatella sp. (Ephydridae)	*Brassica oleracea capitata*					1	Ala.
Sciara sp. (Mycetophilidae)	*Brassica rapa*					1	Pa.
Do	*Daucus carota* (carrot)					1	Mass.
Do	do					1	Pa.
Do	*Solanum tuberosum*					2	N. Y.
Scolopostethus sp. (Lygaeidae)	Sphagnum moss around holly plant.	1					Do.
Silvanus sp. (Cucujidae)	*Robinia* sp. (locust)	1					La.
Sitona lineata (Curculionidae)	*Cytisus scoparius* (Scotch broom).		1				Pa.
Syrphid	*Brassica oleracea capitata*					1	Mass.
Do	do					1	Miss.
Do	do					3	Pa.
Do	*Mentha* sp. (mint)					1	Mass.
Syrphus sp. (Syrphidae)	*Brassica oleracea capitata*					2	Do.
Taeniothrips ericae (thrips)	*Calluna vulgaris* (heather)		1				Pa.
Thrips tabaci pullus (thrips)	*Aster* sp.		1				D. C.
Do	*Brassica oleracea capitata*					1	Mass.
Do	*Hemerocallis forrestii*		1				D. C.
Do	*Hemerocallis mulleri*		1				Do.
Tinea sp. (Tineidae)	*Quercus* sp. (oak)	1					N. Y.
Tipula sp. (Tipulidae)	Among moss packing with aster plants.		1				D. C.
Do	In soil around roots of primrose plant.		1				Mich.
Tipulid	*Brassica oleracea capitata*					1	Ala.
Tortricid	*Rhododendron* sp	1					D. C.
Trialeurodes vaporariorum (greenhouse whitefly).	*Chrysanthemum* sp				1		Mass.
Do	*Fuchsia* sp				1		Do.
Typhlocyba sp. (Cicadellidae)	*Mentha* sp. (mint)					1	Do.
Xestobium sp. (Anobiidae)	*Scilla* sp		1				Calif.*

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ENGLAND—Continued							
Diseases:							
Alternaria brassicae	*Brassica oleracea capitata*					1	N. Y.
Do	do					1	Pa.
Alternaria dianthi	*Dianthus* sp		1				D. C.
Anguillulina dipsaci	*Allium cepa* (onion)					1	S. C.
Do	*Iris histrioides major*		1				D. C.
Do	*Narcissus* sp		2				Do.
Do	*Solanum tuberosum*					1	Mass.
Aphelenchoides parietinus	*Beta vulgaris* (beet)					1	Md.
Do	*Brassica rapa* (turnip)					1	Do.
Do	*Daucus carota* (carrot)					1	Pa.
Do	*Helianthemum alpestre* (Alpine sunrose).	1					Calif.*
Aphelenchus avenae	*Allium cepa* (onion)					1	Pa.
Do	*Brassica rapa* (turnip)					1	La.
Do	*Tulipa* sp		1				Mich.
Bacterium campestre	*Brassica oleracea capitata*					3	Pa.
Bacterium maculicolum	*Brassica oleracea botrytis* (cauliflower).					1	Do.
Do	*Brassica oleracea capitata*					1	Md.
Colletotrichum hedericola	*Hedera aurea maculata*		1				D. C.
Colletotrichum sp	*Galanthus* sp		1				Do.
Do	*Lilium monodelphum*		1				Do.
Didymellina iridis	*Iris* sp	1					Do.
Diplocarpon rosae	*Rosa* sp			1			N. Y.
Erinose	*Sorbus* sp		1				Mich.
Eurotium sp	*Brassica rapa* (turnip)					1	Ala.
Exobasidium vaccinii	*Azalea indica* (Indica azalea)			1			N. Y.
Fumago vagans	*Laurus nobilis* (Grecian laurel)				1		Mass.
Gloeosporium sp	*Cymbidium* sp. (orchid)	1					D. C.
Hysterographium sp	*Viburnum tinus lucidum*	1					Do.
Internal blackening	*Solanum tuberosum*					1	Ga.
Do	do					1	La.
Do	do					1	Pa.
Do	do					1	Tex.
Leptothyrium pomi	*Malus sylvestris* (apple)					1	Do.
Leptosphaeria heterospora	*Iris* sp		1				D. C.
Oospora sp	*Daucus carota* (carrot)					1	La.
Pestalozzia sp	*Camellia kelwingtonia*	1					N. Y.
Do	*Rhododendron radicans*	1					Wash.
Petrifaction	*Solanum tuberosum*					1	Pa.
Phyllachora sp	*Rosa* sp		1				Md.
Phyllosticta sp	*Arbutus unedo rubra*	1					D. C.
Phytophthora sp	*Daucus carota* (carrot)					1	Md.
Plasmodiophora brassicae	*Brassica rapa* (turnip)					1	Pa.
Do	do					2	Tex.
Puccinia porri	*Allium vineale*		1				Ill.
Puccinia sp	*Hordeum vulgare* (barley)					1	Md.
Sclerotinia gladioli	*Tritonia* sp		1				D. C.
Sclerotinia sclerotiorum	*Daucus carota*					2	Ala.
Do	do					1	Miss.
Do	do					7	Pa.
Sclerotinia sp	*Allium cepa* (onion)					1	Do.
Do	*Beta vulgaris* (beet)					1	Ala.
Do	do					1	La.
Do	do					1	Pa.
Do	*Brassica rapa* (turnip)					1	Fla.*
Do	do					2	Pa.
Do	*Cynara scolymus* (globe artichoke).					1	Mass.
Do	*Daucus carota* (carrot)					1	Ala.
Do	do					1	Md.
Do	do					1	Miss.
Do	do					1	Pa.
Do	*Solanum tuberosum*					1	Ala.
Sclerotium sp	*Brassica rapa*					1	Do.
Do	*Daucus carota*					1	Pa.
Selenophoma n. sp	*Dendrobium ashworthiae*	1					D. C.
Septoria apii	*Apium graveolens* (celery)					6	Pa.
Septoria chrysanthemella	*Chrysanthemum* sp		1				D. C.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ENGLAND—Continued							
Diseases—Continued.							
Septoria sp.	*Primula acaulis* (English primrose).		1				Pa.
Sphaeropsis sp.	*Viburnum tinus lucidum*	1					D. C.
Uromyces caryophyllinus	*Dianthus* sp.	1					Do.
Vermicularia liliacearum	*Hemerocallis* sp. (day lily)		1				Do.
Verticillium sp.	*Allium cepa* (onion)					1	La.
Do	*Beta vulgaris* (beet)					1	Md.
Do	*Brassica rapa* (turnip)					1	S. C.
Do	*Solanum tuberosum*					2	Tex.
FIJI ISLANDS							
Insects:							
Coccotrypes sp. (Scolytidae)	*Phytelephas macrocarpa* (ivory-nut palm).			1			Hawaii.*
FRANCE							
Insects:							
Ahasverus sp. (Cucujidae)	*Zea mays* (corn)		1				Calif.*
Aleyrodes brassicae (whitefly)	*Brassica oleracea capitata*					2	Pa.
Aleyrodes spiraeoides (whitefly)	do					1	Do.
Anthomyiid	*Rosa chinensis manetti*	1					N. Y.
Arctiid	*Ulmus* sp. (elm)	1					Do.
Athetis selini (Noctuidae)	do	1					Do.
Baris sp. (Curculionidae)	*Brassica rapa* (turnip)					1	Do.
Blastodacna sp. (Cosmopterygidae)	*Malus sylvestris* (apple)			2			Do.
Brachyrhinus rugosostriatus (Curculionidae).	*Ulmus* sp. (elm)	1					Do.
Bruchidius sp. (Bruchidae)	*Desmodium elegans*		1				D. C.
Do	*Desmodium pulchellum*		1				Do.
Do	*Laburnum alpinum*		1				Do.
Do	*Trifolium alexandrinum*		1				Do.
Bruchus sp. (Bruchidae)	*Cicer arietinum* (chickpea)	1					La.
Cemiostoma sp. (Lyonetiidae)	*Genista* sp.		1				D. C.
Ceratitis sp. (Trypetidae)	*Amygdalus persica* (peach)					1	N. Y.
Ceutorhynchus sp. (Curculionidae)	*Brassica campestris* (rutabaga)					1	Md.
Do	*Brassica oleracea capitata*					1	Ala.
Do	do					1	Pa.
Do	*Brassica rapa* (turnip)					1	N. Y.
Do	do					4	Pa.
Do	do					1	Tex.
Chermid	*Brassica oleracea capitata*					1	Pa.
Cirius sp. (Fulgoridae)	do					1	Tex.
Coccotrypes dactyliperda (Scolytidae)	*Phoenix tenuis*		1				D. C.
Coccotrypes thrinacis (Scolytidae)	*Thrinax altissima*		1				Do.
Colydiid	*Ulmus* sp. (elm)	1					Md.
Do	do	7					N. Y.
Do	do	2					Va.
Colydiini (Colydiidae)	do	1					Do.
Cryptocephalus sp. (Chrysomelidae)	do	1					Md.
Ctesias serra (Dermestidae)	do	2					Do.
Do	do	1					N. Y.
Do	do	1					Va.
Curculio sp. (Curculionidae)	*Castanea* sp. (chestnut)	1					Calif.*
Do	do		1				Mass.
Emphytus cinctus (sawfly)	*Rosa chinensis manetti*	1					Conn.*
Epidiaspis piricola (Italian pear scale).	*Amygdalus persica* (peach)		1				D. C.
Eumerus sp. (Syrphidae)	*Lilium candidum* (Madonna lily).	1					N. Y.
Forficula auricularia (European earwig).	*Ulmus* sp. (elm)	1					La.
Do	do	1					N. Y.
Forficula auricularia forcipata (earwig).	*Lilium* sp.	1					Do.
Do	*Ulmus* sp. (elm)	1					Do.
Geometrid	do	1					Do.
Grapholitha sp. (Olethreutidae)	*Amygdalus persica* (peach)			1			Do.
Histiostoma sp. (mite)	*Howea belmoreana*		1				Hawaii.*
Do	*Lilium candidum* (Madonna lily).	1					N. Y.
Do	*Solanum tuberosum*					1	Tex.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
FRANCE—Continued							
Insects—Continued.							
Hylemyia sp. (Anthomyiidae)	*Brassica rapa* (turnip)					1	N. Y.
Larpeyresia splendana (Olethreutidae).	*Castanea* sp. (chestnut)	1					Calif.*
Magdalis armigera (Curculionidae)	*Ulmus* sp. (elm)	2					Va.
Magdalis sp. (Curculionidae)	do	1					Md.
Melanotus sp. (Elateridae)	*Lilium* sp	1					N. Y.
Mononychus ireos (Curculionidae)	*Iris* sp		1				D. C.
Noctuid	*Brassica oleracea botrytis* (cauliflower).					1	N. Y.
Do	*Brassica oleracea capitata*					1	Do.
Olethreutid	*Stachys sieboldii*		1				D. C.
Do	*Ulmus* sp. (elm)	1					Md.
Do	do	1					Va.
Parthenothrips dracaenae (thrips)	*Laeliocattleya britannia alba* (orchid).	1					D. C.
Phytomyza sp. (Agromyzidae)	*Ilex* sp. (holly)		1				Pa.
Pieris sp. (Pieridae)	*Brassica oleracea capitata*					1	N. Y.
Do	do					3	Pa.
Do	do					1	Tex.
Pionea sp. (Pyralidae)	do					1	Ala.
Polyergus rufescens (ant)	do					1	Tex.
Pseudococcus sp. (Coccidae)	*Hoya lasiantha*		1				D. C.
Ptelephius kraatzi (Scolytidae)	*Ulmus* sp. (elm)	1					Md.
Pyralinae (Pyralidae)	*Syringa* sp	1					D. C.
Pyralis sp. (Pyralidae)	*Lilium* sp	1					N. Y.
Pyraustinae (Pyralidae)	*Ulmus* sp. (elm)	1					Do.
Saperda sp. (Cerambycidae)	do	2					Do.
Sciara sp. (Mycetophilidae)	Straw used as packing	1					Pa.
Scolytid	*Ulmus* sp. (elm)	1					Va.
Scolytus multistriatus (Scolytidae)	do	3					Md.
Do	do	6					N. Y.
Do	do	1					Va.
Scolytus scolytus (Scolytidae)	do	1			1		La.
Do	do	9					Md.
Do	do	13					N. Y.
Do	do	8					Va.
Scolytus sp. (Scolytidae)	do	3					N. Y.
Do	do	2					Va.
Silvanini (Cucujidae)	do	1					N. Y.
Syrphid	*Brassica oleracea capitata*					1	Do.
Tarsonemus sp. (mite)	*Ulmus* sp. (elm)	1					Do.
Thrips tabaci atricornis (thrips)	*Helianthus tuberosus* (Jerusalem artichoke).					1	Mass.
Thrips tabaci pullus (thrips)	*Allium porrum* (leek)					1	Pa.
Tinea sp. (Tineidae)	*Lilium* sp	1					N. Y.
Tineid	*Allium porrum*					1	Ala.
Do	*Pyrus communis* (pear)	1					Va.
Tortricid	*Malus sylvestris* (apple)			1			N. Y.
Tribolium sp. (Tenebrionidae)	*Pistacia vera* (pistache)		1				D. C.
Trioza sp. (Chermidae)	*Brassica oleracea capitata*					1	Pa.
Diseases:							
Alternaria brassicae	*Brassica oleracea botrytis* (cauliflower).					1	Md.
Do	do					1	Pa.
Do	*Brassica rapa* (turnip)					1	Do.
Anguillulina dipsaci	*Allium sativum* (garlic)					1	La.
Do	*Hyacinthus* sp	1					N. Y.
Do	*Solanum tuberosum*					1	Do.
Aphelenchoides parietinus	*Allium cepa* (onion)					1	Ala.
Do	*Beta vulgaris* (beet)					1	Pa.
Bacterium campestre	*Raphanus sativus* (radish)					1	Do.
Bacterium maculicolum	*Brassica oleracea capitata*					1	Do.
Botrytis cinerea	do					1	Do.
Capnodium citri	*Citrus sinensis* (orange)					1	Tex.
Ceratostomella ulmi	*Ulmus* sp. (elm)	1					La.
Do	do	2					Md.
Do	do	1					N. Y.
Do	do	3					Va.
Diplocarpon rosae	*Rosa* sp.			1			N. Y.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
FRANCE—Continued							
Diseases—Continued.							
Glomerella cingulata	*Malus sylvestris* (apple)			1			N. Y.
Do	do					1	Tex.
Internal brown streak	*Solanum tuberosum*					1	Do.
Monochaetia sp	*Paeonia* sp. (peony)		1				D. C.
Do	*Vitis* sp		1				Do.
Mycospharella pinodes	*Pisum sativum* (pea)		1				Do.
Oidium sp	*Syringa* sp. (lilac)		1				N. Y.
Pestalozzia guepini	*Camellia* sp	2					D. C.
Pestalozzia sp	*Paeonia* sp. (peony)	1					Do.
Pezizella lythri	*Loropetalum chinensis*	1					Do.
Do	*Paeonia* sp. (peony)		1				Do.
Phoma pterophila	*Fraxinus excelsior pendulata*		1				Do.
Phoma sp	*Beta vulgaris* (beet)					1	La.
Phyllosticta solitaria	*Malus sylvestris* (apple)					1	Fla.*
Phytophthora sp	*Brassica rapa* (turnip)					1	La.
Plasmodiophora brassicae	do					1	Pa.
Russeting	*Solanum tuberosum*					1	N. Y.
Sclerotinia cepivorum	*Allium sativum* (garlic)					1	Ala.
Sclerotinia sclerotiorum	*Daucus carota* (carrot)					1	Do.
Do	do					1	Ga.
Do	do					1	La.
Do	do					1	Pa.
Do	do					1	Tex.
Sclerotinia sp	*Allium cepa* (onion)					1	La.
Do	*Brassica rapa* (turnip)					1	Pa.
Do	*Cynara scolymus* (globe artichoke).					2	Do.
Sclerotium sp	*Phaseolus* sp. (string bean)					1	Mass.
Septoria citri	*Citrus sinensis* (orange)					1	Tex.
Septoria sp	*Euonymus obovatus* (running euonymus).				1		Wash.
Uredo sp	*Allium porrum* (leek)					1	N. Y.
Do	do					1	Pa.
FRENCH INDO-CHINA							
Insects:							
Aspidiotus destructor (Coccidae)	*Cocos nucifera* (coconut)				1		Calif.*
GERMANY							
Insects:							
Anthomyiid	*Solanum tuberosum* (potato)					1	Fla.*
Aspidiotus abietis (Coccidae)	*Abies* sp. (fir)		1				Pa.
Aspidiotus sp. (Coccidae)	*Malus sylvestris* (apple)		1				Md.
Brachyrhinus sulcatus (black vine weevil).	In box containing ivy plants and soil.		1				Pa.
Brachyrhinus sp. (Curculionidae)	*Poinsettia pulcherrima* (poinsettia).		1				Calif.*
Bruchidius villosus (Bruchidae)	*Cytisus capitatus*		1				D. C.
Cecidomyiid	In gall on willow twig used as packing for lily-of-the-valley pips.	1					Calif.*
Do	*Inula* sp		1				Pa.
Do	*Picea* sp. (spruce)		1				Do.
Ceutorhynchus sp. (Curculionidae)	*Brassica rapa* (turnip)					1	N. Y.
Do	do					1	Tex.
Chionaspis salicis (Coccidae)	*Fraxinus monophylla*	1					D. C.
Coccus sp. (Coccidae)	*Laurus nobilis* (Grecian laurel)			1			N. Y.
Do	*Polygala chamaebuxus*	1					D. C.
Corymbites aeneus (Elateridae)	*Solanum tuberosum*					1	N. Y.
Crambinae (Pyralidae)	Willow twig used as packing for lily-of-the-valley pips.	1					Calif.
Crambus sp. (Pyralidae)	*Brassica oleracea capitata*					1	Mass.
Cryptocephalus sp. (Chrysomelidae)	*Castanea* sp. (chestnut)		1				Ill.
Diaspis echinocacti cacti (Coccidae)	*Epiphyllum* sp		1				D. C.
Dioryctria sp. (Pyralidae)	*Pinus sylvestris* (Scotch pine)			1			N. Y.
Emporia sp. (Pyralidae)	*Cassia fistula* (golden-shower)		1				Pa.
Eriococcus sp. (Coccidae)	*Cereus chosicensis* (cactus)		1				Calif.*
Do	*Cereus decumbens* (cactus)		1				Do.*
Do	*Cereus sextonianus* (cactus)		1				Do.*

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
GERMANY—Continued							
Insects—Continued.							
Ernobius abietus (Anobiidae)	*Picea excelsa* (Norway spruce)		2				Md.
Do	*Picea* sp. (spruce)		1				Mich.
Euxesta sp. (Ortalidae)	*Solanum tuberosum*					1	La.
Frankliniella intonsa (thrips)	*Picea* sp. (spruce)		1				Pa.
Histiostoma sp. (mite)	*Solanum tuberosum*					1	Do.
Hylemyia sp. (Anthomyiidae)	*Brassica rapa* (turnip)		1				N. Y.
Laspeyresia strobilella (Olethreutidae).	In box of apples		1				Md.
Laspeyresia sp. (Olethreutidae)	*Picea abies*		1				Do.
Do	*Picea* sp. (spruce)		1				Pa.
Lecanium sp. (Coccidae)	*Aesculus chinensis*		1				D. C.
Lepidosaphes sp. (Coccidae)	do		1				Do.
Macrosiphum kaltenbachii (aphid)	*Lactuca sativa* (lettuce)					1	Mass.
Noctuid	*Brassica oleracea capitata*					1	Do.
Olethreutid	Willow twig used as packing for lily-of-the-valley pips.	1					Calif.*
Oligotrophus annulipes (Cecidomyiidae).	*Fagus* sp. (beech)			1			N. Y.
Ortalid	*Solanum tuberosum*					1	Tex.
Phycitinae (Pyralidae)	*Anthemis nobilis*		1				Pa.
Do	*Berula erecta*	1					N. Y.
Do	*Inula* sp.		1				Pa.
Physokermes piceae (Coccidae)	*Abies* sp. (fir)		1				Do.
Pieris sp. (Pieridae)	*Brassica oleracea botrytis* (cauliflower).					1	Ala.
Pseudaonidia sp. (Coccidae)	*Euphorbia* sp.		1				Calif.*
Pseudococcus sp. (Coccidae)	*Brunfelsia* sp.	1					N. Y.
Do	*Epiphyllum phyllantoides grandiflorum* (cactus).		1				D. C.
Psila sp. (Psilidae)	*Daucus carota* (carrot)					1	N. Y.
Ptinus sexpunctatus (Ptinidae)	In bag with poplar seed		1				D. C.
Rhabdophaga sp. (Cecidomyiidae)	*Salix discolor* (pussy willow)				1		Mass.
Rhizoglyphus sp. (mite)	*Allium cepa* (onion)					1	Ala.
Do	do					1	Pa.
Do	*Solanum tuberosum*	1					Mich.
Do	do					1	Wash.
Sciara sp. (Mycetophilidae)	*Allium cepa*					1	La.
Do	*Hyacinthus* sp.			1			N. Y.
Syrphid	*Picea excelsa* (Norway spruce)		1				Pa.
Taeniothrips ericae (thrips)	Wreath of heather and statice		1				Do.
Taeniothrips firmus (thrips)	*Picea* sp. (spruce)		1				Do.
Tersonemus sp. (mite)	*Malus sylvestris* (apple)		1				Mass.
Thrips tabaci pullus (thrips)	*Allium porrum* (leek)					1	Pa.
Tinea sp. (Tineidae)	*Lapageria rosea* (red Chilebells).		1				D. C.
Tortricid	*Prunus domestica* (plum)		1				Do.
Trionymus sp. (Coccidae)	*Echinocuctus chrysacanthus* (cactus).		1				Calif.*
Do	*Rebutia* sp. (cactus)		1				Do.*
Tyroglyphid (mite)	*Poinsettia pulcherrima* (poinsettia).		1				Do.*
Diseases:							
Anguillulina dipsaci	*Solanum tuberosum*					5	Ala.
Do	do					2	Ga.
Do	do					3	La.
Do	do					1	Mass.
Do	do					1	N. Y.
Do	do					6	Pa.
Do	do					1	S. C.
Do	do					6	Tex.
Do	do					1	Va.
Anguillulina pratensis	*Convallaria majalis* (lily-of-the-valley).	2					N. Y.
Aphelenchoides parietinus	*Allium cepa* (onion)					1	Ala.
Do	*Beta vulgaris* (beet)					1	Pa.
Do	*Convallaria majalis* (lily-of-the-valley).	2					N. Y.
Do	*Solanum tuberosum*					1	Ga.
Do	do					2	Md.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
GERMANY—Continued							
Diseases—Continued.							
Aphelenchoides parietinus	*Solanum tuberosum*					1	Pa.
Do	do					1	Tex.
Aphelenchus avenae	*Convallaria majalis* (lily-of-the-valley).	1					N. Y.
Bacterium maculicolum	*Brassica oleracea botrytis* (cauliflower).					1	Md.
Bacterium sp	*Allium cepa* (onion)					1	Fla.*
Colletotrichum lagenarium	*Cucumis sativus* (cucumber)					1	Pa.
Cumminsiella sanguinea	*Mahonia* sp		1				D. C.
Cystospora sp	*Salix* sp	1					Wash.
Diaporthe umbrina	*Rosa* sp	1					D. C.
Diplocarpon rosae	do			1			N. Y.
Do	do		2				Pa.
Helminthosporium sp	*Solanum tuberosum*					1	Md.
Hexamermis sp	*Daucus carota* (carrot)					1	N. Y.
Hollow heart	*Solanum tuberosum*					1	Ala.
Leptosphaeria sp	*Secale cereale* (rye)					1	Wash.
Leptothyrium pomi	*Malus sylvestris* (apple)					1	Pa.
Metasphaeria sp	*Rosa* sp	1					D. C.
Monochaetia sp	do	1					Do.
Nectria sp	*Brassica rapa* (turnip)					1	Miss.
Petrifaction	*Solanum tuberosum*					1	Tex.
Phoma sp	*Picea abies* (Norway spruce)		1				Md.
Phyllosticta solitaria	*Malus sylvestris*		1				Do.
Phytophthora sp	*Daucus carota* (carrot)					1	Ala.
Puccinia arenariae	*Dianthus barbatus*			1			N. Y.
Puccinia graminis	*Phragmites communis*	1					D. C.
Do	*Secale cereale* (rye)					1	Wash.
Puccinia phragmitis	*Phragmites communis*	1					N. Y.
Ramularia sp	*Begonia* sp	1					D. C.
Sclerotinia sclerotiorum	*Apium graveolens* (celery)					1	Pa.
Do	*Daucus carota* (carrot)					1	Ala.
Sclerotinia sp	*Beta vulgaris* (beet)					1	Pa.
Do	*Brassica rapa* (turnip)					1	Ala.
Do	*Radicula armoracia* (horseradish).					1	Fla.*
Do	*Solanum tuberosum*	1					Tex.
Sclerotium sp	*Citrus limonia* (lemon)					1	Pa.
Septoria apii	*Apium graveolens* (celery)					1	Do.
Urocystis cepulae	*Allium cepa* (onion)					1	Ga.
Uromyces pisi	*Lathyrus* sp. (sweet pea)		1				N. Y.
Venturia pyrina	*Pyrus communis* (pear)		1				Md.
Do	do		2				Mich.
Verticillium albo-atrum	*Dahlia* sp		1				D. C.
GIBRALTAR							
Insects:							
Rhizoglyphus sp. (mite)	*Lactuca sativa* (lettuce)					1	Mass.
Syrphid	*Brassica oleracea capitata*					1	Do.
Do	*Lactuca sativa* (lettuce)					1	Do.
Diseases:							
Cerospora apii	*Apium graveolens* (celery)					1	Pa.
Macrosporium tomato	*Lycopersicum esculentum*					1	Do.
GRAND CAYMAN							
Insects:							
Lepidosaphes alba (Coccidae)	*Manihot esculenta* (cassava)	1					D. C.
GREAT BRITAIN							
Insects:							
Pseudococcus sp. (Coccidae)	*Epiphyllum* sp		1				D. C.
Taeniothrips ericae (thrips)	*Calluna vulgaris* (heather)		3				Pa.
Thrips flavus (thrips)	Chrysanthemum, aster, oxeye daisy cuttings.		1				Do.
Thrips tabaci atricornis (thrips)	do		1				Do.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
GREECE							
Insects:							
Bruchidius biguttatus (Bruchidae)	*Cistus villosus*		1				Pa.
Bruchus tristiculus (Bruchidae)	Legume seed		1				D. C.
Curculionid	*Cistus villosus*		1				Pa.
Cynipid	*Sideritis euboea*	1					N. Y.
Dacus oleae (olive fruit fly)	*Olea europaea* (olive)			2			Md.
Myelois sp. (Pyralidae)	*Ceratonia siliqua* (St. Johnsbread).	3					N. Y.
Do	*Juglans regia* (English walnut)	1					Tex.
Do	*Robinia* sp. (locust)	1					Va.
Phycitinae (Pyralidae)	*Malus sylvestris* (apple)			1			N. Y.
Diseases:							
Phoma sp.?	Unknown stem		1				Pa.
Puccinia sp	*Allium sativum* (garlic)					3	Md.
Do	do					1	N. Y.
Sclerotium cepivorum	*Allium cepa* (onion)	1					Do.
Septoria citri	*Citrus sinensis* (orange)					1	Do.
GUADELOUPE							
Insects:							
Calendrinae (Curculionidae)	*Musa* sp. (banana)			1			P. R.
Pheidole sp. (ant)	do			1			Do.
GUAM							
Insects:							
Ahasverus sp. (Cucujidae)	*Areca catechu* (betel palm)		1				Calif.*
Labia sp. (earwig)	Tree seed		1				Do.*
Lepidosaphes sp. (Coccidae)	*Areca catechu*		1				Do.*
Phloeophthorus sp. (Scolytidae)	*Hibiscus* sp		1				Do.*
Sciara sp. (Mycetophilidae)	do		1				Do.*
GUATEMALA							
Insects:							
Adranothrips alternatus (thrips)	Banana debris	1					Pa.
Agallia lingula (Cicadellidae)	do	1					Do.
Agallia sp. (Cicadellidae)	do	1					Do.
Anaedus sp. (Tenebrionidae)	do	2					Md.
Do	do	2					Pa.
Do	*Musa* sp. (banana)	1					S. C.
Anasa andresi (Coreidae)	Banana debris	1					Do.
Anastrepha sp. (Trypetidae)	*Achras sapota* (sapodilla)			1	1		La.
Do	*Lucuma* mammosa (sapote)			1			N. Y.
Anechura varia (earwig)	Banana debris	1					Md.
Apion sp. (Curculionidae)	do	1					Pa.
Aspidiotus palmae (Coccidae)	do	1					Do.
Berginus nigricolor (Lyctidae)	do	1					Do.
Blastobasis sp. (Blastobasidae)	do	1					Do.
Camponotus angulatus (ant)	do	1					Md.
Do	do	7					Pa.
Do	do	4					S. C.
Do	*Musa* sp (banana)	1					Md.
Do	do			1			Pa.
Do	do	8					S. C.
Camponotus angulatus var. (ant)	do	1					Do.
Camponotus abdominalis var. (ant)	Banana debris	1					Do.
Camponotus sp	do	5					Md.
Do	do	28					Pa.
Do	do	17					S. C.
Do	*Musa* sp. (banana)	2					Calif.*
Do	do	1					La.
Do	do	2					Md.
Do	do	11					S. C.
Do	*Tabebuia* sp	1					La.
Capaneus odiosus (Coreidae)	Banana debris	1					Md.
Do	do	2					S. C.
Do	*Musa* sp. (banana)	2					Do.
Do	do	1					Md.
Carneocephala sagittifera (Cicadellidae).	Banana debris	1					Pa.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
GUATEMALA—Continued							
Insects—Continued.							
Catolethrus longulus (Curculionidae)	Banana debris	2					Md.
Do	*Musa* sp. (banana)	1					Do.
Do	do	1					S. C.
Catorama sp. (Anobiidae)	*Cyclocarpa* sp		1				D. C.
Cautophilus sp. (Curculionidae)	Banana debris	1					Pa.
Ceramidia musicola (Syntomidae)	do	3					Do.
Do	do	1					S. C.
Ceramidia sp. (Syntomidae)	do	1					Md.
Do	do	1					Pa.
Chelymorpha pubescens (Chrysomelidae).	do	1					Do.
Chloropid	do	1					Do.
Ciocirius dorsivittatus (Fulgoridae)	do	1					Do.
Colopterus latus (Nitidulidae)	*Musa* sp. (banana)	1					S. C.
Colopterus posticus (Nitidulidae)	Banana debris	1					Pa.
Colopterus sp. (Nitidulidae)	*Musa* sp. (banana)	1					Do.
Coreid	Banana debris	1					Do.
Crematogaster brevispinosa var. (ant)	do	1					Do.
Crematogaster parabiotica (ant)	do	2					Do.
Crematogaster sp. (ant)	do	7					Do.
Do	do	1					S. C.
Do	*Musa* sp. (banana)	1					Md.
Do	do	2					S. C.
Cryptothrips sp. (thrips)	Banana debris	1					Pa.
Cucujid	*Guaiacum officinale* (lignum-vitae).	2					Calif.*
Cycloptilum antillarum (Gryllidae)	Banana debris	1					S. C.
Do	*Musa* sp. (banana)	1					Do.
Cyllocpus barberi (Dryopidae)	Banana debris	1					Pa.
Delphacodes sp. (Delphacidae)	do	1					Do.
Diabrotica sp. (Chrysomelidae)	do	1					Do.
Diaspis echinocacti cacti (Coccidae)	Cactus			2			Md.
Diatraea saccharalis (sugarcane borer).	Banana debris	1					Pa.
Disonycha sp. (Chrysomelidae)	*Musa* sp. (banana)	1					S. C.
Dolichoderus bispinosus (ant)	Banana debris	3					Pa.
Do	do	1					S. C.
Do	*Musa* sp. (banana)	1					Do.
Dolichoderus debilis (ant)	Banana debris	3					Pa.
Dolichoderus sp. (ant)	do	3					Do.
Do	do	1					S. C.
Do	*Musa* sp. (banana)	2					Do.
Doliema plana (Tenebrionidae)	*Guaiacum officinale* (lignum-vitae).	1					Calif.*
Edessa sp. (Pentatomidae)	Banana debris	1					Md.
Elaterid	*Guaiacum officinale*	1					Calif.*
Empoasca sp. (Cicadellidae)	Banana debris	2					Pa.
Eneopterinae (Gryllidae)	do	1					Do.
Epilachna virgata (Coccinellidae)	do	1					Do.
Estola sp. (Cerambycidae)	do	1					Do.
Euryophthalmus longulus (Pyrrhocoridae).	do	1					Do.
Formica sp. (ant)	*Guaiacum officinale*	1					Calif.*
Geranomyia sp. (Tipulidae)	Banana debris	1					Pa.
Gypona sp. (Cicadellidae)	do	1					Do.
Haplothrips sp. (thrips)	do	1					Do.
Hypnoidus quadriplagiatus (Elateridae).	do	1					Do.
Hypothenemus sp. (Scolytidae)	do	2					Do.
Iridomyrmex sp. (ant)	do	1					Do.
Do	*Musa* sp. (banana)	2					S. C.
Kalotermes sp. (termite)	Banana debris	1					Pa.
Lamiinae (Cerambycidae)	*Musa* sp. (banana)			1			Do.
Leucoptera coffeella (coffee leaf miner).	*Coffea* sp	1					Do.
Lorelus trapeziderus (Tenebrionidae).	Banana debris	1					Md.
Do	do	1					N. Y.
Do	do	9					Pa.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
GUATEMALA—Continued							
Insects—Continued.							
Lorelus trapeziderus (Tenebrionidae)	Banana debris	5					S. C.
Do	*Musa* sp. (banana)	6					Md.
Do	do	13					S. C.
Lorelus sp. (Tenebrionidae)	Banana debris	1					Md.
Do	do	5					Pa.
Do	*Musa* sp. (banana)	1					La.
Do	do	1					Md.
Do	do	1					Pa.
Do	do	3					S. C.
Lycaenid	Banana debris	1					Pa.
Marmara sp. (Gracilariidae)	do	1					Do.
Mecistorhinus sepulcralis (Pentatomidae).	do	1					Do.
Metamasius sericeus (silky cane weevil).	do	3					Do.
Do	do	3					S. C.
Do	*Musa* sp. (banana)	2					Calif.*
Do	do	1					S. C.
Metamasius sericeus carbonarius (Curculionidae).	Banana debris	1					Md.
Metriona erratica (Chrysomelidae)	do	1					Do.
Mirid	do	1					Pa.
Monanthia monotropidia (Tingitidae).	do	5					Do.
Monanus concinnulus (Cucujidae)	do	8					Do.
Do	do	1					S. C.
Do	*Musa* sp. (banana)	2					Do.
Monomorium sp. (ant)	Banana debris	8			*		Pa.
Mormidea sp. (Pentatomidae)	do	1					Md.
Myochrous melancholicus (Chrysomelidae).	*Musa* sp. (banana)	1					S. C.
Neocattarus gracilis (Lygaeidae)	Banana debris	1					Pa.
Neoponera unidentata (ant)	do	3					S. C.
Do	*Musa* sp. (banana)	1					Do.
Neoponera sp. (ant)	Banana debris	9					Pa.
Do	do	2					S. C.
Do	*Musa* sp. (banana)	1					Pa.
Do	do	5					S. C.
Neurocteuus litigiosus (Aradidae)	*Guaiacum officinale* (lignum-vitae).	1					Calif.*
Opogona sp. (Tineidae)	Banana debris	1					Pa.
Ozophora sp. (Lygaeidae)	do	1					Do.
Pachycondyla sp. (ant)	do	1					S. C.
Paratenetus sp. (Tenebrionidae)	do	1					Md.
Do	do	11					Pa.
Do	*Musa* sp. (banana)	1					Md.
Parmenonta valida (Cerambycidae)	Banana debris	1					Pa.
Pentatomid	do	1					Do.
Phalangopsinae (Gryllidae)	do	1					Do.
Phaneropterinae (Tettigoniidae)	*Musa* sp. (banana)	1					Calif.*
Pheidole anastasii (ant)	Banana debris	8					Pa.
Pheidole flavens var. (ant)	do	1					Do.
Do	*Musa* sp. (banana)	1					S. C.
Pheidole sp. (ant)	Banana debris	3					Md.
Do	do	8					Pa.
Do	do	1					S. C.
Do	*Musa* sp. (banana)	1					La.
Do	do	1					Pa.
Do	do	14					S. C.
Do	Palm				1		Pa.
Phloeothrips sp. (thrips)	Banana debris	1					Do.
Phycitinae (Pyralidae)	*Paullinia* sp		1				D. C.
Prenolepis sp. (ant)	Banana debris	1					Md.
Do	do	5					Pa.
Do	*Musa* sp. (banana)	4					S. C.
Psalis americana (earwig)	Banana debris	1					Pa.
Pseudaonidia articulatus (rufous scale).	*Cocos nucifera* (coconut)			2	1		Calif.*
Do	*Coffea* sp			1			Do.*
Do	*Musa* sp. (banana)	1					Md.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
GUATEMALA—Continued							
Insects—Continued.							
Pseudococcus sp. (Coccidae)	Banana debris	1					Pa.
Pseudomyrma flavidula (ant)	Twig	1					La.
Pseudomyrma gracilis mexicana (ant)	Banana debris	1					Pa.
Psychid	do	1					La.
Do	do	1					Md.
Do	do	16					Pa.
Do	do	5					S. C.
Do	*Musa* sp. (banana)	1					La.
Do	do	2					Md.
Do	do			1			Pa.
Do	do	3					S. C.
Pyralid	Banana debris	1					Pa.
Do	*Musa* sp. (banana)	1					S. C.
Pyroderces sp. (Cosmopterygidae)	Banana debris	1					Pa.
Pyrophorus sp. (Elateridae)	Orchid		1				D. C.
Rhinanisus sp. (Curculionidae)	*Musa* sp. (banana)			1			Pa.
Schizoptera sp. (Schizopteridae)	Banana debris	1					Do.
Sciara sp. (Mycetophilidae)	do	2					Md.
Silvanus vulgaris (Cucujidae)	do	3					Pa.
Silvanus sp. (Cucujidae)	do	2					Do.
Do	*Guaiacum officinale* (lignumvitae).	2					Calif.*
Solenopsis sp. (ant)	Banana debris	3					Pa.
Do	*Musa* sp. (banana)	2					S. C.
Do	Palm				1		Pa.
Do	*Saccharum officinarum* (sugarcane).	1					Do.
Stenomimus sp. (Curculionidae)	Banana debris	1					Do.
Stephanoderes guatemalensis (Scolytidae).	do	3		1			Do.
Do	*Musa* sp. (banana)	1					La.
Do	do	1					Pa.
Stephanoderes sp. (Scolytidae)	Banana debris	2					Do.
Syntomid	do	1					Md.
Tapinoma sp. (ant.)	do	3					Pa.
Do	*Musa* sp. (banana)	1					S. C.
Telephanus brontoides (Cucujidae)	Banana debris	1					Md.
Do	do	3					Pa.
Do	do	1					S. C.
Do	*Musa* sp. (banana)	1					Do.
Telephanus costaricensis (Cucujidae)	Banana debri	2					Pa.
Telephanus setulosus (Cucujidae)	*Ananas sativus* (pineapple)	1					Hawaii.*
Do	Banana debris	6					Md.
Do	do	1					N. Y.
Do	do	24					Pa.
Do	do	5					S. C.
Do	*Musa* sp. (banana)	7					Md.
Do	do			1			Pa.
Do	do	16					S. C.
Telephanus sp. (Cucujidae)	Banana debris	1					Md.
Do	do	1					N. Y.
Do	do	7					Pa.
Do	do	1					S. C.
Do	*Musa* sp. (banana)	1					Pa.
Do	do	8					S. C.
Thionia sp. (Fulgoridae)	Banana debris	1					Pa.
Tineid	*Guaiacum officinale* (lignumvitae).	1					Calif.*
Tomaspis sp. (Cercopidae)	Banana debris	1					Md.
Tortricid	do	1					Do.
Do	do	2					Pa.
Tytthomimus rufotestaceus (Curculionidae).	do	1					S. C
Tytthomimus sp. (Curculionidae)	do	1					Do.
Wasmannia auropunctata (ant)	do	3					Pa.
Do	*Musa* sp. (banana)	1					Md.
Do	do	5					S. C.
Xyleborus affinis (Scolytidae)	Banana debris	2					Pa.
Xyleborus confusus (Scolytidae)	do	1					Do.
Zygothrips sp. (thrips)	do	1					Do.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
GUATEMALA—Continued							
Diseases:							
Ascomycetes	*Musa* sp. (banana)	1					Md.
Coscinaria sp	Unknown leaf	1					Do.
Crepidotus sp	*Musa* sp. (banana)	1					Pa.
Diplodia sp	Unknown leaf	1					Md.
Hypomyces terrestris?	*Musa* sp. (banana)	1					Pa.
Linchora sp	*Ficus* sp	1					Do.
Marasmius sp	Banana debris	1					Do.
Myxomycetes	*Musa* sp. (banana)	1					Md.
Do	do	4					Pa.
Do	Unknown leaf	1					Do.
Oleocellosis	*Citrus aurantifolia* (lime)					2	Do.
Oospora citri-aurantii	do					1	Do.
Sclerotinia sp	do					1	Do.
Septoria sp	Unknown leaf	1					Do.
Sphaeriaceae	*Musa* sp. (banana)	1					Md.
Thielaviopsis paradoxa	*Ananas sativus* (pineapple)					1	Pa.
GUERNSEY							
Diseases:							
Oospora lactis parasitica	*Lycopersicum esculentum*					1	Do.
Sclerotinia gladioli	*Tritonia* sp		1				D. C.
HAITI							
Insects:							
Anastrepha sp. (Trypetidae)	*Mangifera indica* (mango)			1			N. Y.
Coccus viridus (Coccidae)	*Coffea* sp			1			Fla.*
Pseudaonidia articulatus (rufous scale).	*Citrus sinensis* (orange)				1	2	Do.*
Pseudococcus sp. (Coccidae)	*Dioscorea bulbifera* (airpotato)	1					D. C.
Tinea sp. (Tineidae)	*Musa* sp. (banana)	1					N. Y.
Diseases:							
Diplocarpon rosae	*Rosa* sp				1		Do.
Oleocellosis	*Citrus sinensis* (orange)					1	Tex.
Thielaviopsis paradoxa	*Saccharum officinarum* (sugarcane).				1		Pa.
HAWAII							
Insects:							
Asterolecanium pustulans (Coccidae)	*Bougainvillea* sp		1				Calif.*
Do	*Hibiscus* sp		1	1			Do.*
Do	*Tecomaria capensis* (Cape-honeysuckle).		1				Do.*
Bactrocera cucurbitae (melon fly)	*Cucumis sativus* (cucumber)				1		Do.*
Bruchus sp. (Bruchidae)	*Prosopis chilensis*		1				Do.*
Do	do		1				D. C.
Caryedon fuscus (Bruchidae)	*Cascara sagrada* (cascara)		1	1			Calif.*
Do	*Tamarindus indica* (tamarind)			1			Do.*
Cerambycid	*Aleurites moluccana* (kukui nut).		1				Do.*
Do	*Rosa woodsi* (Woods rose)			1			Do.*
Ceratitis capitata (Mediterranean fruit fly).	*Coffea* sp				2		Do.*
Do	*Mangifera indica* (mango)			1	1		Do.*
Ceroplastes rubens (Coccidae)	Leaf lei			1			Do.*
Ceroplastes sp. (Coccidae)	Palm				1		Do.*
Chelisoches morio (earwig)	*Ananas sativus* (pineapple)	2			1		Do.*
Coccus acuminatus (Coccidae)	*Gardenia florida* (Cape-jasmine).			2			Do.*
Coccus elongatus (Coccidae)	*Acalypha* sp. (copperleaf)			1			Do.*
Do	*Areca catechu* (betel palm)	4					Do.*
Do	*Codiaeum* sp. (croton)	1			3		Do.*
Do	*Dracaena* sp				1		Do.*
Do	*Euphorbia* sp		1				Do.*
Do	*Gardenia* sp			1			Do.*
Do	*Hibiscus* sp		1	1			Do.*
Do	*Poinsettia pulcherrima* (poinsettia).				1		Do.*
Coccus viridis (Coccidae)	*Coffea* sp				1		Do.*
Do	*Tecomaria capensis* (Cape-honeysuckle).		1				Do.*

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
HAWAII—Continued							
Insects—Continued.							
Coccus sp. (Coccidae)	*Cocos nucifera* (coconut)			2			Calif.*
Do	*Gardenia* sp			1			Do.*
Dinoderus minutus (Bostrichidae)	Bamboo				1		Do.*
Diocalandra taitensis (Tahitian coconut weevil).	*Cocos nucifera* (coconut)			1			Do.*
Do	*Hibiscus* sp			1			Do.*
Ereunetis flavistriata (sugarcane bud worm).	*Ananas sativus* (pineapple)	9					Do.*
Do	*Areca catechu* (betel palm)	1					Do.*
Do	*Cocos nucifera* (coconut)	2		27	6		Do.*
Ereunetis minuscula (Tineidae)	*Ananas sativus* (pineapple)	3				1	Do.*
Ereunetis sp. (Tineidae)	do	2		1	2		Do.*
Do	*Cocos nucifera* (coconut)			1			Do.*
Haplothrips gowdeyi (thrips)	*Ananas sativus* (pineapple)	1					Do.*
Do	Cut flowers			1			Do.*
Do	Flower lei		1	1			Do.*
Lepidosaphes auriculata (Coccidae)	*Codiaeum* sp. (croton)	1	2	1	9		Do.*
Lepidosaphes sp. (Coccidae)	*Gardenia* sp			1			Do.*
Minthea rugicollis (Lyctidae)	Chinese herb	1					Do.*
Mirid	*Ananas sativus* (pineapple)	1					Do.*
Monomorium sp. (ant)	do			1			Do.*
Noctuid	Flower lei			1			Do.*
Opogona aurisquamosa (Tineidae)	*Aleurites moluccana* (kukui nut).		1				Do.*
Do	*Cocos nucifera* (coconut)				1		Do.*
Opogona sp. (Tineidae)	*Ananas sativus* (pineapple)	3					Do.*
Ortalid	*Lycopersicum esculentum*					1	Pa.
Parlatoria mytilaspiformis (Coccidae).	*Codiaeum* sp. (croton)	1	1		2		Calif.*
Phenacaspis sp. (Coccidae)	*Cocos nucifera* (coconut)		1	10	6		Do.*
Do	*Mangifera indica* (mango)			2	1		Do.*
Do	Palm				1		Do.*
Phycitinae (Pryalidae)	*Cascara sagrada* (cascara)			1			Do.*
Pheidole mactavishi (ant)	*Cocos nucifera* (coconut)			1			Do.*
Do	Flower lei			1			Do.*
Psammoecus insularis (Cucujidae)	*Ananas sativus* (pineapple)	1					Do.*
Pseudaonidia clavigera (Coccidae)	*Acalypha* sp (copperleaf)			1			Do.*
Do	*Codiaeum* sp. (croton)			1			Do.*
Do	*Hibiscus* sp	1	2	3			Do.*
Pseudaonidia tesserata (Coccidae)	*Calliandra* sp			1			Do.*
Do	*Hibiscus* sp		6	5	1		Do.*
Pseudaonidia sp. (Coccidae)	*Gardenia* sp			1			Do.*
Pseudococcus kraunhiae (Coccidae)	*Codiaeum* sp (croton)				2		Do.*
Do	*Dracaena* sp			1			Do.*
Pseudococcus virgatus (Coccidae)	*Areca catechu* (betel palm)	6					Do.*
Do	*Codiaeum* sp. (croton)				1		Do.*
Do	*Piper betle* (betel pepper)	1					Do.*
Pseudococcus sp. (Coccidae)	*Cocos nucifera* (coconut)			1			Do.*
Do	*Codiaeum* sp. (croton)			1			Do.*
Pyralid	*Ananas sativus* (pineapple)	1					Do.
Rhizoglyphus sp. (mite)	*Solanum tuberosum*			1			Do.*
Rhyncolus longulus (Curculionidae)	*Aleurites moluccana* (kukui nut).		1				Do.*
Ripersia palmarum (Coccidae)	*Cocos nucifera* (coconut)	4		32	13		Do.*
Do	Palm			1			Do.*
Stephanoderes sp. (Scolytidae)	*Aleurites moluccana* (kukui nut).		1				Do.*
Sternochetus mangiferae (mango weevil).	*Mangifera indica* (mango)			10	1	1	Do.*
Taeniothrips gladioli (gladiolus thrips).	*Gladiolus* sp			1			Do.*
Taeniothrips hawaiiensis (thrips)	Flower lei			1	1		Do.*
Tarsonemid (mite)	*Cocos nucifera* (coconut)				1		Do.*
Tetranychid (mite)	do			1			Do.*
Tyroglyphid (mite)	do			2	1		Do.*
Do	*Codiaeum* sp. (croton)			1			Do.*
Do	*Macadamia* sp		1				Do.*
Do	*Polyanthes tuberosa* (tuberose)		1				Do.*
Urophorus humeralis (Nitidulidae)	*Ananas sativus* (pineapple)	3			1		Do.*

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
HONDURAS							
Insects:							
Aeolus yucatanus (Elateridae)	*Musa* sp. (banana)	1					La.
Anaedus sp. (Tenebrionidae)	Banana debris	1					Pa.
Anastrepha sp. (Trypetidae)	*Chrysophyllum cainito* (star-apple).			1			La.
Do	*Mangifera indica* (mango)				1		Do.
Anomala attenuata (Scarabaeidae)	Banana debris	1					Pa.
Anthomyiid	do	1					Do.
Aspidiotus palmae (Coccidae)	*Musa* sp. (banana)	1					Ala.
Aspidiotus sp. (Coccidae)	do	1					Md.
Asterolecanium bambusae (Coccidae)	Bamboo			1			La.
Asterolecanium sp. (Coccidae)	*Cocos nucifera* (coconut)				2		Do.
Ataenius cribrithorax (Scarabaeidae)	Banana debris	1					Pa.
Aulacizes mutans (Cicadellidae)	do	1					Do.
Calendra sp. (Curculionidae)	*Musa* sp. (banana)				1		La.
Camponotus abdominalis stercorarius (ant).	Banana debris	2					S. C.
Camponotus angulatus (ant)	do	1					Pa.
Do	*Musa* sp. (banana)	1					S. C.
Camponotus sp. (ant)	Banana debris	2					La.
Do	do	5					Mass.
Do	do	2					Pa.
Do	do	2					S. C.
Do	*Coccoloba uvifera* (seagrape)					2	Ala.
Do	*Mangifera indica* (mango)					1	Do.
Do	*Musa* sp. (banana)	12					La.
Do	do	2					S. C.
Do	do	1					Tex.
Camptodes sp. (Nitidulidae)	do	1					Pa.
Capaneus odiosus (Coreidae)	Banana debris	1					La.
Cecidomyiid	*Musa* sp. (banana)	1					Do.
Cedusa sp. (Fulgoridae)	Banana debris	1					Pa.
Cephaloleia sp. (Chrysomelidae)	do	1					Do.
Ceramidia sp. (Syntomidae)	do	1					Do.
Do	*Musa* sp. (banana)	1					La.
Do	do	1					Pa.
Coccus acuminatus (Coccidae)	*Gardenia florida* (Cape-jasmine).			2			La.
Colaspis sp. (Chrysomelidae)	Banana debris	1					Pa.
Colopterus posticus (Nitidulidae)	*Musa paradisica* (plantain)	1					N. Y.
Colopterus sp. (Nitidulidae)	*Musa* sp. (banana)	2					La.
Coreid	do	1					Do.
Crematogaster brevispinosa var. (ant)	do	1					Do.
Crematogaster sp. (ant)	do	1					Do.
Do	do	1					S. C.
Cryptarcha sp. (Nitidulidae)	Banana debris	1					Pa.
Cryptorhopalum sp. (Dermestidae)	*Musa* sp. (banana)	1					La.
Curculionid	do				1		Do.
Cycloptilum contectum (Gryllidae)	do	1					S. C.
Dialeurodes citri (citrus whitefly)	*Gardenia florida* (Cape-jasmine).			1			La.
Dictyophara brachyrhina (Fulgoridae)	Banana debris	1					Pa.
Dinoderus minutus (Bostrichidae)	do	1					Do.
Draeculacephala lenticula (Cicadellidae).	do	1					Do.
Eciton infumatum (ant)	do	1					Mass.
Empoasca sp. (Cicadellidae)	do	1					Pa.
Epipaschiinae (Pyralidae)	do	1					La.
Do	do	1					Md.
Galgupha punctifer (Cynidae)	do	1					Ala.
Do	do	1					La.
Do	do	1					Pa.
Glischrochilus sp. (Nitidulidae)	*Crescentia cujete* (calabash-tree)			1			La.
Gypona signoreti (Cicadellidae)	Banana debris	1					Pa.
Gypona sp. (Cicadellidae)	do	1					Do.
Heilipus sp. (Curculionidae)	*Persea americana* (avocado)				1		La.
Hypothenemus sp. (Scolytidae)	Banana debris	2					Mass.
Kalotermes sp. (termite)	do	1					Pa.
Do	*Coccoloba uvifera* (seagrape)					2	Ala.
Labia arcuata (earwig)	*Musa* sp. (banana)	1					La.
Do	do	1					S. C.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
HONDURAS—Continued							
Insects—Continued.							
Lasioderma sp. (Anobiidae)	Banana debris	1					Md.
Lorelus trapeziderus (Tenebrionidae)	do	2					Pa.
Do	*Musa* sp. (banana)	1					La.
Do	do	1					Pa.
Lorelus sp. (Tenebrionidae)	Banana debris	1					La.
Do	do	1					Md.
Do	do	2					Pa.
Do	*Musa* sp. (banana)	1					La.
Do	do	1					Md.
Lygus sp. (Miridae)	Banana debris	1					La.
Metamasius sericeus (silky cane weevil).	do	2					Ala.
Do	do	2					Mass.
Do	do	9					Pa.
Do	*Musa* sp. (banana)	5					La.
Do	do	2					N. Y.
Metriona trisignata (Chrysomelidae)	Banana debris	1					Pa.
Monanus concinnulus (Cucujidae)	do	1					Mass.
Do	do	2					Pa.
Monocrepidus rodriguezi (Elateridae).	*Musa* sp. (banana)	1					La.
Monomorium ebeninum var. (ant)	Banana debris	1					Mass.
Myndus sp. (Fulgoridae)	do	1					Pa.
Nasutitermes cornigera (termite)	do	2					La.
Nasutitermes sp. (termite)	do	2					Do.
Neoconocephalus sp. (Tettigoniidae)	do	1					S. C.
Noctuid	do	1					Mass.
Do	*Musa* sp. (banana)	2					La.
Ogdoecosta sp. (Chrysomelidae)	do	1					Do.
Opatrinus sp. (Tenebrionidae)	Banana debris	1					Mass.
Opsiphanes sp. (Nymphalidae)	*Musa* sp. (banana)	1					La.
Ortalid	do	1					Do.
Orthezia sp. (Coccidae)	*Gardenia florida* (Cape-jasmine)			1			Do.
Paratenetus sp. (Tenebrionidae)	Banana debris	1					Mass.
Do	do	2					Pa.
Do	*Musa* sp. (banana)	2					La.
Do	do	1					S. C.
Parmenonta valida (Cerambycidae)	do	1					La.
Pentatomid	*Rosa* sp.				1		Do.
Pheidole anastasii (ant)	Banana debris	1					Md.
Pheidole flavens var. (ant)	do	1					S. C.
Pheidole sp. (ant)	do	1					Pa.
Do	*Coccoloba uvifera* (seagrape)					1	Ala.
Do	*Musa* sp. (banana)	1					S. C.
Phlugis sp. (Tettigoniidae)	Banana debris	1					La.
Phycitinae (Pyralidae)	*Cassia grandis* (pink-shower)			1			Do.
Platypus rugulosus (Scolytidae)	Banana debris	1					Mass.
Prenolepis sp. (ant)	do	1					La.
Do	do	1					Pa.
Do	do	1					S. C.
Pseudococcus sp. (Coccidae)	*Gardenia florida* (Cape-jasmine)			1			La.
Psychid	Banana debris	6					Do.
Do	do	1					Mass.
Do	do	14					Pa.
Do	do	5					S. C.
Do	do	1					Tex.
Do	*Musa* sp. (banana)	9					Ala.
Do	do	27					La.
Do	do	1					N. Y.
Do	do	1					Pa.
Pyroderces sp. (Cosmopterygidae)	Banana debris	1					N. Y.
Do	*Musa* sp. (banana)	2					S. C.
Rhinanisus sp. (Curculionidae)	*Cocos nucifera* (coconut)				1		La.
Solenopsis sp. (ant)	Banana debris	2					Pa.
Do	*Musa* sp. (banana)	1					S. C.
Soronia sp. (Nitidulidae)	Banana debris	1					Pa.
Stelidota sp. (Nitidulidae)	do	1					Do.
Stephanoderes guatemalensis (Scolytidae).	do	1					Do.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
HONDURAS—Continued							
Insects—Continued.							
Stephanoderes sp. (Scolytidae)	*Poinciana regia* (flamboyant)				1		La.
Stigmaeodes floridanus (pineapple mite).	*Ananas sativus* (pineapple)			1			Pa.
Telephanus brontoides (Cucujidae)	Banana debris	1					Do.
Telephanus setulosus (Cucujidae)	do	2					Ala.
Do	do	3					La.
Do	do	1					Md.
Do	do	1					Mass.
Do	do	1					N. Y.
Do	do	9					Pa.
Do	do	1					S. C.
Do	*Musa* sp. (banana)	26					La.
Do	do	1					Md.
Do	do	1					N. Y.
Do	do	1					S. C.
Telephanus sp. (Cucujidae)	Banana debris	2					Mass.
Do	do	3					Pa.
Do	*Musa* sp. (banana)	2					Md.
Tenebrio sp. (Tenebrionidae)	do	1					La.
Tomaspis fugata (Cercopidae)	Banana debris	1					Pa.
Tortricid	*Musa* sp. (banana)	1					La.
Tragopa sp. (Membracidae)	do	1					Do.
Trichothrips sp. (thrips)	Banana debris	1					Pa.
Urophorus humeralis (Nitidulidae)	do	1					Do.
Wasmannia auropunctata (ant)	do	1					Mass.
Zygothrips sp. (thrips)	do	1					Do.
Do	do	1					Pa.
Diseases:							
Capnodium citri	*Citrus aurantifolia* (lime)	1					La.
Do	*Citrus grandis* (grapefruit)			1			Do.
Diplodia natalensis	*Citrus sinensis* (orange)					1	Do.
Gloeosporium sp.	*Musa* sp. (banana)	1					Pa.
Myxomycetes	Do	2					La.
Oleocellosis	*Citrus sinensis* (orange)				2		Do.
Oospora citri-aurantii	*Citrus aurantifolia* (lime)					1	Do.
Sclerotium sp.	*Dioscorea* sp. (yam)				1		Do.
Sphaceloma fawcettii	*Citrus aurantifolia* (lime)					1	Do.
Do	*Citrus grandis* (grapefruit)					1	Do.
HUNGARY							
Insects:							
Bruchus brachialis (Bruchidae)	*Vicia villosa* (hairy vetch)		2				D. C.
Paranthrene sp. (Aegeriidae)	*Populus* sp.		1				Do
Synanthedon sp. (Aegeriidae)	*Populus balsamifera* (balsam poplar		1				Do.
Diseases:							
Aphelenchus avenae	*Allium sativum* (garlic)	1					Pa.
INDIA							
Insects:							
Anisolabis sp. (earwig)	*Myristica fragrans* (nutmeg)	1					Calif.*
Anobiid	In wood used for cases of canned shelled nuts.	1					Pa.
Apion sp. (Curculionidae)	*Zea mays* (corn)		1				Calif.*
Aspidiotus destructor (Coccidae)	Palm				1		N. Y.
Bostrichid	*Oryza sativa* (paddy rice)					1	Do.
Bruchidius sp. (Bruchidae)	*Cassia didymobotrya*		1				D. C.
Do	Medicinal plant		1				Do.
Callosobruchus sp. (Bruchidae)	*Cicer arietinum* (chickpea)					1	N. Y.
Chloropid	Rice straw packing	1					Pa.
Cryphalus sp. (Scolytidae)	Branches used as dunnage				2		Do.
Do	Unidentified wood				1		La.
Curculionid	Branches used as dunnage				1		Pa.
Cylas formicarius (sweetpotato weevil).	*Ipomoea batatas* (sweetpotato).					1	Mass.
Do	do	1					N. Y.
Dinoderus minutus (Bostrichidae)	Bamboo				1		Md.
Eriophyes sp. (mite)	*Laurus nobilis* (Grecian laurel)					1	Do.
Eurytoma sp. (Eurytomidae)	*Acacia modesta*		1				D. C.
Hilipomorphus sp. (Curculionidae)	*Cyperorchis mastersii* (orchid)		1				Calif.*

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
INDIA—Continued							
Insects—Continued.							
Parlatoria sp. (Coccidae)	*Citrus grandis* (pomelo)					1	N. Y.
Pectinophora gossypiella (pink bollworm).	*Gossypium* sp. (cottonseed)		1				Calif.*
Psychid	Palm				1		Pa.
Pulvinaria sp. (Coccidae)	*Nephelaphyllum pulchrum* (orchid).		1				Calif.*
Sinoxylon conigerum (Bostrichidae)	In wood used for cases of canned shelled nuts.	1					Pa.
Tortricid	*Linum* sp. (flax)	1					Calif.*
Diseases:							
Bacterium citri	*Citrus* sp.		1				Do.*
Bacterium maculicolum	*Brassica oleracea capitata*					1	Pa.
Colletotrichum lagenarium	*Cucurbita ovifera* (snakegourd)		1				D. C.
Diplocarpon rosae	*Rosa* sp.			1			Mass.
Gloeosporium gloeosporioides?	*Cinchona* sp.		1				D. C.
Gloeosporium sp.	Orchid		1				Do.
Phoma sp.	Bark of unidentified tree				1		Pa.
Phytophthora sp.	*Lilium* sp.	1					N. Y.
Phyllosticta solitaria	*Malus sylvestris* (apple)			1			Do.
Phyllosticta sp.	*Pittosporum* sp.			1			Do.
Puccinia graminis	*Triticum* sp.		1				Pa.
Septoria apii	*Apium graveolens* (celery)					2	Do.
Septoria vincae	*Vinca* sp. (periwinkle)			1			N. Y.
Septoria sp.	*Veronica* sp. (speedwell)			1			Do.
IRELAND							
Insects:							
Brachyrhinus sulcatus (black vine weevil).	In soil around roots of primrose plant.			1			Mass.
Cecidomyiid	*Rosa* sp.		1				Md.
Ceutorhynchus ericae (Curculionidae).	*Calluna vulgaris* (heather)		1				Pa.
Ceutorhynchus sp. (Curculionidae)	*Brassica rapa* (turnip)					1	Do.
Geometrid	*Calluna vulgaris* (heather)		1				Do.
Gracilaria sp. (Gracilariidae)	Around rose and cut flowers		1				Md.
Hepialus sp. (Hepialidae)	*Dahlia* sp.			1			N. Y.
Ludius sp. (Elateridae)	*Solanum tuberosum*					1	Pa.
Noctuid	*Begonia* sp.			1			N. Y.
Do	*Rosa* sp.		1				Md.
Pieris sp. (Pieridae)	*Brassica oleracea capitata*					1	Pa.
Do	*Rosa* sp.		1				Md.
Rhizoglyphus sp. (mite)	In soil around roots of primrose plant.			1			Mass.
Taeniothrips ericae (thrips)	*Calluna vulgaris* (heather)		2				Pa.
Tipula sp. (Tipulidae)	In case of rose plants with sphagnum moss packing.	1					D. C.
Typhlocyba sp. (Cicadellidae)	*Rosa* sp.			1			Mass.
ITALY							
Insects:							
Agromyzid	*Brassica oleracea capitata*					1	Do.
Anarsia sp. (Gelechiidae)	*Prunus domestica* (plum)		1				Calif.*
Anobiid	*Agaricus campestris* (mushroom).		1				Do.*
Anthomyiid	*Allium cepa* (onion)					1	La.
Aonidia lauri (Coccidae)	*Laurus nobilis* (Grecian laurel)	1	2				Do.
Apion carduorum (Curculionidae)	*Cynara scolymus* (globe artichoke).			1			N. Y.
Aspidiotus spinosus (Coccidae)	*Sorbus* sp. (sorbe apple)			1			Do.
Aspidiotus sp. (Coccidae)	*Citrus sinensis* (orange)					1	Pa.
Do	*Citrus* sp.					1	Md.
Do	*Malus sylvestris* (apple)					1	N. Y.
Blastodacna sp. (Cosmopterygidae)	do			1			Do.
Brachyrhinus armadillo (Curculionidae).	Unknown plant leaf				1		Wash.
Bruchidius lividimanus (Bruchidae)	*Cytisus stenopetalus*		1				D. C.
Bruchidius villosus (Bruchidae)	*Cytisus sessilifolius* (sessile broom).		1				Do.
Bruchus sp. (Bruchidae)	*Lens esculenta* (lentil)			1			Calif.*
Do	Bean		1				Do.*
Do	In package of *Pimpinella anisum*.		1				Pa.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ITALY—Continued							
Insects—Continued.							
Bruchus sp. (Bruchidae)	In packing around fruit trees	1					D. C.
Do	*Pisum sativum* (pea)		1				Calif.*
Do	*Vicia faba* (horsebean)		1				Do.*
Carpoglyphus sp. (mite)	*Citrus limonia* (lemon)	1					Pa.
Ceratitis capitata (Mediterranean fruit fly).	*Citrus aurantium* (bitter orange).		3				N. Y.
Do	*Citrus nobilis deliciosa* (tangerine).	1		1			Do.
Do	*Ficus carica* (fig)			1			Do.
Ceratitis sp. (Trypetidae)	*Citrus nobilis deliciosa* (tangerine).					1	Pa.
Do	*Opuntia* sp		1				Mich.
Cercopid	*Cynara scolymus* (globe artichoke).					1	N. Y.
Ceroplastes sp. (Coccidae)	*Laurus nobilis* (Grecian laurel)		1				Pa.
Do	*Citrus* sp					1	Mass.
Do	*Cydonia oblonga* (quince)			1			N. Y.
Do	*Ficus carica*			1			Do.
Do	*Gardenia* sp		1				Calif.*
Cetonia aurata (Scarabaeidae)	Peat					1	Do.*
Ceutorhynchus sp. (Curculionidae)	*Brassica rapa* (turnip)					2	N. Y.
Chloropid	*Juglans* sp. (walnut)	1					Pa.
Do	*Sisymbrium nasturtium-aquaticum.*					1	N. Y.
Chrysomphalus dictyospermi var. (Coccidae).	*Citrus aurantium* (Seville orange).					1	Tex.
Do	*Citrus limonia* (lemon)	1					La.
Do	do					1	Mass.
Do	*Citrus sinensis* (orange)					1	Ala.
Do	do					1	Mass.
Do	*Hedera* sp. (ivy)			1			N. Y.
Crematogaster sp. (ant)	*Cydonia oblonga* (quince)			1			Do.
Cryptoblabes sp. (Pyralidae)	*Punica granatum* (pomegranate).			1			Do.
Curculio sp. (Curculionidae)	*Castanea* sp. (chestnut)		2				Calif.*
Do	do		1				D. C.
Do	do		1				Ill.
Do	do		1				Minn.
Do	do		2	3			N. Y.
Do	do	1	2				Pa.
Dacus oleae (olive fruit fly)	*Olea europaea* (olive)			1			Md.
Do	do	1					Mass.
Do	do			1			N. Y.
Do	do	1	1				Pa.
Do	In bag containing green olives		1				N. Y.
Dacus sp. (Trypetidae)	*Olea europaea* (olive)		1				Calif.*
Do	do	1					Pa.
Do	In package containing olives		1				Do.
Diaspis carueli (Coccidae)	*Juniperus* sp. (juniper)	2					N. Y.
Empoasca decipiens (Cicadellidae)	*Lactuca sativa* (lettuce)					1	Mass.
Epidiaspis piricola (Italian pear scale).	*Malus sylvestris* (apple)	2					D. C.
Do	do		1				Mass.
Do	do			1		1	N. Y.
Do	do		1				Pa.
Do	*Prunus domestica* (plum)		1				Calif.*
Eumolpini (Chrysomelidae)	*Rosa* sp			1			N. Y.
Eurosta sp. (Ortalidae)	*Ficus carica* (fig)		1				Pa.
Fiorinia fioriniae (Coccidae)	*Camellia* sp			1			N. Y.
Fiorinia sp. (Coccidae)	*Nerium oleander* (oleander)				1		Calif.*
Forficula auricularia (European earwig).	Leaf		1				Pa.
Forficula pubescens (earwig)	*Opuntia compressa* (prickly-pear).			1			N. Y.
Gastropacha sp. (Lasiocampidae)	*Malus sylvestris* (apple)	1					D. C.
Grapholitha sp. (Olethreutidae)	*Mespilus germanica* (medlar)			1			N. Y.
Haltica sp. (Chrysomelidae)	*Rosa* sp		1				Calif.*
Histiostoma sp. (mite)	*Allium cepa* (onion)					1	La.
Do	do					1	Pa.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ITALY—Continued							
Insects—Continued.							
Hydroecia sp. (Noctuidae)	*Cynara scolymus* (globe artichoke).					1	N. Y.
Laspeyresia splendana (Olethreutidae).	*Castanea* sp. (chestnut)		4				Calif.*
Do	do		1				Md.
Do	do		1				Mass.
Do	do	3	2	2			N. Y.
Do	do	2				1	Pa.
Do	do	1					Do.
Lepidosaphes conchiformis (Coccidae).	*Olea europaea* (olive)			1			N. Y.
Lepidosaphes ficus (Coccidae)	*Ficus carica* (fig)		1				D. C.
Do	do			1			N. Y.
Liparoscelis sp. (Tettigoniidae)	*Rosa* sp		1				Calif.*
Lycaeid	*Gardenia* sp		1				Do.*
Macrosiphum gei (aphid)	*Lactuca sativa* (lettuce)					1	Fla.*
Myelois ceratoniae (Pyralidae)	*Ceratonia siliqua* (carob bean)				1		Do.*
Myelois sp. (Pyralidae)	do	1					N. Y.
Do	do		1				Pa.
Do	*Juglans* sp. (walnut)	1					Do.
Do	*Punica granatum* (pomegranate).			1			N. Y.
Noctuid	*Helianthus tuberosa* (Jerusalem artichoke).	1					Do.
Ochetostethus nanus (Cydnidae)	Straw and sphagnum used as packing for grape cuttings.	1					Do.
Olethreutid	*Punica granatum* (pomegranate).			1			Do.
Opatrum sabulosum (Tenebrionidae)	In packing material for pottery.	1					Mass.
Orthezia sp. (Coccidae)	*Gardenia* sp		1				Calif.*
Parlatoria oleae (Coccidae)	*Diospyros* sp. (persimmon)			1			N. Y.
Do	*Malus sylvestris* (apple)		1				Md.
Do	*Mespilus germanica* (medlar)			1			N. Y.
Do	do		1				Pa.
Do	*Prunus domestica* (plum)					1	N. Y.
Do	*Pyrus communis* (pear)			1			Do.
Parlatoria ziziphus (Coccidae)	*Citrus aurantium* (bitter orange).		1				Do.
Do	*Citrus limetta* (sweet lime)			1			Do.
Do	*Citrus limonia* (lemon)					3	Ala.
Do	do					12	Calif.*
Do	do					3	Fla.*
Do	do	2				1	La.
Do	do					4	Mass.
Do	do					2	N. Y.
Do	do					2	Tex.
Do	*Citrus nobilis deliciosa* (tangerine).					1	Calif.*
Do	do					1	Pa.
Do	*Citrus sinensis* (orange)					3	Calif.*
Do	do					1	Md.
Do	do			2			N. Y.
Do	do					7	Pa.
Peritelus suturellus (Curculionidae)	Straw and sphagnum used as packing for grape cuttings.	1					N. Y.
Phycitinae (Pyralidae)	*Citrus grandis* (grapefruit)			1			Do.
Do	*Citrus nobilis deliciosa* (tangerine).			1			Do.
Do	*Daucus carota* (carrot)	1					Calif.*
Do	*Juglans* sp. (walnut)			1			N. Y.
Do	*Olea europaea* (olive)	1					Pa.
Do	*Opuntia compressa* (prickly-pear).			1			N. Y.
Do	*Punica granatum* (pomegranate).			2			Do.
Do	*Vitis* sp. (grape)			1			Do.
Polychrosis botrana (vine moth)	do			1			Do.
Pseudococcus sp. (Coccidae)	*Citrus sinensis* (orange)		1			1	Pa.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ITALY—Continued							
Insects—Continued.							
Ptinus sp. (Ptinidae)	Dry flowers		1				Pa.
Rhagoletis sp. (Trypetidae)	*Prunus cerasus* (sour cherry)	1					Do.
Rhizoglyphus sp. (mite)	*Allium cepa* (onion)	1					Mass.
Do	do					1	Pa.
Do	*Allium sativum* (garlic)					1	Fla.*
Do	do	1					Mass.
Do	do	2					N. Y.
Do	*Scilla* sp. (squill)	1					Pa.
Rhynchites sp. (Curculionidae)	*Pyrus communis* (pear)		1				N. Y.
Rhyparochromus chiragra (Lygaeidae).	Straw and sphagnum used as packing for grape cuttings.	1					Do.
Saissetia sp. (Coccidae)	*Citrus sinensis* (orange)					1	Pa.
Sciara sp. (Mycetophilidae)	*Allium cepa* (onion)					1	Do.
Do	*Scilla* sp. (red squill)						
Sesamia cretica (durra stem borer)	*Holcus sorghum* var. (broomcorn).			1			N. Y.
Syrphid	*Brassica oleracea botrytis* (broccoli).					1	Do.
Tapinoma erraticum (ant)	*Beta vulgaris* (beet)					1	Ala.
Do	*Daucus carota* (carrot)					1	Do.
Tetranychid	*Gardenia* sp		1				Calif.*
Tinea sp. (Tineidae)	*Malus sylvestris* (apple)			1			N. Y.
Tineid	*Allium sativum* (garlic)					1	La.
Tipulid	In soil around assorted cuttings.		1				Md.
Tortricid	*Gardenia* sp			1			N. Y.
Do	*Pyrus communis* (pear)			1			Do.
Do	*Vitis* sp. (grape)			1			Do.
Trialeurodes sp. (whitefly)	*Laurus nobilis* (Grecian laurel)		1				Pa.
Trypetid	*Opuntia compressa* (prickly-pear).			1			N. Y.
Urophorus humeralis (Nitidulidae)	*Allium cepa* (onion)					1	La.
Do	*Solanum tuberosum*					1	Tex.
Zeuzera pyrina (leopard moth)	*Forsythia* sp			1			N. Y.
Diseases:							
Alternaria solani	*Capsicum annuum* (pepper)					1	Pa.
Anguillulina dipsaci	*Allium sativum* (garlic)					1	Do.
Anguillulina robusta	*Hosta* sp			1			N. Y.
Aphelenchoides parietinus	*Allium sativum*					1	Pa.
Do	*Amaryllis* sp			1			N. Y.
Do	*Amygdalus persica* (peach)		1				Calif.*
Aphelenchus avenae	do		1				Do.*
Capnodium citri	*Citrus limonia* (lemon)	1					La.
Do	do					1	Md.
Do	do					1	Mass.
Do	*Citrus nobilis deliciosa* (tangerine).					1	Ga.
Do	*Citrus sinensis* (orange)		1				Pa.
Do	do					1	Tex.
Cercospora beticola	*Beta cicla* (chard)					1	N. Y.
Chlorosis	*Citrus limonia* (lemon)	1					Pa.
Colletotrichum circinans	*Allium sativum* (garlic)					1	Fla.*
Conicthyrium sp	*Citrus sinensis* (orange)					1	Pa.
Coryneum beijerinckii	*Amygdalus persica* (peach)					1	N. Y.
Diplodia sp	*Citrus limonia* (lemon)					1	Fla.*
Do	*Juniperus oxycedrus* (prickly juniper).		1				D. C.
Eurotium sp	*Allium sativum* (garlic)					1	La.
Do	*Laurus nobilis* (Grecian laurel)	1					Pa.
Fusarium oxysporum	*Solanum tuberosum*					1	Fla.*
Glomerella cingulata	*Malus sylvestris* (apple)					1	Pa.
Helminthosporium sp	*Triticum aestivum* (wheat)	1					Do.
Heterosporium sp	*Allium sativum*					1	Do.
Macrosporium sarcinula parasiticum.	do					1	Fla.*
Macrosporium tomato	*Lycopersicum esculentum*					1	Pa.
Mycosphaerella fragariae	*Fragaria* sp			1			N. Y.
Oidium euonymi-japonici	*Euonymus* sp				1		Wash.
Oidium sp	do				1		Do.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ITALY—Continued							
Diseases—Continued.							
Oil burning	*Citrus sinensis* (orange)		1				Pa.
Oleocellosis	*Citrus limonia* (lemon)					1	La.
Do	do					2	Mass.
Do	*Citrus limonia*					1	S. C.
Do	do					5	Tex.
Do	*Citrus sinensis* (orange)		1			1	Pa.
Do	do					1	Tex.
Phoma sp	*Citrus limonia* (lemon)					1	Md.
Do	do					1	Pa.
Phomopsis sp	*Eriobotrya japonica* (loquat)		1				D. C.
Phyllosticta sp	*Citrus limonia*					1	Md.
Do	*Ilex* sp			1			N. Y.
Do	*Ruscus* sp	2					Pa.
Plasmopara viticola	*Vitis* sp. (grape)			1			N. Y.
Puccinia graminis	Barley or wheat stems		1				P. R.
Do	*Triticum aestivum* (wheat)			1			N. Y.
Do	do	1	1				Pa.
Puccinia malvacearum	*Malva* sp		2				Do.
Puccinia sp	*Allium sativum* (garlic)					2	Md.
Do	do	2					N. Y.
Do	do					2	Pa.
Do	*Triticum aestivum* (wheat)	1					Do.
Pythium sp	*Lactuca sativa* (lettuce)					1	Mass.
Rhizoctonia sp	*Ficus carica* (fig)			1			N. Y.
Russeting	*Malus sylvestris* (apple)					1	Mass.
Sclerotinia sp	*Allium sativum* (garlic)					1	Fla.*
Do	*Brassica rapa* (turnip)					2	Tex.
Do	*Cucumis sativus* (cucumber)					1	Mass.
Sclerotium cepivorum	*Allium sativum*					1	Ala.
Do	do					2	Fla.*
Sclerotium sp	do		1				Pa.
Do	do					1	S. C.
Septoria apii	*Apium graveolens* (celery)					1	Pa.
Septoria citri	*Citrus limonia* (lemon)					1	Ga.
Septoria sp	*Nerium oleander* (oleander)			1			N. Y.
Sphaceloma fawcettii	*Citrus limetta* (sweet lime)			1			Do.
Do	*Citrus limonia* (lemon)					1	S. C.
Do	do					1	Tex.
Venturia pyrina	*Pyrus communis* (pear)			2			N. Y.
Verticillium sp	*Solanum tuberosum*					1	Tex.
JAMAICA							
Insects:							
Aleurocanthus woglumi (citrus blackfly).	*Citrus sinensis* (orange)				1	2	Pa.
Anastrepha sp. (Trypetidae)	*Mangifera indica* (mango)			1			N. Y.
Do	*Spondias dulcis* (vi-apple)				1		Pa.
Do	*Spondias mombin* (hog plum)		1				Do.
Asterolecanium bambusae (Coccidae)	Bamboo			1			La.
Caryedon fuscus (Bruchidae)	*Tamarindus indica* (tamarind)		1				Pa.
Cathartus sp. (Cucujidae)	do		1				Do.
Cecidomyiid	*Eugenia uniflora* (Surinam-cherry).			1			N. Y.
Do	*Quassia* sp	1					Fla.*
Euscepes batatae (West Indian sweetpotato weevil).	*Ipomoea batatas* (sweetpotato)			1			N. Y.
Haplothrips gowdeyi (thrips)	Green leaf		1				Pa.
Monanus concinnulus (Cucujidae)	Banana debris	1					Do.
Monomorium carbonarium ebeninum (ant).	*Ananas sativus* (pineapple)				1		La.
Do	Banana debris	1					Pa.
Parlatoria sp. (Coccidae)	*Citrus aurantifolia* (lime)	1					La.
Prolabia jamaicana (earwig)	do	1					N. Y.
Pseudaonidia articulatus (rufous scale).	do					1	Mass.
Do	do					1	Wash.
Do	*Citrus grandis* (grapefruit)				1	1	Fla.*
Do	do					1	Mass.
Do	*Citrus nobilis deliciosa* (tangerine).			1			Fla.*

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
JAMAICA—Continued							
Insects—Continued.							
Pseudaonidia articulatus (rufus scale)	*Citrus sinensis* (orange)			6	10	1	Fla.*
Do	do					2	Mass.
Pseudaonidia trilobitiformis (Coccidae).	*Citrus aurantifolia* (lime)					1	Do.
Pseudococcus sp. (Coccidae)	Cactus	1					Pa.
Ptinus huesanus (Ptinidae)	Evergreen twig		1				Do.
Rhizoglyphus sp. (mite)	*Zingiber officinale* (ginger)		1				Mass.
Sitophilus linearis (tamarind pod borer).	*Tamarindus indica* (tamarind)		1				Pa.
Tapinoma sp. (ant)	Banana leaf debris	2					Do.
Targionia hartii (Coccidae)	*Dioscorea* sp. (yam)			1			N. Y.
Telephanus minutus (Cucujidae)	Banana debris	1					Pa.
Diseases:							
Alternaria solani	*Capsicum annuum* (pepper)					1	Mass.
Capnodium citri	*Citrus aurantifolia* (lime)				1		La.
Do	*Citrus grandis* (grapefruit)				1		Pa.
Do	*Citrus limonia* (lemon)					1	Ala.
Do	*Citrus sinensis* (orange)					4	Mass.
Do	do				1		Pa.
Do	do					1	Tex.
Cercospora sp	*Codiaeum* sp. (croton)		1				Pa.
Colletotrichum sp	*Tamarindus indica* (tamarind)		1				Do.
Diplodia cacaoicola	*Persea americana* (avocado)				1		Do.
Gloeosporium sp	*Oncidium* sp. (orchid)			1			Do.
Oleocellosis	*Citrus aurantifolia* (lime)	1					La.
Do	*Citrus sinensis* (orange)					2	Mass.
Do	do				1		Pa.
Do	do					1	Tex.
Phomopsis vexans	*Solanum melongena* (eggplant)					1	Mass.
Pythium sp	*Bryophyllum* sp		1				Pa.
Sclerotinia sp	*Citrus aurantifolia* (lime)					1	Mass.
Do	Herb		1				Pa.
Do	*Spondias mombin* (hog plum)		1				Do.
Sphaceloma fawcettii	*Citrus aurantifolia* (lime)					1	Wash.
Verticillium sp	*Musa* sp. (banana)	1					Pa.
JAPAN							
Insects:							
Adaxophyes sp. (Tortricidae)	*Begonia* sp.				1		Wash.
Agrotis sp. (Noctuidae)	*Beta cicla* (Swiss chard)					1	Md.
Aleurotuberculatus sp. (whitefly)	*Rhododendron hymenanthes*		1				Wash.
Androthrips sp. (thrips)	*Citrus sinensis* (orange)					1	N. Y.
Anisolabis littorea (earwig)	*Solanum tuberosum*					1	Tex.
Anisolabis marginalis (earwig)	*Lilium* sp	1					Wash.
Anisolabis sp. (earwig)	In soil used as packing for lily bulbs.	1					Do.
Anobiid	*Capsicum annuum*	1					Calif.*
Do	*Phaseolus* sp. (bean)	1					Do.*
Antonina crawi (Coccidae)	*Arundinaria japonica* (arrow bamboo).				1		Wash.
Antonina sp. (Coccidae)	Bamboo				1		Calif.*
Anuraphis sp. (aphid)	*Azalea* sp				1		Do.*
Aspidiotus destructor (Coccidae)	*Cycas revoluta* (sago cycas)				1		N. Y.
Do	do	1					Pa.
Do	*Livistona chinensis* (Chinese fan palm).				1		Hawaii.*
Blastobasid	*Ipomoea batatas* (sweetpotato)					1	Miss.
Bostrichid	*Magnolia obovata*		1				Calif.*
Brachypeplus sp. (Nitidulidae)	Rice straw used for packing	1					Va.
Bruchus sp. (Bruchidae)	*Albizzia julibrissin* (silktree)		1				Calif.*
Do	*Pisum sativum* (pea)		1				Do.*
Bucculatrix sp. (Lyonetiidae)	*Aucuba* sp				1		Wash.
Do	*Fatsia* sp				1		Pa.
Do	*Pinus* sp				1		Calif.*
Cacoecia sp. (Tortricidae)	*Azalea* sp				1		Do.*
Capitophorus formosanus (aphid)	*Chrysanthemum* sp				1		Wash.
Cerambycid	*Aralia* sp				1		Calif.*
Cerambycinae (Cerambycidae)	*Acer* sp. (maple)	1					Do.*
Cercopid	*Aralia* sp				1		Do.*
Do	*Fatsia japonica* (fatsia)				1		Wash.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
JAPAN—Continued							
Insects—Continued.							
Ceroplastes ceriferus (Coccidae)	*Camellia* sp				1		Calif.*
Do	*Euonymus* sp				2		Do.*
Do	*Fatsia japonica* (fatsia)				1		La.
Do	*Gardenia* sp				1		Calif.*
Ceroplastes rubens (Coccidae)	*Aralia* sp				1		Do.*
Do	*Aucuba* sp				1		Do.*
Do	*Buxus* sp. (boxwood)				1		Pa.
Do	*Camellia* sp				1		Mass.
Do	*Citrus nobilis* var	1					Wash.
Do	*Fatsia japonica* (fatsia)				4		La.
Do	do				1		Pa.
Do	do				2		Wash.
Chilo simplex (Asiatic rice borer)	Rice straw packing	3					Calif.*
Do	do	1					Mass.
Do	do	8					Pa.
Do	do	1					Va.
Chionaspis yanonensis (Coccidae)	*Citrus nobilis deliciosa* (tangerine).					1	Calif.*
Do	*Citrus sinensis* (orange)			1		4	Do.*
Do	do	1		1			Wash.
Chrysomphalus dictyospermi var. (Coccidae).	*Codiaeum* sp. (croton)				2		La.
Do	*Cycas revoluta* (sago cycas)	1					Pa.
Do	Palm					1	N. Y.
Do	do				1		Wash.
Chrysomphalus sp. (Coccidae)	*Aucuba* sp				1		Calif.*
Cicadellid	*Chrysanthemum* sp				1		Do.*
Do	do			1			Hawaii.*
Coccus elongatus (Coccidae)	*Codiaeum* sp				1		Calif.*
Coccus pseudomagnoliarum (Coccidae).	*Aralia* sp				2		Do.*
Do	*Citrus* sp					2	Do.*
Coccus sp. (Coccidae)	*Codiaeum* sp				1		Wash.
Copiotermes formosanus (termite)	Wooden slippers		1				Hawaii.*
Crematogaster sp. (ant)	*Brassica oleracea capitata*					1	Mass.
Do	*Lilium giganteum* (giant lily)	1					Wash.
Curculio sp. (Curculionidae)	*Castanea crenata* (Japanese chestnut).		1				Calif.*
Do	*Castanea* sp. (chestnut)	24		1		1	Do.*
Do	do			2			Hawaii.*
Do	do	1					N. Y.
Do	do	3					Wash.
Do	*Quercus* sp. (acorn)		1				Calif.*
Do	do		1				Hawaii.*
Curculionid	*Castanea* sp. (marron)	1					Wash.
Do	*Quercus* sp. (acorn)		1				Hawaii.*
Dialeurodes citri (citrus whitefly)	*Citrus* sp					1	Calif.*
Do	*Gardenia* sp				3		Do.*
Diatraea sp. (Pyralidae)	*Brassica* sp					1	Mass.
Dilachnus sp. (aphid)	*Pinus* sp			1			Wash.
Dinoderus minutus (Bostrichidae)	Bamboo container	1					Calif.*
Doliema sp. (Tenebrionidae)	Rice straw packing	1					Va.
Dryocoetes sp. (Scolytidae)	*Cryptomeria* sp	1					Wash.
Elaterid	*Lilium* sp	1					Calif.*
Eriococcus onukii (Coccidae)	*Arundinaria japonica* (arrow bamboo).				1		Wash.
Eriococcus sp. (Coccidae)	*Cephalocereus celdianus*		1				Calif.*
Do	*Mammillaria pusilla*		1				Do.*
Euponera solitaria (ant)	In soil used as packing for lily	1					Wash.
Do	*Lilium* sp	1					Do.
Eupteryx sp. (Cicadellidae)	*Chrysanthemum* sp				1		Wash.
Galerucinae (Chrysomelidae)	On top of soil in a pot containing a pine.				1		Do.
Gelechiid	*Amygdalus persica* var. (flowering peach).				2		Calif.*
Do	*Citrus sinensis junos*					1	Pa.
Geometrid	*Cryptomeria* sp				1		Calif.*
Do	*Punica granatum* (pomegranate).				1		Do.*
Gracilaria azaleella (azalea leaf miner)	*Rhododendron indicum*		1				D. C.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
JAPAN—Continued							
Insects—Continued.							
Gracilaria sp. (Gracilariidae)	*Azalea* sp.	1					Wash.
Grapholitha sp. (Olethreutidae)	*Pyrus communis* (pear)			1			Do.
Heliothis sp. (Noctuidae)	*Capsicum annuum*					1	Md.
Hemichionaspis sp. (Coccidae)	*Ophiopogon jaburan* (jaburan)				1		Wash.
Histiostoma sp. (mite)	*Allium cepa* (onion)					3	Pa.
Do	*Dioscorea batatas* (cinnamon-vine).					1	N. Y.
Do	*Radicula armoracia* (horseradish).					1	Pa.
Homoeogryllus japonicus (Gryllidae)	Caged pet			1			Calif.*
Hylemyia sp. (Anthomyiidae)	*Brassica oleracea capitata*					1	Mass.
Hyponomeuta sp. (Hyponomeutidae).	*Aucuba* sp.				1		Calif.*
Do	*Euonymus obovatus variegatus*				2		Wash.
Lasius niger subsp. (ant)	In soil			1			Calif.*
Lasius sp. (ant)	*Euonymus obovatus variegatus*			1	1		Wash.
Laspeyresia splendana (Olethreutidae).	*Castanea* sp. (chestnut)	2		1			Calif.*
Laspeyresia sp. (Olethreutidae)	do			2			Hawaii.
Do	*Quercus* sp.		1				Do.*
Lecanium persicae (European peach scale).	*Berberis* sp.					1	Pa.
Lecanium sp. (Coccidae)	*Citrus sinensis* (orange)					1	N. Y.
Lema sp. (Chrysomelidae)	Rice straw packing	1					Pa.
Lepidosaphes camelliae (Coccidae)	*Camellia* sp.		1		3		Calif.*
Lepidosaphes conchiformis (Coccidae)	*Berberis* sp.					1	Pa.
Do	*Pyrus communis* (pear)			1			Wash.
Lepidosaphes ficus (Coccidae)	*Pyrus pyrifolia* (sandpear)			1			Hawaii.*
Lepidosaphes pallida (Coccidae)	*Sciadopitys verticillata* (umbrella-pine).				1		Calif.*
Lepidosaphes tubulorum (Coccidae)	*Diospyros* sp. (persimmon)			1			Do.*
Lepidosaphes sp. (Coccidae)	*Cymbidium* sp. (orchid)		1				Wash.
Do	*Epiphyllum ackermanni*		1				Do.
Do	*Ilex* sp.				1		Md.
Leucaspis bambusae (Coccidae)	Bamboo					1	Fla.*
Loxostege sp. (Pyralidae)	*Chrysanthemum* sp.				1		Wash.
Lyctoxylon japonum (Lyctidae)	Bamboo	2					N. Y.
Lymantriid	*Chrysanthemum* sp.				1		Calif.*
Macrosiphum sp. (aphid)	*Aucuba japonica*				1		Wash.
Do	*Chrysanthemum* sp.				1		Calif.*
Melanotus sp. (Elateridae)	*Lilium* sp.	1					N. Y.
Do	do	1					Wash.
Monomorium sp. (ant)	*Chrysanthemum* sp.				1		Calif.*
Noctuid	*Beta cicla* (Swiss chard)					2	Md.
Do	*Brassica chinensis* (pakchoi cabbage).					1	Wash.
Do	*Chrysanthemum* sp.				1		Calif.*
Do	*Pelargonium* sp. (geranium)				2		Wash.
Do	*Prunus* sp. (cherry)		1				Hawaii.*
Olethreutid	*Castanea* sp. (chestnut)	2					Calif.*
Do	*Podocarpus macrophylla* (yew podocarpus).		1				Do.
Do	do		1				D. C.
Do	*Prunus* sp. (cherry)		1				Hawaii.*
Paratetranychus sp. (mite)	*Amygdalus* sp. (dwarf peach)				1		Wash.
Do	*Citrus nobilis* var.	1					Do.
Parlatoria pergandii camelliae (Coccidae).	*Camellia japonica* (camellia)				1		N. Y.
Do	do				1		Pa.
Parlatoria theae (Coccidae)	*Acer* sp. (maple)				1		Wash.
Do	*Camellia* sp.		1				Calif.*
Parlatoria ziziphus (Coccidae)	*Citrus aurantifolia* (lime)				1		Do.*
Do	*Citrus grandis* (pomelo)					4	Do.*
Do	do					1	Md.
Do	do					1	Pa.
Do	*Citrus nobilis deliciosa* (tangerine).			1			Calif.*
Do	*Citrus sinensis* (orange)					1	Do.*
Pheidole sp. (ant)	*Physalis* sp. (ground cherry)		1				Do.*

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
JAPAN—Continued							
Insects—Continued.							
Phenacaspis aucubae (Coccidae)	*Aucuba* sp				1		Calif.*
Phenacaspis kentiae (Coccidae)	Palm				1		Do.*
Phenacaspis sp. (Coccidae)	do				8		Do.*
Phenacoccus sp. (Coccidae)	*Mammillaria bocasana*		1				Do.*
Do	*Prunus* sp.				1		Do.*
Do	*Sciadopitys verticillata* (umbrella-pine)				1		Do.*
Phloeosinus sp. (Scolytidae)	*Sequoia sempervirens* (redwood).	1					Hawaii.*
Phloeothrips sp. (thrips)	*Aspidistra elatior*				1		Calif.*
Phycitinae (Pyralidae)	*Amygdalus persica* var. (flowering peach).				2		Do.*
Do	*Prunus* sp. (flowering)				2		Do.*
Do	Rice straw packing	1					Pa.
Phytometra sp. (Noctuidae)	*Chrysanthemum* sp				1		Wash.
Poliaspis pini (Coccidae)	*Pinus* sp				2		Calif.*
Do	*Pinus* sp. (fiveleaf pine)			1			Hawaii.*
Protopulvinaria longivalvata (Coccidae).	*Aralia* sp				1		Calif.*
Pseudaonidia duplex (camphor scale)	*Citrus sinensis junos*					1	Md.
Do	*Citrus medica* (citron)					1	Calif.*
Do	*Citrus nobilis deliciosa* (tangerine).				1	5	Do.*
Do	*Citrus nobilis deliciosa* (mandarin orange).			1			Wash.
Do	*Citrus nobilis* var	2					Do.
Do	*Citrus sinensis* (orange)			2		31	Calif.*
Do	do					3	N. Y.
Do	do					1	Pa.
Do	do	1		3		3	Wash.
Do	*Citrus* sp					1	Calif.*
Do	*Codiaeum* sp. (croton)				1		La.
Do	*Diospyros* sp. (persimmon)			1			Wash.
Pseudaonidia paeoniae (Coccidae)	*Azalea* sp	1					Do.
Do	*Camellia* sp				1		Calif.*
Do	*Paeonia* sp. (peony)				1		Do.*
Do	*Rhododendron* sp	1					Wash.
Pseudococcus azaleae (Coccidae)	*Azalea* sp				1		Calif.*
Pseudococcus comstocki (Coccidae)	*Aralia* sp				8		Do.*
Do	*Buxus japonica* (Japanese box)				1		Wash.
Do	*Euonymus* sp				1		Calif.*
Do	Palm				2		Do.*
Pseudococcus kraunhiae (Coccidae)	*Aralia* sp				1		Do.*
Do	*Citrus sinensis* (orange)					1	Do.*
Do	*Citrus* sp					1	Do.*
Do	*Codiaeum* sp. (croton)				2		Do.*
Do	*Pandanus* sp				1		Do.*
Pseudococcus pini (Coccidae)	*Pinus* sp. (fiveleaf pine)		1				Hawaii.*
Pseudococcus sp. (Coccidae)	Cactus		1				Calif.*
Do	*Coleus* sp				1		Wash.
Do	*Diospyros* sp. (persimmon)			1			Calif.*
Do	do			1			Wash.
Do	*Euonymus obovatus* variegatus				1		Do.
Do	*Fatsia japonica* (fatsia)					1	S. C.
Do	do				2		Wash.
Do	*Ginkgo biloba* (maidenhair-tree).				1		Do.
Do	Palm				1		Calif.*
Do	*Pinus* sp				1		Do.*
Psychid	*Citrus grandis* (pomelo)					1	Do.*
Do	*Euonymus* sp				3		Do.*
Do	do				1		Wash.
Do	Palm				1		N. Y.
Do	*Prunus glandulosa* (flowering almond).				1		Calif.*
Do	*Punica granatum* (pomegranate).				1		Do.*
Psyllia sp. (Psyllidae)	*Fatsia japonica* (fatsia)				1		Wash.
Pulvinaria psidii (Coccidae)	do				1		La.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
JAPAN—Continued							
Insects—Continued.							
Pyralid	*Prunus* sp. (flowering cherry)				1		Calif.*
Do	Rice straw packing	1					Do.*
Do	do	1					Wash.
Pyrausta nubilalis (European corn borer).	*Phaseolus* sp. (string bean)					1	Do.
Do	*Zea mays* (corn)					1	Calif.*
Do	do					1	Wash.
Pyraustinae (Pyralidae)	*Beta cicla* (Swiss chard)					1	Md.
Do	*Brassica oleracea caulo-rapa* (kohl rabi).					1	Do.
Reticulitermes sp. (termite)	In soil used as packing for lily bulbs.	1					Wash.
Rhizoglyphus sp. (mite)	*Allium cepa* (onion)					1	Pa.
Do	*Colocasia esculenta* (taro)					1	La.
Do	do					1	Wash.
Do	*Lilium giganteum* (giant lily)	3					Do.
Do	*Lilium* sp	4					Calif.*
Do	do	3					Wash.
Do	*Zingiber officinale* (ginger)					1	Pa.
Saissetia sp. (Coccidae)	*Fatsia japonica* (fatsia)				1		La.
Do	*Zygopetalum mackayi* (orchid)		1				Hawaii.*
Sciara sp (Mycetophilidae)	*Arctium lappa* (gobo)					1	Wash.
Do	*Colocasia esculenta* (taro)					2	La.
Do	*Lilium* sp					1	Wash.
Do	*Zingiber officinale* (ginger)					2	Pa.
Do	do					1	Tex.
Sitophilus sp. (Curculionidae)	Rice straw packing	1					Pa.
Solenopsis sp. (ant)	In moss used as packing for lily bulbs.		1				Md.
Syrphid	*Beta cicla* (Swiss chard)					4	Do.
Do	*Brassica pekinensis* (Chinese cabbage).					1	Wash.
Do	*Lactuca sativa* (lettuce)				1		Do.
Taeniothrips sp. (thrips)	*Allium porrum* (leek)					1	Pa.
Tarsonemid (mite)	*Lilium* sp	1					Calif.*
Tenebroides sp. (Ostomidae)	*Oryza sativa* (rice)					1	La.
Tetramorium sp. (ant)	*Lilium* sp	1					Wash.
Tetranychid (mite)	*Citrus sinensis* (orange)					1	Calif.*
Tetranychus sp. (mite)	*Aspidistra elatior*				1		Do.*
Do	*Capsicum* sp				1		Pa.
Thrips abdominalis (thrips)	*Chrysanthemum* sp				1		Calif.*
Thrips japonicus (thrips)	do				1		Wash.
Do	*Senecio cruentus* (cineraria)				1		Do.
Tinea sp. (Tineidae)	*Oryza sativa* (rice)	1					N. Y.
Tineid	*Dioscorea* sp					1	Calif.*
Do	Bean				1		Do.*
Tortricid	*Chamaecyparis* sp				1		Wash.
Do	*Diospyros* sp. (persimmon)			1			Do.
Do	*Euonymus obovatus variegatus*				1		Do.
Do	*Fatsia japonica* (fatsia)				1		Do.
Do	*Prunus glandulosa* (flowering almond).				1		Calif.*
Do	*Raphiolepis umbellata* (yeddo-hawthorn)		1				Do.*
Do	*Sciadopitys verticillata* (umbrella-pine).				1		Do.*
Tyroglyphid (mite)	*Citrus sinensis* (orange)					1	Do.*
Do	Rice straw packing	1					Pa.
Do	*Lilium* sp	1					Calif.*
Uloma fracticollis (Tenebrionidae)	In soil used as packing for giant lily bulbs.	1					Wash.
Yponomeutid	*Aralia* sp				1		Calif.*
Zabrotes subfasciatus (Bruchidae)	In sack with inhames					1	Md.
Diseases:							
Anguillulina pratensis	*Dioscorea* sp. (yam)					1	Do.
Do	do					1	Pa.
Aphelenchoides parietinus	*Allium sativum* (garlic)					1	Do.
Do	*Colocasia esculenta* (taro)					1	Md.
Do	do					1	Pa.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
JAPAN—Continued							
Diseases—Continued.							
Aphelenchoides parietnus	*Colocasia esculenta* (taro)					2	S. C.
Do	*Ipomoea batatas* (sweetpotato)					1	N. Y.
Do	*Lilium* sp	1				1	Pa.
Do	*Zingiber officinale* (ginger)					1	Md.
Do	do					1	Pa.
Aphelenchoides tenuicaudatus	*Dioscorea batatas* (cinnamon-vine)					1	Do.
Aphelenchoides sp	do					1	Do.
Aphelenchus avenae	*Lilium* sp					1	Do.
Ascochyta sp	*Fatsia japonica* (fatsia)				1		Wash.
Bacterium citri	*Citrus sinensis* (orange)			1		3	Calif.*
Bacterium phaseoli	*Phaseolus* sp. (string bean)					1	Do.*
Capnodium citri	*Citrus sinensis junos*					2	Pa.
Capnodium sp	*Oryza sativa* (rice)	1					Do.
Cercospora sp	*Lilium* sp					1	La.
Do	*Narcissus* sp			1			Wash.
Chrysomyxa sp.?	*Rhododendron chrysanthemum*		1				Do.
Colletotrichum sp	*Aucuba japonica variegata*				1		Do.
Cylindrosporium sp	*Aspidistra lurida* (aspidistra)				1		Do.
Eurotium sp	*Triticum aestivum* (wheat)	1					La.
Exanthema	*Anthurium scherzerianum*				1		Md.
Gloeosporium soraueriarum	*Codiaeum* sp. (croton)				1		La.
Gloeosporium sp	*Fatsia japonica*				1		Wash.
Do	Palm				1		Do.
Glomerella cingulata	*Fatsia japonica*				3		Do.
Helminthosporium sp	*Oryza sativa* (rice)	1					Pa.
Do	do		1	1			Wash.
Leptothyrium sp	*Citrus grandis* (pomelo)					1	Md.
Do	*Paeonia* sp		5				Wash.
Lophodermium sp	*Pinus* sp					1	Do.
Macrophoma aucubana?	*Aucuba japonica*				1		Do.
Monochaetia paeoniae	*Paeonia* sp		1				Do.
Mycosphaerella moutan	do		2				Do.
Mycosphaerella schoenoprasi	*Allium cepa* (onion)					1	Md.
Do	do					1	Pa.
Do	*Allium fistulosum* (Welsh onion).					4	Do.
Do	*Allium porrum* (leek)	1				17	Md.
Do	do					1	N. Y.
Do	do					9	Pa.
Mycosphaerella sp	*Aucuba japonica*				1		Wash.
Do	*Paeonia* sp		2				Do.
Do	*Wisteria multijuga* (longcluster wisteria).	1					Do.
Nectria sp	*Capsicum annuum*					1	Pa.
Oidium euonymi-japonici	*Euonymus* sp				1		Wash.
Oleocellosis	*Citrus sinensis junos*					3	Md.
Do	do					1	Pa.
Do	*Citrus sinensis* (orange)					1	La.
Do	do					1	Md.
Do	do					1	Pa.
Paraphelenchus n. sp	*Dioscorea batatas* (cinnamon-vine).					1	Do.
Peronospora effusa	*Spinacia* sp. (spinach)					1	Wash.
Pestalozzia neglecta	*Euonymus obovatus variegatus*				1		Do.
Pestalozzia sp	*Aucuba japonica variegata*				1		Do.
Do	*Fatsia japonica*				2		Do.
Do	*Jasminum* sp				1		Md.
Do	*Paeonia* sp		3				Wash.
Do	*Pittosporum tobira*				1		Do.
Phaeomarsonia sp	*Cymbidium virens sinensis* (orchid).		1				Do.
Phoma citricarpa	*Citrus sinensis junos*					1	Pa.
Do	*Citrus sinensis* (orange)					2	Calif.*
Phoma sp	*Aucuba japonica* (Japanese aucuba).				1		Wash.
Do	*Magnolia stellata* (star magnolia).	1					Do.
Do	*Paeonia suffruticosa* (tree peony).		1				Do.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
JAPAN—Continued							
Diseases—Continued.							
Phomatospora sp	*Fatsia japonica* (fatsia)				1		Wash.
Phomopsis aucubicola	*Aucuba japonica*				1		Do.
Phomopsis sp	*Sciadopitys verticillata*				1		Do.
Phyllosticta sp	*Calanthe discolor* (orchid)		2				Do.
Do	*Camellia japonica*				1		Mass.
Do	do	1					Wash.
Do	*Magnolia* sp. (?)				1		Do.
Phytophthora sp	*Colocasia esculenta* (taro)					1	Mass.
Do	do					1	Pa.
Do	*Nymphaea* sp. (water lily)					1	Do.
Do	*Zingiber officinale* (ginger)					1	Md.
Do	do					1	Pa.
Puccinia anomala	*Hordeum vulgare* (barley)					1	Md.
Puccinia graminis	*Triticum aestivum* (wheat)	1					Pa.
Puccinia sp	*Allium fistulosum* (Welsh onion).					1	Do.
Do	*Allium porrum* (leek)					2	Md.
Do	do					1	Pa.
Rhizoctonia sp	*Brassica rapa* (turnip)					1	Do.
Do	*Colocasia esculenta* (taro)					1	La.
Do	*Lilium* sp		1				Md.
Saccharomycetaceae	*Allium porrum*					1	Do.
Do	*Lactuca sativa* (lettuce)					1	Pa.
Sclerotinia sp	*Allium cepa* (onion)					1	Ala.
Do	do					1	Pa.
Do	*Arctium lappa* (gobo)					1	Do.
Do	*Colocasia esculenta* (taro)					1	Do.
Do	*Cucurbita pepo* (pumpkin)					1	Do.
Do	*Dioscorea* sp. (yam)					2	Do.
Do	*Nymphaea* sp. (water lily)					2	Do.
Do	Unknown root					1	Do.
Sclerotium sp	*Allium porrum* (leek)					1	Md.
Do	*Sagittaria* sp					1	Pa.
Do	*Scirpus* sp. (bulrush)		1				Wash.
Septoria evonymi	*Euonymus* sp				1		Do.
Sphaceloma fawcettii	*Citrus sinensis junos*					2	Md.
Do	*Citrus sinensis* (orange)					1	Calif.*
Do	do					1	N. Y.
Do	do			1			Wash.
Sphaeropsis malorum	*Malus sylvestris* (apple)					1	La.
Sphaerulina aucubae?	*Aucuba japonica*				1		Wash.
Sporotrichum sp	*Citrus sinensis*					1	Calif.*
Uredo sp	*Allium porrum* (leek)	1				1	Md.
Verticillium sp	*Dioscorea batatas* (cinnamon-vine).					1	N. Y.
Do	*Lilium giganteum* (giant lily)	1					Wash.
Do	*Lilium* sp	1					Pa.
Do	do	2					Wash.
JAVA							
Insects:							
Aleurotuberculatus sp. (whitefly)	*Myristica fragrans* (nutmeg)	1					D. C.
Aspidiotus palmae (Coccidae)	do	1					Do
Aspidiotus sp. (Coccidae)	do	1					Do.*
Cerambycid	*Dendrobium* sp. (orchid)	1					Do.
Dinoderus minutus (Bostrichidae)	Bamboo stems used as dunnage						La.
Eurytoma sp. (Eurytomidae)	*Citrus grandis* (pomelo)					1	Pa.
Lepidosaphes sp. (Coccidae)	*Myristica fragrans*	1					D. C.
Mirid	*Aerides crassifolium* (orchid)	1					Do.
Pseudaonidia sp. (Coccidae)	*Myristica fragrans*	1					Do.
Pseudococcus sp. (Coccidae)	do	1					Do.
Saissetia psidii (Coccidae)	do	1					Do.
Sybra sp. (Cerambycidae)	*Dendrobium* sp. (orchid)	1					Do.
Xylosandrus sp. (Scolytidae)	do	1					Do.
Diseases:							
Colletotrichum sp	*Capsicum annuum*					1	Pa.
Do	Orchid	1					D. C.
Diplodia cacaoicola	*Arachnanthe rosae* (orchid)	1					Do.
Eutypella sp	Bamboo				1		La.
Gloeosporium sp	Orchid	2					D. C.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
LATVIA							
Diseases:							
Internal blackening	*Solanum tuberosum*					1	Tex.
LIBERIA							
Insects:							
Capritermes sp. (termite)	*Hevea brasiliensis* (Para rubbertree).	1					N. Y.
Heterotarsus sp. (Tenebrionidae)	do	1					Do.
Propsephus sp. (Elateridae)	do	1					Do.
Tenebrionid	do	1					Do.
LITHUANIA							
Diseases:							
Aphelenchoides sp	*Pyrus communis* (pear)		1				D. C.
MALTA							
Insects:							
Rhizoglyphus sp. (mite)	*Solanum tuberosum*					1	Mass.
MANCHURIA							
Insects:							
Carposinid	*Magnolia conspicua*		1				Calif.*
Do	*Magnolia kobus* (kobus magnolia).		2				Do.*
Curculio sp. (Curculionidae)	*Quercus glandulifera*		1				Do.*
Do	*Quercus mongolica grosseserrata* (shallowcup Mongolian oak).		1				Do.*
Tyroglyphid (mite)	*Lilium* sp		1				Do.*
MEXICO							
Insects:							
Ababa sp. (Corynetidae)	Banana debris	1					Pa.
Aeolothrips sp. (thrips)	*Lycopersicum esculentum*	1					Calif.*
Aeolus pulchellus (Elateridae)	*Holcus sorghum* (sorghum)			1			Tex.
Aeolus yucatanus (Elateridae)	*Musa* sp. (banana)	1					La.
Do	*Solanum tuberosum*			2			Tex.
Aeolus sp. (Elateridae)	Banana debris	2					Pa.
Agallia producta (Cicadellidae)	In airplane				1		Tex.
Agromyzid	*Lycopersicum esculentum*	5					Ariz.
Do	*Phaseolus lunatus macrocarpus* (lima bean).	1					Do.
Do	*Phaseolus* sp. (string bean)	1					Tex.
Do	*Pisum sativum* (pea)	1					Calif.*
Aknisus multispinus (Neididae)	*Lactuca sativa* (lettuce)			1			Ariz.
Aleuroplatus sp. (whitefly)	*Musa* sp. (banana)	1					La.
Aleurothrixus howardi (woolly whitefly).	Banana debris	1					Pa.
Amphibolips nigra (Cynipidae)	*Quercus hypolema*			1			Tex.
Anaedus sp. (Tenebrionidae)	*Musa* sp. (banana)	1					La.
Anastrepha ludens (Mexican fruit fly).	*Citrus aurantifolia* (lime)			1			Tex.
Do	*Citrus aurantium* (sour orange)			2			Do.
Do	*Citrus limetta* (sweet lime)			1			Do.
Do	*Citrus sinensis* (orange)					1	La.
Do	do			24	1		Tex.
Do	*Mangifera indica* (mango)			16			Do.
Anastrepha striata (Trypetidae)	*Psidium guajava* (guava)			3			Do.
Anastrepha sp. (Trypetidae)	*Amygdalus persica* (peach)			3			Do.
Do	*Citrus sinensis* (orange)			10			Do.
Do	*Cydonia oblonga* (quince)			3			Do.
Do	*Mammea americana* (mamey)			1			Do.
Do	*Mangifera indica* (mango)			11			Do.
Do	*Psidium guajava* (guava)			1			Do.
Do	*Punica granatum* (pomegranate).			1			Do.
Do	*Pyrus communis* (pear)			1			Do.
Do	Sapote			1			Do.
Andricus furnessae (Cynipidae)	*Quercus* sp			1			Ariz.
Anoplotermes sp. (termite)	*Pastinaca sativa* (parsnip)			1			Tex.
Anthomyiid	In soil around rose bush				1		La.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
MEXICO—Continued							
Insects—Continued.							
Anthonomus eugenii (pepper weevil)	*Capsicum annuum*					1	La.
Do	do	12		6			Tex.
Anthonomus grandis (boll weevil)	*Gossypium* sp. (cotton) (boll)			2			Do.
Anthonomus sp. (Curculionidae)	*Gossypium* sp. (cotton)			2			Do.
Do	*Phaseolus* sp. (green bean)	1					Do.
Aphaenogaster sp. (ant)	*Astrophytum myriostigma* (bishopshood).		1				Calif.*
Do	Cactus		1				Do.*
Arctiid	*Lycopersicum esculentum*	1					Ariz.
Armalia variabilis (Tenebrionidae)	*Citrus aurantifolia* (lime)	1					N. Y.
Do	*Musa* sp. (banana)	1					La.
Aspidiotus palmae (Coccidae)	do	1					Pa.
Aspidiotus sp. (Coccidae)	*Citrus sinensis* (orange)			1			Tex.
Do	*Musa* sp. (banana)	1					La.
Do	do					1	N. Y.
Do	*Persea americana* (avocado)			1			Tex.
Do	*Psidium guajava* (guava)			1			Do.
Autographa sp. (Noctuidae)	*Lactuca sativa* (lettuce)			1			Do.
Axylophilus sp. (Euglenidae)	Banana debris	2					Pa.
Azteca sp. (ant)	do	1					Do.
Bemisia sp. (whitefly)	*Poinsettia pulcherrima* (poinsettia).			1			Tex.
Blapstinus sp. (Tenebrionidae)	In soil around *Rubus* sp			1			Calif.
Blastobasid	*Malus sylvestris* (apple)			1			Tex.
Blastobasis sp. (Blastobasidae)	*Lycopersicum esculentum*	1					Ariz.
Brachyrhinini (Curculionidae)	*Psidium guajava* (guava)			2			Tex.
Camponotus abdominalis stercorarius (ant).	*Musa* sp. (banana)	1					Pa.
Camponotus angulatus (ant)	Banana debris	8					Do.
Do	*Musa* sp. (banana)	1					N. Y.
Camponotus sp. (ant)	Banana debris	1					La.
Do	do	15					Pa.
Do	do	1					Tex.
Do	*Musa* sp. (banana)	7					La.
Do	do	1					Pa.
Do	do	1					Tex.
Capaneus odiosus (Coreidae)	Banana debris	1					La.
Do	do	5					Pa.
Do	*Musa* sp. (banana)	1					Do.
Catolethrus longulus (Curculionidae)	do	1					Ala.
Do	do	1					La.
Cecidomyiid	Banana debris	2					Pa.
Do	*Capsicum annuum*	1					Ariz.
Do	*Lactuca sativa* (lettuce)			1			Tex.
Do	*Lycopersicum esculentum*	6					Ariz.
Do	do			1			Tex.
Do	*Plumeria* sp		1				D. C.
Ceramidia sp. (Syntomidae)	Banana debris	2					Pa.
Do	*Musa* sp. (banana)	1					Calif.
Do	do	1					La.
Chaetopsis sp. (Ortalidae)	*Zea mays* (corn)			1			Ariz.
Do	do			1			La.
Chariesterus moestus (Coreidae)	Banana debris	1					Pa.
Chelinidea sp. (Coreidae)	Cactus			1			Calif.
Chelymorpha sp. (Chrysomelidae)	In soil around violet and larkspur plants.			1			Ariz.
Chilo sp. (Pyralidae)	*Saccharum officinarum*			1			Do.
Chloropid	*Brassica oleracea capitata*					1	Do.
Do	*Zea mays* (corn)			1			Do.
Chrysobothris sp. (Buprestidae)	*Prosopis* sp. (mesquite)			1			Tex.
Chrysomelid	*Solanum tuberosum*			1			Do.
Chrysomphalus dictyospermi var. (Coccidae).	*Citrus aurantifolia* (lime)	1					Do.
Do	*Citrus sinensis* (orange)		1				Do.
Do	*Ficus* sp			1			Calif.
Chrysomphalus scutiformis (Coccidae).	*Citrus aurantifolia*	1					Calif.*
Chrysomphalus sp. (Coccidae)	*Citrus aurantium* (sour orange)			1			Tex.
Do	*Persea americana* (avocado)			1			N. Y.
Cicadellid	*Vitis* sp. (grape)	1					Calif.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
MEXICO—Continued							
Insects—Continued.							
Coccus sp. (Coccidae)	*Carica papaya* (papaya)			1			Ariz.
Do	*Cocos nucifera* (coconut)					1	Calif.*
Compsus sp. (Curculionidae)	In soil			1			Tex.
Conotelus mexicanus (fruit bud beetle).	*Ananas sativus* (pineapple)	1					Do.
Do	*Cydonia oblonga* (quince)			1			Do.
Do	*Physalis* sp. (husk tomato)	1					Do.
Conotelus sp. (Nitidulidae)	*Zea mays* (corn)			1			Ariz.
Do	do			1			Tex.
Conotrachelus aguacatae (Curculionidae).	*Persea americana* (avocado)			1			Do.
Conotrachelus perseae (Curculionidae).	do			1			Ariz.
Conotrachelus sp. (Curculionidae)	*Castanopsis* sp. (chinquapin)			1			Tex.
Do	*Persea americana* (avocado)			6			Do.
Do	*Prunus domestica* (plum)			1			Do.
Do	*Quercus* sp. (acorn)			18			Ariz.
Do	do			1			Tex.
Coptotermes sp. (termite)	do	1					Ariz.
Coreid	Banana debris	1					Pa.
Do	*Gardenia florida* (Cape-jasmine)	1					Calif.
Cossoninae (Curculionidae)	*Ipomoea batatas* (sweetpotato)					1	N. Y.
Crematogaster brevispinosa var. (ant)	Banana debris	1					Pa.
Crematogaster lineolata laeviuscula (ant).	*Cydonia oblonga* (quince)	1		1			Tex.
Do	*Musa* sp. (banana)						La.
Crematogaster victima (ant)	do	1					Ala.
Crematogaster sp. (ant)	Banana debris	2					Pa.
Do	*Lycopersicum esculentum*	1					Tex.
Do	*Musa* sp. (banana)	1					Pa.
Do	*Punica granatum* (pomegranate).			1			Ariz.
Do	*Saccharum officinarum*			1			Tex.
Do	*Swietenia* sp. (mahogany)	1					La.
Crophius sp. (Lygaeidae)	Cactus		1				Calif.*
Cryptarcha sp. (Nitidulidae)	*Musa* sp. (banana)	1					La.
Cryptothrips sp. (thrips)	Banana debris	1					Pa.
Curculio sp. (Curculionidae)	*Quercus velutina* (black oak)			1			Ariz.
Do	*Quercus* sp. (acorn)			7			Do.
Do	do	1					Calif.
Curculionid	*Annona cherimola* (cherimoya)			1			Tex.
Do	*Castilla elastica*	1					Do.
Do	*Hippeastrum* sp	1					Calif.*
Do	*Ipomoea batatas* (sweetpotato)					1	N. Y.
Do	*Musa* sp. (banana)	1					Pa.
Do	*Phaseolus* sp. (string bean)			1			Ariz.
Do	*Quercus* sp. (acorn)			1			Do.
Do	*Sempervivum* sp. (houseleek)			1			Tex.
Do	*Solanum tuberosum*			1			Do.
Do	*Solidago* sp. (goldenrod)			1			Ariz.
Do	*Swietenia* sp. (mahogany)			6			La.
Curculioninae (Curculionidae)	Cactus		1				Calif.*
Cylas formicarius (sweetpotato weevil).	*Ipomoea batatas* (sweetpotato)			33			Tex.
Cylas sp. (Curculionidae)	do			2			Do.
Cynipid	*Quercus* sp. (acorn)	1		6			Ariz.
Delphacodes sp. (Delphacidae)	Banana debris	1					La.
Ceraeocoris sp. (Miridae)	In airplane				1		Tex.
Diabrotica lepida (Chrysomelidae)	Banana debris	1					Pa.
Diabrotica sp. (Chrysomelidae)	*Capsicum annuum*	2					Ariz.
Do	*Phaseolus* sp. (string bean)	1					Do.
Do	*Zea mays* (corn)			1			Do.
Dialeurodes citrifolii (cloudy-winged whitefly).	*Citrus sinensis* (orange)			1			Tex.
Diaphania sp. (Pyralidae)	*Cucumis sativus* (cucumber)	2					Do.
Do	*Cucurbita maxima* (squash)	7		1			Do.
Do	*Cucurbita pepo* (pumpkin)	2		1			Do.
Diaspis echinocacti cacti (Coccidae)	Cactus	1					Ariz.
Do	*Cereus* sp.	1					Tex.
Do	*Epiphyllum* sp			1			Do.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
MEXICO—Continued							
Insects—Continued.							
Diaspis sp. (Coccidae)	*Persea americana* (avocado)			1			N. Y.
Do	*Stanhopea graveolens* (orchid)		1				Hawaii.*
Diatraea sp. (Pyralidae)	*Saccharum officinarum*			8			Tex.
Do	*Zea mays* (corn)	1					Ariz.
Do	do			1			La.
Dinoderus sp. (Bostrichidae)	Cactus		1				Calif.*
Disonycha antennata (Chrysomelidae).	*Musa* sp. (banana)	3					La.
Disonycha dorsata (Chrysomelidae)	do	1					Do.
Dolichoderus bispinosus (ant)	Banana debris	1					Pa.
Dolichoderus sp. (ant)	do	5					Do.
Drasterius simiolus (Elateridae)	do	1					Do.
Dryocosmus cozii (Cynipidae)	*Quercus undulata*			1			Ariz.
Edessa sp. (Pentatomidae)	Banana debris	1					Pa.
Elaphrothrips longiceps (thrips)	do	2					Do.
Empoasca sp. (Cicadellidae)	*Phaseolus lunatus macrocarpus* (lima bean).	1					Ariz.
Do	*Physalis* sp. (husk tomato)			1			Tex.
Epicaerus sp. (Curculionidae)	*Solanum tuberosum*					1	Do.
Epilachna borealis distincta (Coccinellidae).	Banana debris	1					Pa.
Epuraea sp. (Nitidulidae)	*Punica granatum* (pomegranate).			1			Tex.
Eriococcus sp. (Coccidae)	Cactus	8	5				Calif.*
Eriphia sp. (Cosmopterygidae)	In airplane				1		Tex.
Euscepes batatae (West Indian sweetpotato weevil)	*Ipomoea batatas* (sweetpotato)			1			Do.
Euzesta sp. (Ortalidae)	*Citrus aurantifolia* (lime)			1			Do.
Do	*Citrus limetta* (sweet lime)			1			Do.
Do	*Citrus sinensis* (orange)			3			Do.
Do	*Lycopersicum esculentum*	1					Do.
Do	*Persea americana* (avocado)			2			Do.
Do	*Swietenia* sp. (mahogany)	2					La.
Fiorinia fioriniae (Coccidae)	*Camellia japonica*			1			Ariz.
Frankliniella ameliae (thrips)	*Capsicum annuum*	1					Tex.
Frankliniella difficilis (thrips)	*Citrus sinensis* (orange)			1			Fla.*
Frankliniella insularis (thrips)	*Rosa* sp.			1			La.
Gallerinae (Pyralidae)	*Ananas sativus* (pineapple)	1					Do.
Do	do			1			Tex.
Do	*Musa* sp. (banana)			1			Do.
Gelechiid	Banana debris	1					Pa.
Geometrid	*Citrus* sp.			1			Ariz.
Glischrochilus sp. (Nitidulidae)	*Allium sativum* (garlic)			1			Tex.
Do	*Zea mays* (corn)			1			Ariz.
Do	do			1			La.
Gnorimoschema gudmannella (Gelechiidae).	*Capsicum annuum*	1					Ariz.
Gnorimoschema lycopersicella (Gelechiidae).	*Lycopersicum esculentum*	654		17			Do
Do	do	24					Calif.*
Do	do	2					Pa.
Do	do	2					Tex.
Do	*Zea mays* (corn)			1			Ariz.
Gnorimoschema sp. (Gelechiidae)	*Capsicum annuum*	6					Do.
Do	do	1					Calif.*
Do	*Lycopersicum esculentum*	3					Ariz.
Do	*Solanum tuberosum*			1			Tex.
Gracilariid	Orchid		1				D. C.
Grapholitha sp. (Olethreutidae)	*Cydonia oblonga* (quince)			4			Tex.
Do	*Prunus domestica* (plum)			1			Do.
Heliothis sp. (Noctuidae)	*Capsicum annuum*	1					Do.
Do	*Lycopersicum esculentum*	4					Ariz.
Do	do	1					Tex.
Do	*Vicia faba* (horsebean)			2			Do.
Holcocera sp. (Blastobasidae)	*Ananas sativus* (pineapple)	3		1			Do.
Do	*Punica granatum* (pomegranate).			2			Do.
Homophyla sp. (Chrysomelidae)	*Musa* sp. (banana)	1					La.
Hymenia sp. (Pyralidae)	In airplane				1		Tex.
Do	*Spinacia oleracea* (spinach)	1					Ariz.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
MEXICO—Continued							
Insects—Continued.							
Hyperodes sp. (Curculionidae)	In airplane				1		Tex.
Hypothenemus ferrugineus (Scolytidae).	Banana debris	1					Pa.
Hypothenemus sp. (Scolytidae)	do	2					Do.
Hypselonotus fulvus (Coreidae)	*Zea mays* (corn)			1			Tex.
Icerya purchasi (cottony-cushion scale).	*Citrus sinensis* (orange)			1			Do.
Icerya sp. (Coccidae)	do			1			Do.
Do	*Citrus* sp.			1			Ariz.
Idiocerus sp. (Cicadellidae)	*Lactuca sativa* (lettuce)			1			Do.
Do	*Populus* sp. (cottonwood)			1			Do.
Iridomyrmex sp. (ant)	Banana debris	3					Pa.
Kalotermes hubbardi (termite)	In lath stripping	1					Ariz.
Lamiinae (Cerambycidae)	*Phaseolus lunatus macrocarpus* (lima bean).	1					La.
Lasioderma sp. (Anobiidae)	*Cydonia oblonga* (quince)			1			Tex.
Laspeyresia sp. (Olethreutidae)	*Phaseolus* sp. (string bean)	2					Do.
Lepidosaphes philococcus (Coccidae)	Cactus	1					Do.
Leptostylus sp. (Cerambycidae)	*Swietenia* sp. (mahogany)	1					La.
Liparoscelis nigrispinis (Tettigoniidae).	Banana debris	1					Pa.
Lobiopa sp. (Nitidulidae)	*Musa* sp. (banana)	1					La.
Longitarsus sp. (Chrysomelidae)	*Lycopersicum esculentum*	1					Ariz.
Lorelus trapeziderus (Tenebrionidae)	Banana debris	1					Pa.
Lycaenid	*Phaseolus* sp. (string bean)			1			Tex.
Macropygium reticulare (Pentatomidae).	*Capsicum annuum*	3					Ariz.
Macrosiphum sp. (aphid)	*Lycopersicum esculentum*	1					Calif.*
Marmara sp. (Gracilariidae)	*Citrullus vulgaris* (watermelon)	1					Ariz.
Do	*Persea americana* (avocado)	4		27			Tex.
Megalopygid	*Musa* sp. (banana)	1					La.
Melixsopus latiferreanus (Olethreutidae).	*Quercus* sp. (acorn)			10			Ariz.
Melitara sp. (Pyralidae)	Cactus		1				Calif.*
Metamasius sericeus (silky cane weevil).	Banana debris	1					Ala.
Do	do	1					Pa.
Microcentrum sp. (Tettigoniidae)	*Populus* sp. (cottonwood)			1			Ariz.
Microcephalothrips abdominalis (thrips).	*Solidago* sp. (goldenrod)			1			Do.
Mirid	Cactus		1				Calif.*
Do	*Laelia autumnalis* (orchid)		1				Hawaii.*
Do	*Odontoglossum cordatum* (orchid).		1				Do.*
Do	*Pelargonium* sp. (geranium)			1			Tex.
Monanus concinnulus (Cucujidae)	Banana debris	3					Pa.
Do	*Ipomoea batatas* (sweetpotato)					1	Do.
Do	*Musa* sp. (banana)	1					Tex.
Monomorium carbonarium ebeninum (ant).	Banana debris	1					Pa.
Monomorium minutum var. (ant)	do	1					Do.
Monomorium sp. (ant)	do	1					Do.
Myelois sp. (Pyralidae)	*Citrus sinensis* (orange)			1			Tex.
Do	*Tamarindus indica* (tamarind)				1		La.
Namacus sp. (Coreidae)	Banana debris	1					Pa.
Neocattarus sp. (Lygaeidae)	do	1					Do.
Neocoelidia sp. (Cicadellidae)	*Viola* sp. (violet)			1			Tex.
Neoponera sp. (ant)	Banana debris	4					Pa.
Nitidulid	*Psidium guajava* (guava)			1			Tex.
Noctuid	*Capsicum annuum*	5					Ariz.
Do	do	1					Calif.*
Do	*Lactuca sativa* (lettuce)			1			Tex.
Do	*Lycopersicum esculentum*	112					Ariz.
Do	do	1					Calif.*
Do	*Musa* sp. (banana)	1					La.
Do	*Neomammillaria* sp. (cactus)	1					Ariz.
Do	*Nymphaea* sp. (water lily)			1			Tex.
Do	*Pisum sativum* (pea)	1					Ariz.
Do	*Zea mays* (corn)			1			Do.
Nysius sp. (Lygaeidae)	Cactus	1					Tex.
Do	*Capsicum annuum*	1					Calif.*

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
MEXICO—Continued							
Insects—Continued.							
Oberea sp. (Cerambycidae)	*Mentha* sp. (mint)			2			Ariz.
Oedopeza pogonocheroides (Cerambycidae).	*Swietenia* sp. (mahogany)	2					La.
Oeme sp. (Cerambycidae)	*Lactuca sativa* (lettuce)			1			Tex.
Olethreutid	*Capsicum annuum*	1					Ariz.
Do	*Crataegus* sp. (red haw)			1			Tex.
Do	*Phaseolus* sp. (string bean)	1					Do.
Do	*Punica granatum* (pomegranate).			1			Ariz.
Ortalid	*Citrus sinensis* (orange)			1			Tex.
Do	*Swietenia* sp. (mahogany)	1					La.
Oscinid	Cactus		1				Calif.*
Pangaeus sp. (Cydnidae)	*Musa* sp. (banana)	1					La.
Parallaxis sp. (Cicadellidae)	*Citrus* sp.			1			Tex.
Paratenetus sp. (Tenebrionidae)	*Musa* sp. (banana)	1					La.
Do	do	1					Pa.
Do	Banana debris	4					Do.
Parlatoria cinerea (Coccidae)	*Citrus aurantifolia* (lime)	5				1	Calif.*
Do	*Citrus sinensis* (orange)			1			Do.*
Parlatoria sp. (Coccidae)	do				1		Tex.
Parthenothrips dracaenae (thrips)	*Lasiacis ruscifolia*			1			Do.
Pectinophora gossypiella (pink bollworm).	*Gossypium* sp. (cottonseed)	11		3			Do.
Do	*Gossypium* sp. (seed cotton)		1				Do.
Pentatomid	Banana debris	1					Pa.
Do	*Capsicum annuum*	3					Ariz.
Do	*Musa* sp. (banana)	1					La.
Do	do	1					Pa.
Petrova sp. (Olethreutidae)	*Pinus* sp.			1			Tex.
Pheidole anastasii (ant)	Banana debris	3					Pa.
Do	*Musa* sp. (banana)	1					Do.
Do	do	1					Tex.
Pheidole flavens var. (ant)	Banana debris	1					Pa.
Pheidole sp. (ant)	do	1					Do.
Do	In airplane				1		Tex.
Do	In soil around parsnips			1			Do.
Do	*Musa* sp. (banana)	1					La.
Phenacoccus gossypii (Coccidae)	*Coleus* sp.			1			Ariz.
Do	*Pelargonium* sp. (geranium)			1			Tex.
Phenacoccus sp. (Coccidae)	Cactus	1	3				Calif.*
Phloeothrips sp. (thrips)	Banana debris	2					Pa.
Phlyctaenia sp. (Pyralidae)	*Lycopersicum esculentum*	1					Ariz.
Phycitinae (Pyralidae)	Cactus			1			Calif.
Do	do		1				Tex.
Do	*Mammea americana* (mamey)			1			Do.
Do	*Musa* sp. (banana)			1			Ariz.
Do	*Prosopis* sp. (mesquite)	1					Do
Do	do		1				Tex.
Do	*Punica granatum* (pomegranate).			1			Ariz.
Do	*Solidago* sp. (goldenrod)			1			Do.
Do	*Tamarindus indica* (tamarind)				1		La.
Pierid	*Brassica* sp. (mustard)	1					Ariz.
Pieris sp. (Pieridae)	*Brassica oleracea capitata*	1		1			Do.
Platynota stultana (Tortricidae)	*Capsicum annuum*	9					Do.
Do	do	3					Calif.*
Do	*Lycopersicum esculentum*	2					Ariz.
Platynota sp. (Tortricidae)	*Begonia* sp.			1			Tex.
Do	*Capsicum annuum*	33		3			Ariz.
Do	*Lycopersicum esculentum*	5					Do.
Do	*Phaseolus lunatus macrocarpus*	1					Do.
Do	*Solanum melongena* (eggplant)	1					Do.
Platypus rugulosus (Platypodidae)	*Swietenia* sp. (mahogany)	1					La.
Platypus sp. (Platypodidae)	do	2					Do.
Plesiothrips perplexus (thrips)	*Holcus sorghum* (sorghum)			1			Tex.
Podothrips sp. (thrips)	*Prunus domestica* (plum)			1			Do.
Pogonomyrmex sp. (ant)	Cactus		1				Calif.*
Prenolepis sp. (ant)	Banana debris	9					Pa.
Do	*Lycopersicum esculentum*	1					Ariz.
Do	*Musa* sp. (banana)	1					La.
Do	do	1					Tex.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
MEXICO—Continued							
Insects—Continued.							
Prociphilus venafuscus (aphid)	*Populus* sp. (cottonwood)			1			Ariz.
Prodenia sp. (Noctuidae)	*Lycopersicum esculentum*	4					Do.
Protalbia sp. (earwig)	*Citrus aurantifolia* (lime)	1					Calif.*
Psalis americana (earwig)	*Allium sativum* (garlic)			1			Tex.
Pseudaonidia articulatus (rufous scale).	*Citrus aurantifolia* (lime)					1	Calif.*
Do	do					1	Pa.
Do	*Citrus grandis* (grapefruit)					1	Fla.*
Do	do					1	N. Y.
Do	*Citrus limetta* (sweet lime)				1		Tex.
Do	*Citrus sinensis* (orange)				1		Do.
Pseudococcus boninsis (Coccidae)	*Saccharum officinarum* (sugarcane).			1			Do.
Pseudococcus virgatus (Coccidae)	*Musa* sp. (banana)	2					La.
Pseudococcus sp. (Coccidae)	*Ananas sativus* (pineapple)	12					Tex.
Do	*Citrus aurantifolia* (lime)	1					Calif.*
Do	do	1					Tex.
Do	*Citrus sinensis* (orange)			1		2	Calif.*
Do	*Echinocactus orthacanthus* (cactus).	1					Do.*
Do	*Escobaria chlorantha*	1					Do.*
Do	*Gardenia florida* (Cape-jasmine).			1			Ariz.
Do	*Mammillaria geminispina*	1					Calif.*
Do	*Musa* sp. (banana)	1					La.
Do	do				1		Pa.
Do	*Punica granatum* (pomegranate).			1			Tex.
Do	*Solanum melongena* (eggplant)	1					Ariz.
Do	*Solisia pectinata* (cactus)	1					Calif.*
Pseudomyrma gracilis mexicana (ant)	In airplane				1		Tex.
Pseudomyrma sp. (ant)	*Acacia* sp.			1			Do.
Pseudoparlatoria parlatorioides (Coccidae).	*Persea americana* (avocado)			1			N. Y.
Psychid	Banana debris	6					Pa.
Do	*Musa* sp. (banana)	1					Ala.
Do	do	6					La.
Do	do	1					Pa.
Ptinus sp. (Ptinidae)	*Punica granatum* (pomegranate).			2			Ariz.
Pyralid	Cactus		3				Calif.*
Do	*Citrus sinensis* (orange)			1			Tex.
Do	*Zea mays* (corn)			1			La.
Pyralinae (Pyralidae)	*Cyperus* sp. (flat-sedge)			1			Tex.
Do	*Musa* sp. (banana)			1			Ariz.
Do	*Zea mays* (corn)			1			La.
Pyraustinae (Pyralidae)	Banana debris	1					Pa.
Do	*Cephalocereus* sp. (cactus)	1					Ariz.
Do	*Cucurbita marima* (squash)	2					Tex.
Do	*Phaseolus* sp. (green bean)	2					Do.
Do	*Saccharum officinarum*			1			Do.
Pyroderces sp. (Cosmopterygidae)	*Allium sativum* (garlic)			1			Do.
Do	*Ananas sativus* (pineapple)			1			Do.
Do	*Musa* sp. (banana)	5					La.
Pyrophorus sp. (Elateridae)	*Mentha* sp. (mint)			1			Ariz.
Rhagoletis pomonella (apple maggot)	*Malus sylvestris* (apple)			1			Tex.
Rhagoletis sp. (Trypetidae)	*Crataegus* sp. (hawthorn)			1			Do.
Rhizoglyphus sp. (mite)	*Solanum tuberosum*			1			Ariz.
Saissetia sp. (Coccidae)	*Gardenia florida* (Cape-jasmine).	1					Calif.
Sciara sp. (Mycetophilidae)	*Ananas sativus* (pineapple)	1					Tex.
Do	*Capsicum annuum* (pepper)	1					Ariz.
Do	In cabin of airplane						Tex.
Do	*Ipomoea batatas* (sweetpotato)					1	N. Y.
Do	*Lycopersicum esculentum*	4					Ariz.
Do	*Musa* sp. (banana)	1					La.
Scolytid	*Swietenia* sp. (mahogany)	1					Do.
Silvaninus nitidus (Cucujidae)	Banana debris	1					Pa.
Silvanus vulgaris (Cucujidae)	do	3					Do.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
MEXICO—Continued							
Insects—Continued.							
Silvanus sp. (Cucujidae)	Log	1					Calif.*
Sitophilus linearis (tamarind pod borer).	*Tamarindus indica* (tamarind)	1					Calif.
Do	do				1		La.
Do	do	1		1			Tex.
Solenopsis sp. (ant)	Banana debris	1					La.
Do	do	5					Pa.
Do	*Hylocereus ocamponis* (cactus)	1					Calif.*
Do	Log	1					Do.*
Do	In soil	1					Do.*
Solubea insularis (Pentatomidae)	Banana debris	1					Pa.
Stelidota sp. (Nitidulidae)	*Musa* sp. (banana)	1					La.
Stenoma sp. (Stenomidae)	*Persea americana* (avocado)				1		Do.
Do	*Psidium guajava* (guava)			2			Tex.
Stephanoderes guatemalensis (Scolytidae).	Banana debris	6					Pa.
Do	*Musa* sp. (banana)	4					La.
Stephanoderes sp. (Scolytidae)	do	1					Do.
Steriphanus lentus (Tenebrionidae)	*Neomammillaria* sp. (cactus)	1					Ariz.
Strongylotes sp. (Curculionidae)	Grass		1				Calif.*
Syrphid	*Brassica rapa* (turnip)	1					Tex.
Do	*Capsicum annuum*	1					Ariz.
Do	*Gardenia* sp			1			Do.
Do	*Swietenia* sp. (mahogany)	1					La.
Tapinoma sp. (ant)	Banana debris	5					Pa.
Do	*Cereus* sp	1					Ariz.
Do	*Gardenia* sp			1			Tex.
Do	*Musa* sp. (banana)	2					La.
Do	do	2					Tex.
Telephanus setulosus (Cucujidae)	Banana debris	14					Pa.
Do	*Musa* sp. (banana)	4					La.
Do	do	2					Tex.
Telephanus sp. (Cucujidae)	Banana debris	1					La.
Do	do	9				1	Pa.
Do	do	1					Tex.
Do	*Musa* sp. (banana)	8					La.
Tenebroides sp. (Ostomidae)	In soil around plant			1			Tex.
Tetraleurodes mori arizonensis (whitefly).	*Citrus sinensis* (orange)			6			Do.
Do	*Citrus* sp			1			Do.
Tetraleurodes sp. (whitefly)	*Arctostaphylos* sp. (manzanita)			1			Calif.*
Do	*Persea americana* (avocado)			1			N. Y.
Tetranychus sp. (mite)	*Capsicum annuum*	1					Ariz.
Tinea sp. (Tineidae)	Banana debris	1					Pa.
Tineid	do	1					Do.
Tortricid	*Amygdalus persica* (peach)			1			Ariz.
Do	*Annona cherimola* (cherimoya)			1			Tex.
Do	Banana debris	1					Pa.
Do	*Lycopersicum esculentum*	1					Calif.*
Do	*Punica granatum* (pomegranate).			1			Ariz.
Do	do			1			Tex.
Trichothrips sp. (thrips)	Banana debris	1					Pa.
Trionymus sp. (Coccidae)	*Echinocactus scheeri* (cactus)	1					Calif.*
Do	*Mammillaria sempervivi*	1					Do.*
Trox sp. (Scarabaeidae)	In soil			1			Tex.
Trypetid	*Cydonia oblonga* (quince)			1			Do.
Do	*Pyrus communis* (pear)			3			Do.
Typophorus sp. (Chrysomelidae)	*Ipomoea batatas* (sweetpotato)			1			Do.
Tyroglyphid (mite)	*Echinocereus knippelianus* (cactus).	1					Calif.*
Tythomimus sp. (Curculionidae)	*Musa* sp. (banana)	1					La.
Urophorus humeralis (Nitidulidae)	*Allium sativum* (garlic)	1					Calif.
Wasmannia auropunctata (ant)	Banana debris	2					Pa.
Xyleborus grenadensis (Scolytidae)	*Swietenia* sp. (mahogany)	3					La.
Zabrotes subfasciatus (Bruchidae)	Bean			1			Ariz.
Do	do			1			Tex.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
MEXICO—Continued							
Diseases:							
Alternaria solani	*Capsicum annuum*	1					Tex.
Do	*Lycopersicum esculentum*	5					Ariz.
Do	do	1					Tex.
Ascochyta sp. ?	*Physalis* sp. (husk tomato)			1			Do.
Bacillus sp	*Solanum tuberosum*			1			Do.
Bacterium phaseoli	*Phaseolus lunatus macrocarpus* (lima bean).	3					Do.
Do	*Phaseolus* sp. (string bean)	1		1		1	Do.
Do	*Phaseolus* sp. (frijole bean)			1			Do.
Bacterium vesicatorium	*Capsicum annuum*					1	La.
Do	*Lycopersicum esculentum*	1		1			Ariz.
Do	do			1			Tex.
Basisporium gallarum	*Saccharum officinarum*			1			Ariz.
Capnodium citri	*Citrus aurantifolia* (lime)	1					La.
Do	*Citrus sinensis* (orange)					2	Tex.
Capnodium sp	do				1		Do.
Do	*Psidium guajava* (guava)			1			Ariz.
Cercospora apii	*Apium graveolens* (celery)					1	Pa.
Cercospora sp	Leaf	1					Do.
Colletotrichum falcatum	*Saccharum officinarum*			1			Tex.
Colletotrichum lagenarium	*Chayota edulis* (chayote)					1	La.
Colletotrichum nigrum	*Capsicum annuum*			1			Tex.
Colletotrichum pisi	*Pisum sativum* (pea)			2			Do.
Colletotrichum sp	*Capsicum annuum*	3					Ariz.
Do	*Capsicum fastigiatum*					1	Tex.
Do	*Carica papaya* (papaya)			1			Ariz.
Do	*Lycopersicum esculentum*	7					Do.
Do	*Musa* sp. (banana)	1					Pa.
Do	*Persea americana* (avocado)			2			Ariz.
Do	*Phaseolus lunatus macrocarpus* (lima bean).	1					Do.
Do	*Pyrus communis* (pear)			1			Tex.
Corticium sp	*Lycopersicum esculentum*	15					Ariz.
Do	*Phaseolus* sp. (string bean)	3					Do.
Cronartium sp	*Pinus* sp. (pine)			1			Tex.
Cryptosporella viticola	*Vitis* sp. (grape)			1			Do.
Cylindrosporium juglandis	*Juglans* sp. (walnut)			1			Do.
Cylindrosporium sp	do			1			Do.
Diplocarpon rosae	*Rosa* sp			1			Do.
Diplodia cacaoicola	*Citrus aurantifolia* (lime)	1					Do.
Diplodia tubericola	*Ipomoea batatas* (sweetpotato)					1	La.
Dothideaceae	Banana debris	1					Pa.
Do	*Musa* sp. (banana)	1					Do.
Do	Unknown leaf	2					Do.
Epicoccum sp	*Capsicum annuum*	1					Ariz.
Do	*Lycopersicum esculentum*	2					Do.
Do	*Phaseolus lunatus macrocarpus*	2					Do.
Do	*Phaseolus* sp. (string bean)	1					Do.
Erysiphe polygoni	*Pisum sativum* (pea)	6		2			Do.
Eurotium sp	*Yucca schottii*			1			Do.
Gloeosporium musarum	*Musa* sp. (banana)	1					La.
Do	do	1					Tex.
Gloeosporium sp	*Ananas sativus* (pineapple)					1	Pa.
Do	*Musa* sp. (banana)			2			Ariz.
Glomerella sp	*Amygdalus persica* (peach)			1			Do.
Do	*Capsicum annuum*	1					Do.
Helminthosporium sp	*Lycopersicum esculentum*	1				1	Do.
Heterodera schachtii	*Beta vulgaris* (beet)	2					Tex.
Heterodera sp	do			1			Ariz.
Hypomyces sp	Banana leaf debris	1					Pa.
Do	*Musa* sp. (banana)	1					Do.
Leptothyrium pomi	*Malus sylvestris* (apple)					1	Tex.
Macrosporium tomato	*Lycopersicum esculentum*	1					Ariz.
Do	do			1			Tex.
Monilia sp	*Physalis* sp. (husk tomato)			1			Do.
Myriangium duriaei	*Citrus aurantifolia* (lime)				1		Do.
Myxomycetes	*Musa* sp. (banana)	2					La.
Do	do	3					Pa.
Nectria folicola?	do	1					Do.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
MEXICO—Continued							
Diseases—Continued.							
Oidium sp	*Cydonia oblonga* (quince)			1			Tex.
Do	*Gardenia* sp			1			Do.
Do	*Pisum sativum* (pea)	5					Ariz.
Oleocellosis	*Citrus aurantifolia* (lime)	1		1			Do.
Do	do					1	Pa.
Do	do	1					Tex.
Do	*Citrus grandis* (grapefruit)			1			Do.
Do	*Citrus sinensis* (orange)			2	3	1	Do.
Do	do				3		La.
Oospora citri-aurantii	*Citrus limonia* (lemon)			3			Ariz.
Oospora sp	*Lycopersicum esculentum*	11					Do.
Do	*Psidium guajava* (guava)			1			Tex.
Periconia pycnospora	*Phaseolus lunatus macrocarpus* (lima bean).	3					Ariz.
Do	*Phaseolus* sp. (string bean)	1					Do.
Pestalozzia sp	*Luehea* sp	1					Pa.
Do	*Psidium guajava*			8			Tex.
Phoma destructiva	*Lycopersicum esculentum*	3		1			Ariz.
Do	do			1			Tex.
Do	*Physalis* sp. (husk tomato)			1			Do.
Phoma sp	*Lycopersicum esculentum*	9					Ariz.
Do	do	1					Tex.
Do	*Phaseolus lunatus macrocarpus* (lima bean).	2					Ariz.
Do	*Phaseolus* sp. (string bean)	2					Do.
Phyllachora graminis	Grass	1					Tex.
Phyllosticta sp	*Gardenia florida* (Cape-jasmine).	2					Calif.
Do	*Phaseolus* sp. (string bean)	1					Tex.
Do	*Physalis* sp. (husk tomato)			1			Do.
Physalospora eucalyptina	*Eucalyptus* sp			1			Do.
Phytophthora sp	*Lycopersicum esculentum*	30					Ariz.
Do	*Phaseolus* sp. (string bean)	1					Do.
Do	*Pisum sativum* (pea)	2					Do.
Puccinia chrysanthemi	*Chrysanthemum* sp			1			Do.
Puccinia sp	*Zea mays* (corn)	1					Do.
Rhizoctonia sp	*Beta vulgaris* (beet)	1					Tex.
Do	*Lycopersicum esculentum*	18					Ariz.
Do	*Neomammillaria stanleyi* (cactus).	1					Do.
Rhytisma sp	Leaf	1					Pa.
Saccharomycetaceae	*Solanum tuberosum*					1	Tex.
Sclerotinia sclerotiorum	*Daucus carota* (carrot)					1	Ala.
Sclerotinia sp	*Allium cepa* (onion)					1	Do.
Do	*Citrus aurantifolia* (lime)					1	Pa.
Do	*Lycopersicum esculentum*	1					Ariz.
Do	do	1		1			Tex.
Do	*Musa* sp. (banana)	1					Pa.
Do	*Phaseolus lunatus macrocarpus* (lima bean).	1					Tex.
Do	*Pisum sativum* (pea)	1					Do.
Do	*Psidium guajava* (guava)			1			Do.
Sclerotium sp	*Daucus carota* (carrot)					1	La.
Do	*Lycopersicum esculentum*	1					Ariz.
Septoria sp	Banana debris	1					Pa.
Sphaceloma fawcettii	*Citrus aurantifolia* (lime)					1	Do.
Do	do	3		2		1	Tex.
Do	*Citrus sinensis* (orange)					1	Ala.
Do	do					1	La.
Do	do			1			Tex.
Sphaceloma sp	*Citrus grandis* (grapefruit)				1		La.
Sterigmatocystis sp	*Lycopersicum esculentum*	1					Ariz.
Thielaviopsis paradoxa	*Musa* sp. (banana)			1			Do.
Uromyces appendiculatus	*Phaseolus* sp. (string bean)	15					Do.
Do	do	2					Calif.
Do	do	1		2			Tex.
Verticillium sp	*Lycopersicum esculentum*	6					Ariz.
Do	*Musa* sp. (banana)	1					Pa.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
MONTSERRAT							
Insects:							
Brachymyrmex sp. (ant)	*Amaryllis* sp			1			Mass.
Coccotrypes trinitatis (Scolytidae)	*Zingiber officinale* (ginger)		1				Do.
Coccus viridis (Coccidae)	*Citrus aurantifolia* (lime)	1					N. Y.
Marmara sp. (Gracilariidae)	do	1					Do.
Ponera sp. (ant)	*Amaryllis* sp			1			Mass.
Pseudaonidia trilobitiformis (Coccidae).	*Rosa* sp			1			Do.
Sciara sp. (Mycetophilidae)	*Amaryllis* sp			1			Do.
Targionia hartii (Coccidae)	*Zingiber officinale* (ginger)		1				Do.
Diseases:							
Erinose	*Passiflora edulis* (passion-flower).		1				Do.
MOROCCO							
Insects:							
Exosoma lusitanica (Chrysomelidae).	*Muscari comosum* (cipollino)	1					Do.
Do	do	5					N. Y.
Do	do	1					Pa.
Gnorimoschema sp. (Gelechiidae)	*Solanum melongena* (eggplant)					1	Do.
Histiostoma sp. (mite)	*Muscari comosum*	1					Do.
Merodon sp. (Syrphidae)	do	1					Calif.*
Do	do	1					Mass.
Do	do	20					N. Y.
Do	do	1					Pa.
Rhizoglyphus sp. (mite)	do	2					Calif.*
Do	do	2					Pa.
Sciara sp. (Mycetophilidae)	do	1					N. Y.
Tyroglyphid (mite)	do	1					Calif.*
Diseases:							
Anguillulina dipsaci	*Solanum tuberosum*					1	Md.
Sclerotinia sp	*Solanum melongena* (eggplant)					1	Pa.
MOZAMBIQUE							
Diseases:							
Plenodomus sp	*Euphorbia* sp		1				D. C.
NETHERLANDS							
Insects:							
Acrolepia assectella (Plutellidae)	*Allium porrum* (leek)					1	Do.
Aphis sp. (aphid)	*Chionodoxa* sp	1					N. Y.
Athous niger (Elateridae)	In soil around roots of *Helleborus niger.*	1					D. C.
Barathra brassicae (Noctuidae)	*Brassica oleracea capitata*					1	Mass.
Cecidomyiid	*Allium cepa* (onion)					1	Fla.*
Do	*Aster amellus* (Italian aster)	1					D. C.
Do	*Crocus* sp	1					Pa.
Do	*Hyacinthus* sp	1					N. Y.
Do	do	1					Pa.
Do	*Scilla* sp	1					Do.
Ceutorhynchus pleurostigma (turnip gall weevil).	*Brassica rapa* (turnip)					1	Va.
Ceutorhynchus sp. (Curculionidae)	do					1	Pa.
Cinaria sp. (aphid)	*Juniperus communis prostrata*	1					D. C.
Emphytus cinctus (sawfly)	*Rosa chinensis manetti*	6					Conn.*
Do	do	1					Ill.*
Do	do	1					Pa.*
Do	do	3					Tenn.*
Empoasca sp. (Cicadellidae)	*Cryptomeria japonica jindaiengi.*	1					D. C.
Endrosis lacteella (Oecophoridae)	*Narcissus* sp	1					N. Y.
Do	*Pisum sativum* (pea)					1	Wash.
Eumerus sp. (Syrphidae)	*Lilium* sp	1					N. Y.
Forficula auricularia (European earwig).	*Hyacinthus* sp	1					Do.
Gelechiid	*Carum carvi* (caraway)		1				Ill.
Geometrid	*Juniperus sabina fastigiata*	1					D. C.
Do	*Narcissus* sp	1					N. Y.
Haplothrips aculeatus (thrips)	*Rhododendron* sp	1					D. C.
Histiostoma sp. (mite)	*Hyacinthus* sp	1					Pa.
Do	*Ixia* sp	1					Do.
Hylemyia sp. (Anthomyiidae)	*Solanum tuberosum*					1	Do.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
NETHERLANDS—Continued							
Insects—Continued.							
Limothrips cerealium (thrips)	*Iris* sp	1					D. C.
Do	*Rhododendron* sp	1					Do.
Macrosiphum sp. (aphid)	*Cichorium intybus* (witloof)					1	Mass.
Merodon sp. (Syrphidae)	*Leucojum vernum* (spring snowflake).	1					Calif.*
Do	*Leucojum vernum carpaticum*		1				D. C.
Do	*Narcissus* sp	3					N. Y.
Do	do	3					Va.
Mikiola fagi (Cecidomyiidae)	*Fagus sylvatica purpurea* (copper beech).				1		Pa.
Noctuid	In soil around roots of phlox	1					D. C.
Do	*Narcissus* sp	1					N. Y.
Olethreutid	*Taxus baccata chestnutensis*	1					D. C.
Phycitinae (Pyralidae)	*Pisum sativum* (pea)					1	Wash.
Phyllotreta sp. (Chrysomelidae)	*Brassica oleracea gemmifera* (brussels sprouts).					1	Md.
Polia sp. (Noctuidae)	*Brassica oleracea capitata*					1	Pa.
Pterophorid	*Scabiosa* sp	1					D. C.
Rhizoglyphus sp. (mite)	*Allium cepa* (onion)					1	N. Y.
Do	do					1	Ga.
Do	*Chionodoxa sardensis*	1					Pa.
Do	*Crocus* sp	1					Mich.
Do	*Galanthus* sp	1					Pa.
Do	*Hyacinthus* sp	2					Do.
Do	*Ixia* sp	1					Do.
Do	*Muscari* sp	2					Do.
Do	*Scilla hispanica* (Spanish scilla)	1					Do.
Do	*Scilla* sp	1					Mass.
Do	*Solanum tuberosum*					2	Fla.*
Do	*Tulipa* sp	3					Calif.*
Do	do	2					Pa.
Do	do	1					Wash.
Rhopalosiphoninus tulipaella (aphid)	do	1					N. Y.
Sciara sp. (Mycetophilidae)	*Brassica rapa* (turnip)					1	Va.
Do	*Hyacinthus* sp	1					Calif.*
Do	do	2					Mich.
Do	do	2					Pa.
Do	*Lilium* sp	1					Md.
Do	do	1					Mass.
Do	*Solanum tuberosum*					1	La.
Do	do					1	Tex.
Do	*Tulipa* sp	3					Calif.*
Thrips nigropilosus brachyptera (thrips).	*Aster* sp		4				D. C.
Thrips physapus (thrips)	*Cichorium intybus* (witloof)					1	Mass.
Thrips tabaci atricornis (thrips)	*Allium porrum* (leek)					1	Pa.
Tinea sp. (Tineidae)	*Hyacinthus* sp	1					Md.
Tortricid	*Phlox* sp	1					D. C.
Diseases:							
Alternaria brassicae	*Brassica oleracea gemmifera* (brussels sprouts).					1	Md.
Alternaria radicina	*Daucus carota* (carrot)					1	Fla.*
Anguillulina dipsaci	*Chionodoxa* sp. (glory-of-the-snow).	2					Pa.
Do	*Hyacinthus* sp	1					Md.
Do	do	4					N. Y.
Do	do	2					Pa.
Do	*Iris* sp	4	2				D. C.
Do	*Muscari* sp	1					N. Y.
Do	*Narcissus* sp		1				D. C.
Do	do	1					N. Y.
Do	*Solanum tuberosum*					1	Ala.
Do	do					1	Md.
Do	do					1	Pa.
Do	do					1	S. C.
Aphelenchoides parietinus	*Daucus carota* (carrot)					1	Pa.
Do	*Hyacinthus* sp	1					Md.
Do	*Iris warleyensis*		1				D. C.
Do	*Solanum tuberosum*					1	Pa.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
NETHERLANDS—Continued							
Diseases—Continued.							
Bacterium hyacinthi	*Hyacinthus* sp	4					N. Y.
Do	do	2					Pa.
Bacterium maculicolum	*Brassica oleracea capitata*					1	Md.
Do	*Brassica oleracea gemmifera* (brussels sprouts).					1	Do.
Bacterium sp	*Tritonia* sp		1				D. C.
Badhamia ovispora	*Allium cepa* (onion)					1	Pa.
Botrytis galanthina	*Galanthus* sp	1					Mich.
Do	do	1					N. Y.
Do	do	1					Pa.
Botrytis tulipae	*Tulipa* sp	1				1	Do.
Coniothyrium hellebori	*Helleborus niger* (Christmas rose).	1					D. C.
Coniothyrium sp	*Rhododendron* sp	1					Do.
Diaporthe crassiuscula	*Berberis dealbata*	1					Do.
Helminthosporium sp	*Phlox* sp		1				Do.
Internal blackening	*Solanum tuberosum*					1	Pa.
Oidium sp	*Azalea* sp				1		Do.
Paraphelenchus maupasi	*Hyacinthus* sp	1					N. Y.
Pestalozzia macrotrichum	*Rhododendron* sp	1					D. C.
Petrifaction	*Crocus* sp	1					N. Y.
Do	do	4					Pa.
Do	*Fritillaria* sp	1					Do.
Do	*Iris* sp	1					Do.
Do	*Solanum tuberosum*					1	Tex.
Do	*Tulipa* sp	2					Pa.
Phoma sp	*Brassica oleracea capitata*					1	La.
Do	*Narcissus* sp		1				D. C.
Phyllosticta sp	*Rhododendron* sp	2					Do.
Rhizoctonia sp	*Lilium* sp		1				Md.
Russeting	*Solanum tuberosum*					1	Mass.
Sclerotinia gladioli	*Gladiolus* sp		1				D. C.
Do	*Tritonia* sp		1				Do.
Sclerotinia sclerotiorum	*Daucus carota* (carrot)					1	Ala.
Do	do					1	Ga.
Do	do					1	La.
Do	do					4	Pa.
Do	do					4	Tex.
Sclerotinia sp	*Allium cepa* (onion)					1	Ala.
Do	*Daucus carota* (carrot)					1	Do.
Do	do					1	La.
Do	*Solanum tuberosum*					1	Tex.
Sclerotium n. sp	*Narcissus* sp	1					N. Y.
Sclerotium sp	*Tulipa* sp				1		Pa.
Spindle tuber	*Solanum tuberosum*					1	Fla.*
Uromyces appendiculatus	*Phaseolus* sp. (string bean)		1				Ill.
Do	do					1	Mass.
Vermicularia sp	*Phlox* sp		1				D. C.
Verticillium albo-atrum	*Dahlia* sp	1					Do.
Verticillium sp	*Daucus carota* (carrot)					1	Tex.
Do	*Tulipa* sp	1					Pa.
NEW BRUNSWICK							
Diseases:							
Anguillulina dipsaci	*Solanum tuberosum*	1					Do.
NEW CALEDONIA							
Diseases:							
Pestalozzia sp	*Cocos nucifera* (coconut)					1	Md.
NEWFOUNDLAND							
Insects:							
Geometrid	*Vaccinium vitisidaea* (lingonberry).	1					Mich.
Olethreutid	do	3					Do.
Do	do	4					N. Y.
Syrphid	*Vaccinium* sp. (blueberry)	1					Mich.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
NEW ZEALAND							
Insects:							
Achopera sp. (Curculionidae)	*Juglans* sp. (walnut)	1					N. Y.
Aspidiotus sp. (Coccidae)	*Passiflora* sp	1					Hawaii.*
Chelisoches morio (earwig)	*Juglans* sp. (walnut)	1					N. Y.
Dialeurodes sp. (whitefly)	*Lomatia ilicifolia*	1					Calif.*
Forficula auricularia (European earwig).	*Dierama* sp		1				Do.*
Gracilariid	*Lomatia silaifolia*	3					Do.*
Lecanium sp. (Coccidae)	*Podocarpus totara*		1				Do.*
Lepidosaphes sp. (Coccidae)	*Dacrydium colensoi*		1				Do.*
Do	*Podocarpus ferruginea*		1				Do.*
Do	*Podocarpus hallii*		1				Do.*
Do	*Podocarpus totara*		1				Do.*
Phenacaspis sp. (Coccidae)	*Lomatia silaifolia*	1					Do.*
Do	Palm				2		Do.*
Psychid	do				1		Do.*
Saissetia sp. (Coccidae)	*Garrya elliptica* (silktassel-bush).	1					Hawaii.*
Do	*Goyazia lyallii*	1					Do.*
Taeniothrips gladioli (gladiolus thrips).	*Gladiolus* sp		2				Calif.*
Tarsonemid (mite)	*Dierama* sp		1				Do.*
Tenebrionid	*Juglans* sp. (walnut)	1					N. Y.
Tyroglyphid (mite)	*Calla* sp		1				Calif.*
Do	*Dahlia* sp		1				Do.*
Do	*Narcissus* sp		1				Do.*
Do	*Zantedeschia rehmannii*		1				Do.*
Diseases:							
Internal browning	*Solanum tuberosum*					1	N. Y.
Sclerotium gladioli	*Gladiolus* sp		1				D. C.
Sclerotium sp	*Quercus* sp. (oak)	1					N. Y.
NICARAGUA							
Insects:							
Camponotus sp. (ant)	Banana debris	8					Ala.
Do	do	1					Pa.
Chrysomphalus sp. (Coccidae)	*Musa* sp. (banana)	1					Ala.
Cicadellid	Banana debris	1					Do.
Cocconotus sp. (Tettigoniidae)	*Codiaeum* sp. (croton)					1	Pa.
Colaspis prasina (Chrysomelidae)	Banana debris	1					Ala.
Crematogaster victima (ant)	*Musa* sp. (banana)	1					Do.
Crematogaster sp. (ant)	Banana debris	3					Do.
Do	*Musa* sp. (banana)	1					Do.
Cryptocerus sp. (ant)	Banana debris	1					Do.
Curculionid	*Epidendrum stamfordianum* (orchid).		1				D. C.
Dicaiothrips brevicornis (thrips)	Banana debris	1					Ala.
Diestostemma rugicollis (Cicadellidae).	*Musa* sp. (banana)	1					Do.
Dolichoderus sp. (ant)	Banana debris	1					Do.
Dryptocephala sp. (Pentatomidae)	do	2					Do.
Edessa cornuta (Pentatomidae)	*Musa* sp. (banana)	1					La.
Epitrix sp. (Chrysomelidae)	Banana debris	1					Ala.
Iridomyrmex sp. (ant)	*Musa* sp. (banana)	1					La.
Labia arcuata (earwig)	Banana debris	2					Ala.
Lorelus trapeziderus (Tenebrionidae).	*Musa* sp. (banana)	1					Do.
Lorelus sp. (Tenebrionidae)	do	1					La.
Do	do	1					Ala.
Metamasius sericeus (silky cane weevil).	Banana debris	4					Do.
Do	*Musa* sp. (banana)	2					Do.
Do	do	1					La.
Metriona judaica (Chrysomelidae)	do	1					Ala.
Mirid	Banana debris	1					Do.
Monocrepidius sp. (Elateridae)	do	1					Do.
Do	*Musa* sp. (banana)	1					Do.
Monopis sp. (Tineidae)	Banana debris	1					Do.
Myochrous sp. (Chrysomelidae)	do	3					Do.
Do	*Musa* sp. (banana)	1					Do.
Nasutitermes sp. (termite)	Banana debris	1					Do.
Neoponera sp. (ant)	do	1					Do.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
NICARAGUA—Continued							
Insects—Continued.							
Noctuid	Banana debris	1					Ala.
Odontomachus hastatus (ant)	do	1					Do.
Oecophorid	do	1					Do.
Ogdoecosta catenulata (Chrysomelidae).	do	1					Do.
Do	*Musa* sp. (banana)	2					Do.
Oncometopia sp. (Cicadellidae)	Banana debris	2					Do.
Orocharis sp. (Gryllidae)	do	1					Do.
Ortalid	do	1					Do.
Parlatoria crotonis (Coccidae)	*Codiaeum* sp. (croton)				2	2	Pa.
Paroecanthus mexicanus (Gryllidae)	*Musa* sp. (banana)	1					La.
Pentatomid	do	2					Ala.
Pheidole sp. (ant)	Banana debris	1					Do.
Prenolepis sp. (ant)	do	3					Do.
Psalis americana (earwig)	do	1					Do.
Pseudaonidia articulatus (rufous scale).	*Citrus grandis* (grapefruit)				1		Do.
Do	*Cocos nucifera* (coconut)				1		Calif.*
Do	*Musa* sp. (banana)	1					Ala.
Pseudococcus sp. (Coccidae)	*Epidendrum stamfordianum* (orchid).		1				D. C.
Psychid	Banana debris	1					Ala.
Rhabdopterus sp. (Chrysomelidae)	*Musa* sp. (banana)	1					Do.
Sciara sp. (Mycetophilidae)	Banana debris	1					Do.
Solenopsis sp. (ant)	do	2					Pa.
Do	*Musa* sp. (banana)	1					Tex.
Telephanus barberi (Cucujidae)	Banana debris	1					Ala.
Telephanus brontoides (Cucujidae)	do	1					Do.
Telephanus diabolicus (Cucujidae)	do	1					Do.
Telephanus setulosus (Cucujidae)	do	3					Do.
Tinea sp. (Tineidae)	*Musa* sp. (banana)	1					Do.
Tytthomimus rufotestaceus (Curculionidae).	do	1					Do.
Urophorus humeralis (Nitidulidae)	Banana debris	1					Do.
Wasmannia auropunctata (ant)	do	2					Do.
Do	*Musa* sp. (banana)	2					Do.
Diseases:							
Gloeosporium sp	*Ananas sativus* (pineapple)					1	Pa.
Do	Orchid		1				D. C.
Thielaviopsis paradoxa	*Saccharum officinarum*				1		La.
NORWAY							
Insects:							
Agriotes lineatus (tobacco wireworm).	*Dahlia* sp			1			Tex.
Ceutorhynchus sp. (Curculionidae)	*Brassica rapa* (turnip)					1	Pa.
Curculio nucum (Curculionidae)	*Corylus avellana* (filbert)			1			N. Y.
Dilachnus sp. (aphid)	*Picea* sp. (spruce)		1				Minn.
Macrosiphum sp. (aphid)	*Hydrangea* sp			1			N. Y.
Myzus sp. (aphid)	*Myrtus* sp. (myrtle)			1			Do.
Noctuid	*Brassica oleracea botrytis* (cauliflower).					1	Pa.
Psylliodes chrysocephala (Chrysomelidae).	*Brassica rapa* (turnip)					1	Do.
Sciara sp. (Mycetophilidae)	*Solanum tuberosum*					1	La.
Serica brunnea (Scarabaeidae)	In soil around roots of plants	1					Mass.
Taeniothrips ericae (thrips)	*Calluna vulgaris* (heather)		2				Pa.
Thrips flavus (thrips)	do		1				Do.
Thrips fuscipennis (thrips)	do		1				Do.
Thrips tabaci pullus (thrips)	*Allium porrum* (leek)					1	Do.
Diseases:							
Alternaria brassicae	*Brassica oleracea botrytis* (cauliflower).					1	N. Y.
Do	do					1	Pa.
Anguillulina dipsaci	*Allium cepa* (onion)					1	Do.
Aphelenchoides parietinus	*Solanum tuberosum*					1	Md.
Bacterium maculicolum	*Brassica oleracea botrytis*					1	Pa.
Cercospora sp	do					1	Do.
Melampsoridium betulinum	*Betula nana*		1				D. C.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
NORWAY—Continued							
Diseases—Continued.							
Pupulospora sp.	*Daucus carota* (carrot)					1	S. C.
Saccharomycetaceae	*Apium graveolens rapaceum* (celeriac).					1	Pa.
Sclerotinia sclerotiorum	*Daucus carota* (carrot)					1	Ga.
Do	do					1	Mich.
Do	do					1	N. Y.
Do	do					2	Pa.
Sclerotinia sp.	*Allium cepa* (onion)					1	Ga.
Do	*Beta vulgaris* (beet)					1	Ala.
Do	*Brassica rapa* (turnip)					1	Do.
Do	*Daucus carota* (carrot)					1	Do.
Do	*Solanum tuberosum*					1	Ga.
Sclerotium sp.	*Apium graveolens rapaceum* (celeriac).					1	Pa.
Do	*Brassica campestris* (rutabaga)					1	Do.
Verticillium sp.	*Dahlia* sp.			1			Tex.
NOVA SCOTIA							
Insects:							
Heliothis sp. (Noctuidae)	*Zea mays* (corn)					1	Pa.
Melanotus sp. (Elateridae)	In soil at base of spruce tree				1		Do.
Rhagoletis sp. (Trypetidae)	*Malus sylvestris* (apple)					1	Do.
Diseases:							
Leptothyrium pomi	do				1	1	Do.
Septoria apii	*Apium graveolens* (celery)					1	Do.
ONTARIO							
Insects:							
Taeniothrips gladioli (gladiolus thrips).	*Gladiolus* sp.		1				D. C.
ORIENT							
Insects:							
Pectinophora gossypiella (pink bollworm).	*Gossypium* sp. (cottonseed)	1					Calif.*
Diseases:							
Phoma citricarpa	*Citrus sinensis* (orange)			1			Do.*
PALESTINE							
Insects:							
Pseudaonidia articulatus (rufous scale).	*Citrus sinensis* (orange)					1	Calif.*
Diseases:							
Capnodium citri	do					1	Mass.
Puccinia graminis	*Triticum aestivum* (wheat)	1					Pa.
Ustilago tritici	do	1					Do.
PANAMA							
Insects:							
Aclodes sp. (Gryllidae)	Banana debris	1					Ala.
Adetus muticus (Cerambycidae)	*Musa* sp. (banana)	1					Calif.*
Aegialia sp. (Scarabaeidae)	do	2					Do.*
Amblydisca sp. (Cicadellidae)	Banana debris	1					Ala.
Anasa bellator (Coreidae)	*Musa* sp. (banana)	1					Calif.*
Anasa sp. (Coreidae)	do	1					Do.*
Anastrepha sp. (Trypetidae)	*Annona cherimola* (cherimoya)			1			N. Y.
Do	*Mangifera indica* (mango)				1		Va.
Anazipha sp. (Gryllidae)	*Musa* sp. (banana)	2					Calif.*
Anthonomus sp. (Curculionidae)	do	8					Do.*
Aphodius sp. (Scarabaeidae)	do	16					Do.*
Apion sp. (Curculionidae)	do	6					Do.*
Arescus sp. (Chrysomelidae)	do	1					Do.*
Aspidiotus cocotiphagus (Coccidae)	*Cocos nucifera* (coconut)			1			Do.*
Aspidiotus destructor (Coccidae)	*Musa* sp. (banana)	1					Ala.
Athous sp. (Elateridae)	do	1					Wash.
Augocoris illustris (Scutelleridae)	do	1					Calif.*
Azteca sp. (ant)	do	2					Do.*
Camponotus abdominalis stercorarius (ant).	Banana debris	1					Pa.
Camponotus angulatus (ant)	*Musa* sp. (banana)	1					La.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
PANAMA—Continued							
Insects—Continued.							
Camponotus sp. (ant)	Banana debris	5					Ala.
Do	do	2					Mass.
Do	do	3					Pa.
Do	*Musa* sp. (banana)	1					Ala.
Do	do	78					Calif.*
Do	do	2					La.
Campylenchia sp. (Membracidae)	do	1					Calif.*
Cephaloleia puncticollis (Chrysomelidae).	do	1					Ala.
Do	do	17					Calif.*
Cephaloleia sp. (Chrysomelidae)	do	19					Do.*
Ceramidia viridis (Syntomidae)	do	4					Ala.
Ceramidia sp. (Syntomidae)	Banana debris	9					Do.
Do	*Musa* sp. (banana)	3					Do.
Ceresa sp. (Membracidae)	do	1					Calif.*
Cerotoma facialis (Chrysomelidae)	Banana debris	1					Ala.
Cheirispa distincta (Chrysomelidae)	*Musa* sp. (banana)	1					Do.
Chrysomelid	do	4					Calif.*
Chrysomphalus perseae (Coccidae)	do	1					Do.*
Cicadella laudata (Cicadellidae)	do	1					Do.*
Cicadella pulchella (Cicadellidae)	do	6					Do.*
Cicadella sp. (Cicadellidae)	do	9					Do.*
Cicadellid	do	1					Do.
Clastoptera sp. (Cercopidae)	do	1					Do.*
Cloeotus sp. (Scarabaeidae)	do	6					Do.*
Cocconotus sp. (Tettigoniidae)	do	6					Do.*
Coccotrypes sp. (Scolytidae)	do	1					Do.*
Coccus acuminatus (Coccidae)	*Ixora* sp			1			Do.*
Coccus sp. (Coccidae)	*Coffea* sp			1			Do.*
Coelosternus consputus (Curculionidae).	Banana debris	1					Mass.
Colastus sp. (Nitidulidae)	*Musa* sp. (banana)	2					Calif.*
Colopterus sp. (Nitidulidae)	do	1					Do.*
Conotelus sp. (Nitidulidae)	do	9					Do.*
Coriza sp. (Corixidae)	do					1	La.
Corizus sp. (Coreidae)	do	1					Calif.*
Crematogaster sp. (ant)	Banana debris	3					Pa.
Do	do	1					Mass.
Do	*Musa* sp. (banana)	1					Ala.
Do	do	45					Calif.*
Cryptorhopalum septemsignatum (Dermestidae).	do	6					Do.*
Cryptorhopalum sp. (Dermestidae)	do	15					Do.*
Cylindrocopturus sp. (Curculionidae).	do	1					Do.*
Diabrotica speciosa (Chrysomelidae)	Banana debris	1					Ala.
Diabrotica sp. (Chrysomelidae)	do	2					Do.
Do	*Musa* sp. (banana)	2					Calif.*
Dictyophara sp. (Fulgoridae)	Banana debris	1					Ala.
Dinocoris tripterus (Pentatomidae)	*Musa* sp. (banana)	1					Calif.*
Dinoderus sp. (Bostrichidae)	do	11					Do.*
Discocephala humilis (Pentatomidae).	do	37					Do.*
Discocephala sp. (Pentatomidae)	do	1					Do.*
Disonycha sp. (Chrysomelidae)	do	9					Do.*
Dolichoderus bispinosus (ant)	do	1					La.
Dolichoderus sp. (ant)	do	1					Do.
Dorcasta oryx (Cerambycidae)	do	1					Calif.*
Draeculacephala sp. (Cicadellidae)	do	8					Do.*
Dysdercus sp. (Pyrrhocoridae)	do	1					Do.*
Edessa affinis (Pentatomidae)	do	1					Do.*
Edessa heymonsi (Pentatomidae)	do	1					Do.*
Edessa obscura (Pentatomidae)	do	1					Do.*
Edessa rixosa (Pentatomidae)	do	1					Do.*
Edessa sp. (Pentatomidae)	do	5					Do.*
Elaterid	do	4					Do.*
Empoasca sp. (Cicadellidae)	do	1					Ala.
Epuraea sp. (Nitidulidae)	do	1					Calif.*
Eremocoris sp. (Lygaeidae)	do	1					Do.*

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
PANAMA—Continued							
Insects—Continued.							
Fulgorid	*Musa* sp. (banana)	3					Calif.*
Geraeus lineellus (Curculionidae)	do	1					Do.*
Geraeus trilineatus (Curculionidae)	do	1					Do.*
Geraeus sp. (Curculionidae)	do	1					Do.*
Gypona sp. (Cicadellidae)	do	6					Do.*
Haltica sp. (Chrysomelidae)	do	4					Do.*
Helicoptera sp. (Fulgoridae)	do	1					Do.*
Ips sp. (Scolytidae)	do	3					Do.*
Kolla sp. (Cicadellidae)	do	8					Do.*
Laemophloeus iteratus (Cucujidae)	do	1					Do.*
Laemophloeus sp. (Cucujidae)	do	12					Do.*
Lepidosaphes sp. (Coccidae)	*Codiaeum* sp. (croton)			1			Do.*
Ligyrocoris sp. (Lygaeidae)	*Musa* sp. (banana)	9					Do.*
Lissomus inopinatus (Throscidae)	do	1					Do.*
Lissomus punctulatus (Throscidae)	do	1					Do.*
Lorelus sp. (Tenebrionidae)	do	2					La.
Lygaeid	do	1					Calif.*
Lygaeus sp. (Lygaeidae)	do	4					Do.*
Lygus sp. (Miridae)	do	4					Do.*
Megasoma elephas (Scarabaeidae)	do	1					Do.*
Mesomphalia sp. (Chrysomelidae)	do	1					Do.*
Metachroma sp. (Chrysomelidae)	do	1					Do.*
Metamasius sericeus (silky cane weevil).	Banana debris	2					Ala.
Do	*Musa* sp. (banana)	1					Do.
Do	do	34					Calif.*
Do	do	1					La.
Metamasius sp. (Curculionidae)	do	1					Calif.*
Mordellistena sp. (Mordellidae)	do	2					Do.*
Myochrous sp. (Chrysomelidae)	Banana debris	1					Ala.
Nasutitermes cornigera (termite)	do	2					Do.
Nasutitermes sp. (termite)	do	1					Pa.
Do	*Musa* sp. (banana)	1					Ala.
Neoponera sp. (ant)	do	1					Calif.*
Nezara scutellata (Pentatomidae)	do	1					Do.*
Noctuid	do	2					Do.*
Orthaea sp. (Lygaeidae)	do	1					Do.*
Pachybrachis sp. (Chrysomelidae)	do	2					Do.*
Parandra glabra (Cerambycidae)	do	1					Do.*
Paratenetus sp. (Tenebrionidae)	Banana debris	1					Ala.
Parlatoria cinerea (Coccidae)	*Citrus aurantifolia* (lime)				1	2	Calif.*
Do	*Citrus grandis* (grapefruit)				1		Do.*
Pheidole anastasii (ant)	Banana debris	1					Pa.
Pheidole sp. (ant)	do	2					Do.
Do	*Musa* sp. (banana)	2					Calif.*
Phlocothrips sp. (thrips)	do	14					Do.*
Phyllophaga sp. (Scarabaeidae)	In soil			2			Do.*
Pinnaspis sp. (Coccidae)	*Licuala grandis*			1			Do.*
Platamus sharpi (Cucujidae)	*Musa* sp. (banana)	1					Do.*
Platypus rugulosus (Platypodidae)	do	3					Do.*
Platypus sp. (Platypodidae)	do	15					Do.*
Prenolepis sp. (ant)	Banana debris	1					Ala.
Do	*Chrysalidocarpus lutescens* (yellow palm).			1			Calif.*
Pseudacamptus sp. (Curculionidae)	Banana debris	1					Ala.
Pseudaonidia articulatus (rufous scale).	*Citrus grandis* (grapefruit)					3	Calif.*
Do	*Citrus sinensis* (orange)				1		Ala.
Do	do					3	Calif.*
Do	*Cocos nucifera* (coconut)			1	1		Do.*
Do	*Musa* sp. (banana)	1					Ala.
Do	Palm				1		Calif.*
Psychid	Banana debris	2					Pa.
Do	*Musa* sp. (banana)	1					Ala.
Do	do	1					La.
Pyralid	do	5					Calif.*
Reticulitermes sp. (termite)	do	2					Do.*
Scolytid	Hardwood log	1					Va.
Do	*Musa* sp. (banana)	1					Calif.*

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
PANAMA—Continued							
Insects– Continued.							
Silvaninus nitidus (Cucujidae)	Banana debris	1					Pa.
Sitophilus linearis (tamarind pod borer).	*Tamarindus indica* (tamarind)				1		La.
Solenopsis sp. (ant)	Banana debris	1					Ala.
Do	do	1					Pa.
Soronia sp. (Nitidulidae)	*Musa* sp. (banana)	1					Calif.*
Stenoma sp. (Stenomidae)	*Persea americana* (avocado)					1	Pa.
Stephanoderes guatemalensis (Scolytidae).	Banana debris	1					La.
Do	do	1					Pa.
Stephanoderes sp. (Scolytidae)	do	1					Do.
Do	*Musa* sp. (banana)	25					Calif.*
Syrphid	do	2					Do.*
Systena sp. (Chrysomelidae)	do	1					Do.*
Tachygonus sp. (Curculionidae)	do	1					Do.*
Tapinoma sp. (ant)	Banana debris	1					Ala.
Teleonemia sp. (Tingitidae)	*Musa* sp. (banana)	1					Calif.*
Telephanus barberi (Cucujidae)	do	2					La.
Telephanus brontoides (Cucujidae)	do	22					Calif.*
Telephanus sellatus (Cucujidae)	Banana debris	1					Ala.
Telephanus setulosus (Cucujidae)	*Musa* sp. (banana)	1					La.
Telephanus sp. (Cucujidae)	do	27					Calif.*
Telenomus sp. (Scelionidae)	do	1					La.
Tenebroides sp. (Ostomidae)	do	2					Calif.*
Tineid	do	2					Do.*
Tipulid	do	1					Do.*
Toxotrypana curvicauda *(papaya fruit fly).	*Carica papaya* (papaya)				1		Md.
Tytthomimus sp. (Curculionidae)	Banana debris	1					Ala.
Do	*Musa* sp. (banana)	23					Calif.*
Wasmannia auropunctata (ant)	Banana debris	1					Pa.
Xyleborus confusus (Scolytidae)	do	1					Ala.
Xyleborus grenadensis (Scolytidae)	Hardwood log	1					Va.
Xyleborus sp. (Scolytidae)	*Musa* sp. (banana)	39					Calif.*
Diseases:							
Diplodia cacaoicola	*Carica papaya* (papaya)					1	Md.
Eutypa turnerae	*Turnera* sp		1				D. C.
Myxomycetes	*Musa* sp. (banana)	1					Pa.
Oleocellosis	*Citrus sinensis* (orange)					1	Mass.
Phoma destructiva	*Lycopersicum esculentum*					1	Md.
Sclerotium sp	*Phaseolus* sp. (string bean)					1	Va.
Sphaceloma fawcettii	*Citrus limonia* (lemon)				1		Md.
Stilbellaceae	*Musa* sp. (banana)	1					Pa.
Stilbum sp	*Gardenia florida* (Cape-jasmine).					1	La.
PARAGUAY							
Insects:							
Lophocateres pusillus (Siamese grain beetle).	*Oryza sativa* (rice)	1					N. Y.
PERU							
Insects:							
Acrocercops sp. (Gracilariidae)	*Gossypium* sp. (cotton)		1				D. C.
Cicadella sp. (Cicadellidae)	do		1				Do.
Delphacid	do		1				Do.
Empoasca sp. (Cicadellidae)	do		1				Do.
Gypona sp. (Cicadellidae)	do		1				Do.
Jassus sp. (Cicadellidae)	do		1				Do.
Portanus sp. (Cicadellidae)	do		1				Do.
Pyraustinae (Pyralidae)	*Capsicum annuum*					1	Md.
Scaphoideus sp. (Cicadellidae)	*Gossypium* sp. (cotton)		1				D. C.
Stenoma sp. (Stenomidae)	*Persea americana* (avocado)					1	Wash.
Xyleborus confusus (Scolytidae)	*Gossypium* sp. (cotton)		1				D. C.
PHILIPPINES							
Insects:							
Acythopeus aterrimus (Curculionidae).	*Grammatophyllum speciosum* (orchid).		1				Calif.*
Do	*Rhynchostylis retusa* (orchid)		1				Hawaii.*
Do	*Stauropsis lissochiloides* (orchid).		1				Do.*
Do	*Vanda luzonica* (orchid)		1				Calif.*

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
PHILIPPINES—Continued							
Insects—Continued.							
Acythopeus gilvonotatus (Curculionidae).	*Phalaenopsis stuartiana* (orchid).	2					Calif.
Acythopeus sp. (Curculionidae)	Orchid (several genera)	1	4				Do.*
Do	do		6				Hawaii.*
Allothrips sp. (thrips)	*Vanda limbata* (orchid)		1				Do.*
Anobiid	*Phalaenopsis amabilis* (orchid)	1					Calif.*
Aspidiotus destructor (Coccidae)	*Chrysalidocarpus* sp				1		N. Y.
Do	*Cocos nucifera* (coconut)	1	1		4		Calif.*
Aspidiotus orientalis (Coccidae)	do				1		Do.*
Aspidiotus palmae (Coccidae)	*Chrysalidocarpus lutescens*				1		N. Y.
Aspidiotus spinosus (Coccidae)	*Dendrobium superbum* (orchid)		1				Calif.*
Aspidiotus sp. (Coccidae)	*Dendrobium dearei* (orchid)	1					Hawaii.*
Blastobasid	*Dendrobium heterocarpum* (orchid).		1				Do.*
Camponotus sp. (ant)	*Ananas sativus*	1					Wash.
Cerambycinae (Cerambycidae)	Wood base for orchids	1					Calif.*
Ceroplastes sp. (Coccidae)	*Mangifera indica* (mango)	1					Hawaii.*
Chrysomphalus dictyospermi var. (Coccidae).	*Staurochilus davisii* (orchid)		1				Do.*
Chrysomphalus rossi (Coccidae)	Orchid (several genera)	4					Calif.*
Do	*Phalaenopsis leucorrhoda* (orchid).	1					Hawaii.*
Do	*Phalaenopsis mariae* (orchid)			1			Do.*
Crematogaster sp. (ant)	*Aerides lawrenciae* (orchid)		1				Calif.*
Do	*Grammatophyllum multiflorum* (orchid).		1				Do.*
Do	*Grammatophyllum speciosum*		1				Do.*
Do	Orchid (several genera)	2	8				Hawaii.*
Cryphalus sp. (Scolytidae)	*Hevea brasiliensis* (Para rubbertree).			1			Calif.*
Curculionid	Orchid (several genera)	2	10	2			Hawaii.*
Cylas formicarius (sweetpotato weevil).	*Grammatophyllum speciosum* (orchid).		1				Calif.*
Dicaiothrips sp. (thrips)	*Renanthera moschefera* (orchid)		1				Hawaii.*
Do	*Staurochilus davisii* (orchid)		1				Do.*
Disphinctus sp. (Miridae)	*Dendrobium superbum* (orchid)	1					Calif.*
Dolichoderus sp. (ant)	*Vanda luzonica* (orchid)	1					Hawaii.*
Hemichionaspis townsendi (Coccidae)	Orchid (several genera)	1	5				Do.*
Hemichionaspis sp. (Coccidae)	*Aerides odoratum* (orchid)		1				Do.*
Do	*Staurochilus davisii* (orchid)		2				Do.*
Do	*Vanda sanderiana* (orchid)		1				Calif.*
Heterobostrychus sp. (Bostrichidae)	*Swietenia mahogani* (Philippine mahogany).		1				Pa.
Icerya seychellarum (Coccidae)	*Codiaeum* sp. (croton)				1		La.
Kalotermes malatensis (termite)	In wood used as base for orchids.	1					Calif.*
Labidura sp. (earwig)	*Aerides lawrenciae* (orchid)		1				Do.*
Lamiinae (Cerambycidae)	*Phalaenopsis grandiflora* (orchid).	1					Do.*
Lepidosaphes mcgregori (Coccidae)	*Cocos nucifera* (coconut)				2	1	Do.*
Lepidosaphes sp. (Coccidae)	do			1	1		Do.*
Liothrips vaneeckei (thrips)	*Lilium* sp		1				Do.*
Do	do		1				Wash.
Lyctoxylon japonum (Lyctidae)	*Phalaenopsis sanderiana* (orchid).		1				Calif.*
Lygaeid	*Ficus* sp		1				Do.*
Macrotermes gilvus (termite)	*Hevea brasiliensis* (Para rubbertree).			1			Do.*
Minthea rugicollis (Lyctidae)	*Phalaenopsis sanderiana* (orchid).		1				Do.*
Mirid	*Dendrobium superbum* (orchid)		1				Do.*
Do	*Ficus* sp		1				Do.*
Do	Orchid (several genera)	1	2				Hawaii.*
Do	*Phalaenopsis stuartiana* (orchid).	1					Calif.*
Monanus concinnulus (Cucujidae)	*Hevea brasiliensis* (Para rubbertree).			1			Do.*
Monanus sp. (Cucujidae)	do			1			Do.*
Monomorium sp. (ant)	*Phalaenopsis sanderiana* (orchid).		1				Do.*

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
PHILIPPINES—Continued							
Insects—Continued.							
Parlatoria pseudaspidiotus (Coccidae).	Orchid (several genera)	3	2				Hawaii.*
Do	*Vanda* sp. (orchid)	1					Calif.*
Parlatoria sp. (Coccidae)	Orchid (several genera)		3				Hawaii.*
Do	*Vanda luzonica* (orchid)		1				Calif.*
Do	*Vanda sanderiana* (orchid)		1				Do.*
Pentatomid	*Dendrobium lyonii* (orchid)		1				Hawaii.*
Phenacaspis sp. (Coccidae)	*Vanda luzonica* (orchid)		1				Calif.*
Phloeothrips sp. (thrips)	do		1				Do.*
Pinnaspis sp. (Coccidae)	*Vanda sanderiana* (orchid)	1					Do.*
Polyrhachis sp. (ant)	do		1				Do.*
Prays citri (Philippine orange moth)	*Citrus grandis* (pomelo)					1	Do.*
Prenolepis sp. (ant)	Orchid (several genera)		5				Do.*
Pseudococcus lilacinus (Coccidae)	Orchid		1				Do.*
Pseudococcus virgatus (Coccidae)	*Cocos nucifera* (coconut)	1					Hawaii.*
Do	Orchid (several genera)	2	3	1			Do.*
Do	*Mangifera indica* (mango)	1					Do.*
Pseudococcus sp. (Coccidae)	Orchid (several genera)	3					Calif.*
Do	do	1	4				Hawaii.*
Psychid	*Renanthera storiei* (orchid)		1				Calif.*
Pyralid	*Ficus* sp		1				Do.*
Rhizoglyphus sp. (mite)	*Phalaenopsis stuartiana* (orchid).		1				Hawaii.*
Saissetia sp. (Coccidae)	*Phalaenopsis amabilis* (orchid)	1					Calif.*
Do	*Phalaenopsis schilleriana* (orchid).	1					Hawaii.*
Do	*Phalaenopsis stuartiana* (orchid).	1					Do.*
Sciara sp. (Mycetophilidae)	*Hevea brasiliensis* (Para rubbertree).			1			Calif.*
Scirtothrips sp. (thrips)	Orchid (several genera)		3				Hawaii.*
Scolytid	*Ficus* sp		1				Calif.*
Do	Wood base for orchids	2					Do.*
Solenopsis sp. (ant)	*Phalaenopsis* sp. (orchid)	1					Do.*
Do	*Renanthera storiei* (orchard)		1				Do.*
Sternochetus mangiferae (mango weevil).	*Mangifera indica* (mango)			1			Do.*
Taeniothrips sp. (thrips)	*Phalaenopsis sanderiana* (orchid).		2				Hawaii.*
Do	*Phalaenopsis schilleriana* (orchid).		2				Do.*
Technomyrmex albipes (ant)	*Dendrobium densiflorum* (orchid).	1					Do.*
Do	Orchid (several genera)	2	3				Calif.*
Do	*Rhynchostylis retusa* (orchid)		1				Hawaii.*
Tenebrionid	*Oryza sativa* (rice)		1				Do.*
Tetramorium sp. (ant)	*Spathoglottis chrysantha* (orchid).	1					Do.*
Do	*Spathoglottis* sp. (orchid)	1					Do.*
Tinea sp. (Tineidae)	*Ananas sativus* (pineapple)	1					Wash.
Do	Orchid debris		1				Hawaii.*
Tineid	*Hevea brasiliensis* (Para rubbertree).			1			Calif.*
Tyroglyphid (mite)	*Cocos nucifera* (coconut)				1		Do.*
Do	*Hevea brasiliensis* (Para rubbertree).			1			Do.*
Xylosandrus luzonicus (Scolytidae)	*Dendrobium taurinum* (orchid)	1					Hawaii.*
Xylosandrus sp. (Scolytidae)	*Dendrobium superbum* (orchid)		1				Calif.*
Do	*Vanda luzonica* (orchid)	1					Hawaii.*
Diseases:							
Bacterium citri	*Citrus aurantifolia* (lime)					1	Calif.*
Do	*Citrus grandis* (pomelo)					1	Do.*
Cercospora sp	*Vanda sanderiana* (orchid)		1				Do.*
Colletotrichum orchidearum	*Phalaenopsis sanderiana* (orchid).		1				Hawaii.*
Do	*Phalaenopsis schilleriana* (orchid).		1				Do.*
Do	*Phalaenopsis stuartiana* (orchid).		1				Do.*
Do	*Renanthera storiei* (orchid)	1					Do.*

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
PHILIPPINES—Continued							
Diseases—Continued.							
Gloeosporium beyrodtii	*Vanda sanderiana* (orchid)	1					Calif.*
Gloeosporium sp	do		1				Do.*
Helminthosporium sp	do		1				Do.*
Ustilaginoidea virens	*Oryza sativa* (rice)		1				Wash.
POLAND							
Insects:							
Blastodacna sp. (Cosmopterygidae)	*Malus sylvestris* (apple)		1				D. C.
Trialeurodes vaporariorum (greenhouse whitefly).	*Pelargonium* sp. (geranium)			1			N. Y.
Diseases:							
Claviceps microcephala	*Poa fertilis serotina*		1				D. C.
Do	*Poa pratensis* (Kentucky bluegrass).		1				Do.
Claviceps purpurea	*Secale cereale* (rye)	1					Pa.
Melanconium stromaticum?	*Pyrus communis* (pear)		1				N. Y.
PORTUGAL							
Insects:							
Curculio sp. (Curculionidae)	*Castanea* sp. (chestnut)	4					N. Y.
Laspeyresia splendana (Olethreutidae).	do	9					Do.
Laspeyresia sp. (Olethreutidae)	*Corylus* sp. (hazelnut)		1				Calif.*
Myelois sp. (Pyralidae)	*Cydonia oblonga* (quince)			1			Mass.
Rhizoglyphus sp. (mite)	do			1			R. I.
PUERTO RICO							
Insects:							
Anastrepha sp. (Trypetidae)	*Magnifera indica* (mango)			1			N. Y.
Do	*Psidium guajava* (guava)			3			Do.
Aspidiotus cocotiphagus (Coccidae)	*Cocos nucifera* (coconut)	1					Do.
Do	do				1		Pa.
Ceratocombus minutus (Cryptostemmatidae).	Banana debris	1				2	Do.
Coccus viridis (Coccidae)	*Citrus* sp	1					N. Y.
Comodica zebrina (Tineidae)	Banana debris					1	Pa.
Diatraea sp. (Pyralidae)	*Tripsacum laxum*			1			N. Y.
Eriophyes sp. (mite)	*Pluchea odorata*	1					Do.
Frankliniella sp. (thrips)	*Rosa* sp			1			Pa.
Galleriinae (Pyralidae)	*Cassia fistula* (golden-shower)	2					N. Y.
Haplothrips sp. (thrips)	*Gardenia florida* (Cape-jasmine)				1		Pa.
Holcocera sp. (Blastobasidae)	*Pisum sativum* (pea)					1	N. Y.
Hypothenemus sp. (Scolytidae)	Banana debris					1	Pa.
Labia arcuata (earwig)	do					1	Do.
Leucaspis indica (Coccidae)	*Mangifera indica* (mango)		1				D. C.
Lorelus sp. (Tenebrionidae)	Banana debris					1	Pa.
Monanus concinnulus (Cucujidae)	do					1	Do.
Monanus sp. (Cucujidae)	do					1	Do.
Myelois ceratoniae (Pyralidae)	*Tamarindus indica* (tamarind)	1					N. Y.
Petizius sp. (Lygaeidae)	Banana debris	1					Pa.
Ponera sp. (ant)	do	1					Do.
Pseudaonidia articulatus (rufous scale).	*Citrus grandis* (grapefruit)					1	Ala.
Do	do					5	Calif.*
Do	do					1	La.
Do	do					1	Md.
Do	do					2	N. Y.
Do	do					5	Pa.
Do	*Citrus limetta* (sweet lime)			1			Fla.*
Do	*Citrus sinensis* (orange)			1			Ala.
Do	do					1	Calif.*
Do	do			1			Fla.*
Do	do				1		Ga.
Do	do					1	Pa.
Do	do					1	Tex.
Do	*Citrus* sp	1					N. Y.
Pseudococcus sp. (Coccidae)	do			1			Do.
Do	*Cocos nucifera* (coconut)	1					Do.
Do	*Solanum melongena* (eggplant)					1	Do.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
PUERTO RICO—Continued							
Insects—Continued.							
Pyraustinae (Pyralidae)	*Solanum melongena* (eggplant)					1	N. Y.
Sitophilus linearis (tamarind pod borer).	*Tamarindus indica* (tamarind)	1					Do.
Telephanus pallidulus (Cucujidae)	Banana debris	1					Pa.
Telephanus sp. (Cucujidae)	do					1	Do.
Tinea sp. (Tineidae)	*Carica papaya* (papaya)			1			N. Y.
Do	Banana debris					2	Pa.
Do	*Musa* sp. (banana)					1	Do.
Tineid	*Hura crepitans* (sandboxtree)			1			Do.
Do	*Poinciana regia* (royal poinciana).				1		Do.
Do	*Saccharum officinarum*				3		Do.
Trionymus sp. (Coccidae)	do		1				D. C.
Wasmannia auropunctata (ant)	Banana debris					1	Pa.
Diseases:							
Capnodium citri	*Citrus grandis* (grapefruit)			1		3	Do.
Do	*Citrus sinensis* (orange)					2	La.
Do	do					1	Pa.
Do	do					3	Tex.
Capnodium sp	*Saccharum officinarum*				1		Pa.
Diplodia cacaoicola	*Achras sapota* (sapodilla)					1	Ga.
Do	*Hura crepitans* (sandboxtree)			1			Pa.
Do	*Persea americana* (avocado)					1	Do.
Elsinoe phaseoli	*Phaseolus lunatus macrocarpus* (lima bean).					1	Ga.
Hoplolaimus bradys	*Dioscorea* sp. (yam)			1			Pa.
Melanconium sacchari	*Saccharum officinarum*			1	1		Do.
Microcera sp	*Citrus grandis* (grapefruit)					1	Tex.
Myriangium sp	do					1	Pa.
Oil burning	*Citrus aurantifolia* (lime)					1	Tex.
Oleocellosis	*Citrus grandis* (grapefruit)			1			Pa.
Do	*Citrus sinensis* (orange)					1	Do.
Do	do				1		Tex.
Oospora citri-aurantii	*Citrus grandis* (grapefruit)					1	Pa.
Pestalozzia sp	*Psidium guajava* (guava)	1					N. Y.
Phomopsis rexans	*Solanum melongena* (eggplant)					1	Tex.
Phyllosticta sp	*Hibiscus esculentus* (okra)					1	Pa.
Saccharomycetaceae	*Mangifera indica* (mango)			1			N. Y.
Sclerotinia sp	*Citrus sinensis* (orange)					1	Pa.
Sphaceloma fawcettii	*Citrus grandis* (grapefruit)			2	1	9	Do.
Do	do					2	Tex.
Do	do					1	Va.
Sphaerostilbe aurantiicola	do					1	Pa.
Sphaerostilbe coccophila	do					1	Do.
Stilbum sp	*Psidium guajava* (guava)	1					N. Y.
RHODESIA							
Insects:							
Tineid	*Allium cepa* (onion)					1	Pa.
Urophorus humeralis (Nitidulidae)	do					1	Do.
RUMANIA							
Diseases:							
Sclerotinia sp	*Beta vulgaris* (beet)					1	N. Y.
ST. KITTS							
Insects:							
Cecidomyiid	*Pisum sativum* (pea)		1				Mass.
Gelechiid	do		1				Do.
Phycitinae (Pyralidae)	do		1				Do.
Prodenia sp. (Noctuidae)	*Bryophyllum* sp		1				Do.
Rhizoglyphus sp. (mite)	*Dioscorea* sp. (yam)			1			Do.
Targionia hartii (Coccidae)	do			2			Do.
Wasmannia auropunctata (ant)	*Zingiber officinale* (ginger)		1				Do.
Diseases:							
Diplodia tubericola	*Ipomoea batatas* (sweetpotato)			1			Do.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ST. LUCIA							
Insects:							
Aulacaspis sp. (Coccidae)	*Mangifera indica* (mango)			1			N. Y.
Euscepes batatae (West Indian sweet-potato weevil)	*Ipomoea batatas*			1			Do.
Pseudaonidia trilobitiformis (Coccidae).	*Citrus aurantifolia* (lime)					1	Fla.*
Do	*Citrus grandis* (grapefruit)					1	Do.*
Do	*Citrus sinensis* (orange)					1	Do.*
Do	*Mangifera indica* (mango)					1	Mass.
Diseases:							
Gloeosporium limetticolum	*Citrus aurantifolia* (lime)					1	Fla.*
ST. VINCENT							
Insects:							
Chloropid	*Dioscorea* sp. (yam)					1	Mass.
Pseudaonidia articulatus (rufous scale).	*Citrus aurantifolia* (lime)					1	Do.
Do	*Citrus sinensis* (orange)					4	Do.
Sciara sp. (Mycetophilidae)	*Cucumis sativus* (cucumber)					1	Do.
SALVADOR							
Insects:							
Cyphomyrmex rimosus var. (ant)	In soil around Caladium plant				1		Pa.
Nasutitermes cornigera (termite)	*Swietenia* sp. (mahogany)	1					N. Y.
Nasutitermes sp. (termite)	do	1					Do.
Protabia sp. (earwig)	*Tamarindus indica* (tamarind)		1				Calif.*
Pyrophorus sp. (Elateridae)	In soil around croton plant				1		Pa.
Sciara sp. (Mycetophilidae)	In soil around *Tradescantia fluminensis*				1		Do.
Silvanus vulgaris (Cucujidae)	*Swietenia* sp. (mahogany)	1					N. Y.
Sitophilus linearis (tamarind pod borer).	*Tamarindus indica* (tamarind)		1				Calif.*
SCOTLAND							
Insects:							
Anuraphis sp. (aphid)	In box of heather and thistle heads.		1				Pa.
Cecidomyiid	*Calluna vulgaris* (heather)		1				Do.
Ceutorhynchus ericae (Curculionidae)	do		2				Do.
Ceutorhynchus sp. (Curculionidae)	do		1				Do.
Do	*Brassica rapa* (turnip)					1	Do.
Do	do					1	Tex.
Gelechiid	*Calluna vulgaris* (heather)		1				Pa.
Geometrid	*Sorbus* sp		1				D. C.
Ludius sp. (Elateridae)	In soil around roots of heather		1				Pa.
Olethreutid	In box of heather and thistle heads.		1				Do.
Pieris sp. (Pieridae)	*Brassica oleracea botrytis* (cauliflower).					1	Md.
Psila rosae (carrot rust fly)	*Daucus carota* (carrot)					1	Pa.
Sciara sp. (Mycetophilidae)	*Brassica rapa* (turnip)					1	Do.
Syrphid	*Brassica oleracea capitata*					1	Do.
Taeniothrips atratus (thrips)	*Calluna vulgaris*		2				Do.
Taeniothrips ericae (thrips)	do		2				Hawaii.
Do	do		32				Pa.
Do	In box of heather and thistle heads.		1				Do.
Taeniothrips vulgatissimus (thrips)	*Sorbus* sp.		1				Do.
Thrips dilatatus (thrips)	*Calluna vulgaris* (heather)		1				Do.
Thrips flavus (thrips)	do		3				Do.
Thrips tabaci pullus (thrips)	do		1				Do.
Ulopa sp. (Cicadellidae)	do		1				Do.
Diseases:							
Albugo candida	*Brassica oleracea capitata*					1	Do.
Alternaria brassicae	do					1	Do.
Anguillulina dipsaci	*Sprekelia formosissima* (St. Jameslily)		1				D. C.
Aphelenchoides parietinus	*Daucus carota* (carrot)					1	Pa.
Bitter pit	*Malus sylvestris* (apple)					1	La.
Erinose	*Sorbus* sp		1				Pa.
Plasmodiophora brassicae	*Brassica campestris* (rutabaga)					1	Do.
Sclerotinia sp	*Allium cepa* (onion)					1	Ga.
Do	*Daucus carota* (carrot)					1	Pa.
Septoria pittospori	*Pittosporum* sp			1			N. Y.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
SIAM							
Insects:							
Crematogaster sp. (ant)	*Cymbidium finlaysonianum* (orchid).		1				Hawaii.*
Do	*Dendrobium crassinode* (orchid)		1				Do.*
Do	*Dendrobium formosum gigantеum* (orchid).		1				Do.*
Parlatoria ziziphus (Coccidae)	*Citrus grandis* (pomelo)					1	Pa.
Pseudococcus sp. (Coccidae)	*Dendrobium* sp. (orchid)	2					D. C.
SIERRA LEONE							
Insects:							
Cylas sp. (Curculionidae)	*Ipomoea batatas* (sweetpotato).					1	Pa.
Tineid	*Zingiber officinale* (ginger)	1					Do.
SOCIETY ISLANDS							
Insects:							
Aleuroplatus samoanus (whitefly)	*Citrus aurantifolia* (lime)			1			Calif.*
Buprestid	*Plumeria* sp			1			Do.*
Caryedon fuscus (Bruchidae)	*Lycopodium* sp			1			Do.*
Do	*Tamarindus indica* (tamarind)			1			Do.*
Prenolepis sp. (ant)	*Lycopodium* sp			1			Do.*
Tetranychid (mite)	*Gardenia* sp			1			Do.*
SPAIN							
Insects:							
Ceratitis capitata (Mediterranean fruit fly).	*Amygdalus persica* (peach)					1	Md.
Do	*Citrus sinensis* (orange)					1	P. R.
Do	*Malus sylvestris* (apple)					1	Pa.
Do	On shelf of fruit locker on which was the debris of grapes and apples.					1	Do.
Do	*Vitis* sp. (grape)					1	Ga.
Chrysomelinae (Chrysomelidae)	*Citrus sinensis* (orange)					1	Mass.
Chrysomphalus dictyospermi var. (Coccidae).	*Citrus limonia* (lemon)					1	N. Y.
Do	do					1	Pa.
Do	*Citrus sinensis* (orange)					1	Do.
Coccus sp. (Coccidae)	do				1		Calif.*
Curculio sp. (Curculionidae)	*Castanea* sp. (chestnut)			1			Fla.*
Do	do	1					N. Y.
Diaspis sp. (Coccidae)	*Citrus sinensis* (orange)					1	Md.
Dryomyia coccifera (Itonididae)	*Quercus suber* (cork oak)	1					Pa.
Fistiostoma sp. (mite)	*Solanum tuberosum*					1	Do.
Laspeyresia splendana (Olethreutidae).	*Castanea* sp. (chestnut)	3					N. Y.
Olethreutid	*Amygdalus persica* (peach)					2	Md.
Parlatoria ziziphus (Coccidae)	*Citrus sinensis* (orange)					1	Fla.*
Do	do					1	Pa.
Phycitinae (Pyralidae)	do					1	Do.
Rhizoglyphus sp. (mite)	*Allium cepa* (onion)					1	Do.
Do	do					1	Tex.
Do	*Allium sativum* (garlic)	1					P. R.
Diseases:							
Alternaria solani	*Capsicum annuum*					1	Pa.
Do	*Solanum melongena* (eggplant)					1	Do.
Capnodium citri	*Citrus limonia* (lemon)					1	Tex.
Do	*Citrus sinensis* (orange)					3	Md.
Do	do					2	Pa.
Capnodium sp	do					1	N. Y.
Cercospora beticola	*Beta cicla* (chard)					1	Do.
Colletotrichum sp	*Citrus sinensis* (orange)					1	Md.
Diplodia sp	*Citrus limonia* (lemon)					1	Wash.
Do	*Citrus sinensis* (orange)					1	Do.
Internal blackening	*Solanum tuberosum*					1	Ala.
Neotylenchus abulbosus	*Castanea* sp. (chestunt)			1			Fla.*
Oil burning	*Citrus sinensis*					1	Md.
Do	do					1	Pa.
Oleocellosis	*Citrus limonia* (lemon)					1	Tex.
Do	*Citrus sinensis*					1	Md.
Do	do					2	Pa.
Do	do					4	Tex.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
SPAIN—Continued							
Diseases—Continued.							
Oospora lactis parasitica	*Capsicum annuum*					1	Ala.
Petrifaction	*Solanum tuberosum*					1	La.
Phomopsis vexans	*Solanum melongena* (eggplant)					1	Fla.*
Do	do					1	Pa.
Phyllosticta solitaria	*Malus sylvestris* (apple)			1			N. Y.
Puccinia sp	*Allium porrum* (leek)					1	Md.
Do	*Allium sativum* (garlic)					1	Do.
Do	do					3	Pa.
Sclerotinia sp	*Allium cepa* (onion)					2	Do.
Do	*Daucus carota* (carrot)					1	La.
Do	do					3	Pa.
Do	*Solanum tuberosum*					1	Ala.
Septoria apii	*Apium graveolens* (celery)					1	Pa.
Septoria citri	*Citrus limonia* (lemon)					1	Tex.
Do	*Citrus sinensis* (orange)					1	Md.
Do	do					1	Pa.
Uredo sp	Stem of reed					1	Do.
Venturia pyrina	*Pyrus communis* (pear)					1	N. Y.
SPITZBERGEN							
Insects:							
Orthezia cataphracta (Coccidae)	*Pellaea crispus*		1				D. C.
STRAITS SETTLEMENTS							
Insects:							
Anisolabis sp. (earwig)	*Allium sativum* (garlic)					1	Pa.
Do	*Capsicum annuum*	1					Calif.*
Aspidiotus orientalis (Coccidae)	*Areca* sp		1				Do.*
Aspidiotus sp. (Coccidae)	*Citrus grandis* (pomelo)					1	Ga.
Camponotus sp. (ant)	*Saccharum officinarum* (sugarcane).				1		N. Y.
Chrysomphalus sp. (Coccidae)	*Citrus grandis* (pomelo)					1	Pa.
Cylas formicarius (sweetpotato weevil).	*Ipomoea batatas* (sweetpotato)	2					N. Y.
Diocalandra sp. (Curculionidae)	*Cocos nucifera* (coconut)	1					Hawaii.*
Hepialid	*Colocasia esculenta* (taro)					1	Mass.
Lepidosaphes mcgregori (Coccidae)	*Cocos nucifera* (coconut)	1					Hawaii.*
Parlatoria ziziphus (Coccidae)	*Citrus grandis* (pomelo)					1	Md.
Do	do					2	Mass.
Do	do					3	N. Y.
Do	do					1	Pa.
Do	*Citrus nobilis deliciosa* (tangerine).					1	Do.
Parlatoria sp. (Coccidae)	*Citrus grandis* (pomelo)					1	Mass.
Tineid	*Cocos nucifera* (coconut)	1					Hawaii.*
Diseases:							
Capnodium citri	*Citrus grandis* (grapefruit)					1	Md.
Do	*Citrus nobilis deliciosa* (tangerine).					2	Pa.
Oleocellosis	*Citrus grandis* (pomelo)					1	Do.
Do	*Citrus nobilis deliciosa*					1	Do.
Pestalozzia sp	*Garcinia mangostana* (mangosteen).					1	Mass.
SUMATRA							
Insects:							
Stephanoderes hampei (coffee berry borer).	*Coffea* sp	2					N. Y.
SWEDEN							
Insects:							
Curculio sp. (Curculionidae)	*Corylus americana* (American hazelnut).		1				Calif.*
Psila rosae (carrot rust fly)	*Daucus carota* (carrot)					1	La.
Do	do					1	Pa.
Rhizoglyphus sp. (mite)	*Allium cepa* (onion)					1	Do.
Do	*Solanum tuberosum*					1	Mass.
Tetranychid (mite)	*Malus sylvestris* (apple)					1	Md.
Tipula sp. (Tipulidae)	*Pinus* sp. (pine)			1			Calif.*

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
SWEDEN—Continued							
Diseases:							
Alternaria brassicae	*Brassica oleracea capitata*					1	Pa.
Anguillulina dipsaci	*Solanum tuberosum*					1	Ala.
Do	do					1	La.
Do	do					2	Md.
Do	do					3	Mass.
Do	do					1	Pa.
Do	do					3	Tex.
Aphelenchoides parietinus	*Apium graveolens* (celery)					1	Md.
Do	*Beta vulgaris* (beet)					2	Pa.
Do	*Brassica rapa* (turnip)					2	Md.
Do	*Daucus carota* (carrot)					1	Do.
Do	do					1	Pa.
Do	*Solanum tuberosum*					1	La.
Aphelenchus avenae	*Apium graveolens* (celery)					1	Md.
Do	*Brassica rapa* (turnip)					1	Do.
Puccinia graminis	*Triticum aestivum* (wheat)		1				Mich.
Rhizoctonia sp	*Brassica campestris* (rutabaga)					1	Pa.
Sclerotinia sclerotiorum	*Daucus carota* (carrot)					2	Do.
Do	do					1	Tex.
Sclerotinia sp	*Beta vulgaris* (beet)					1	Pa.
Do	*Brassica campestris* (rutabaga)					1	Do.
Do	*Daucus carota* (carrot)					2	Do.
Do	*Pastinaca sativa* (parsnip)					1	La.
Do	do					1	Mass.
Do	do					1	Pa.
Do	*Solanum tuberosum*					1	Ga.
Sclerotium sp	*Pastinaca sativa*					1	Md.
Do	do					2	Pa.
Verticillium sp	*Solanum tuberosum*					1	Mass.
SWITZERLAND							
Insects:							
Bruchus sp. (Bruchidae)	*Pisum sativum* (pea)		1				Calif.*
Curculio sp. (Curculionidae)	*Castanea* sp. (chestnut)		1				Do.*
Do	*Quercus ilex* (holly oak)		1				D. C.
Laspeyresia splendana (Olethreutidae).	*Castanea* sp. (chestnut)		1				Calif*
Solenopsis sp. (ant)	In soil		1				Do.*
Diseases:							
Elsinoe piri	*Malus sylvestris*		1				Pa.
Leptothyrium pomi?	*Malus sylvestris* (apple)		1				Do.
SYRIA							
Insects:							
Ceroplastes sp. (Coccidae)	*Cedrus libani* (cedar of Lebanon).	1					D. C.
Diseases:							
Sclerotinia sp	*Cucurbita pepo* (vegetable marrow).					1	Mass.
TAHITI							
Insects:							
Aspidiotus destructor (Coccidae)	*Cocos nucifera* (coconut)			2			Calif.*
Dialeurodes kirkaldyi (whitefly)	*Randia tahitensis*	1					D. C.
Dinoderus sp. (Bostrichidae)	Bamboo			1			Calif.*
Ereunetis sp. (Tineidae)	*Cocos nucifera* (coconut)			1			Do.*
Icerya sp. (Coccidae)	*Randia tahitensis*	1					D. C.
Lepidosaphes sp. (Coccidae)	*Cocos nucifera*				1		Calif.*
Pseudococcus virgatus (Coccidae)	*Randia tahitensis*	1					D. C.
Ripersia sp. (Coccidae)	*Cocos nucifera*			1			Calif.*
Saissetia sp. (Coccidae)	*Randia tahitensis*	1					D. C.
Xyleborus sp. (Scolytidae)	Log	1					Calif.*
TAIWAN							
Insects:							
Asipidiotus sp. (Coccidae)	*Ananas sativus* (pineapple)	1					Hawaii.*
Diaspis bromeliae (Coccidae)	do	1					Do.*

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
TRINIDAD							
Insects:							
Acanthoscelides sp. (Bruchidae)	*Pisum sativum* (pea)		1				Mass.
Anastrepha sp. (Trypetidae)	*Achras sapota* (nispero)			1			P. R.
Do	*Citrus grandis* (grapefruit)					1	La.
Do	*Citrus sinensis* (orange)			1			N. Y.
Callosobruchus sp. (Bruchidae)	*Pisum sativum* (pea)		1				Mass.
Ceroputo sp. (Coccidae)	*Oncidium papilio majus* (orchid).	1					D. C.
Chloropid	*Colocasia esculenta* (dasheen)			1			N. Y.
Do	*Xanthosoma* sp. (malanga)			1			Do.
Diaphania sp. (Pyralidae)	*Cucumis sativus* (cucumber)					1	Pa.
Dinoderus minutus (Bostrichidae)	*Colocasia esculenta* (caladium)					1	N. Y.
Euzeeta sp. (Ortalidae)	*Citrus nobilis decliciosa* (tangerine).				1		Pa.
Gracilariid	*Citrus grandis* (grapefruit)				1		Do.
Ortalid	*Musa* sp. (banana)			1			N. Y.
Pheidole sp. (ant)	*Colocasia esculenta*					1	Do.
Pseudaonidia articulatus (rufous scale).	*Citrus grandis*					1	Mass.
Do	*Citrus sinensis* (orange)			1			N. Y.
Syrphid	*Musa* sp. (banana)			1			Do.
Tapinoma sp. (ant)	Beneath bark of stem holding orchids.	1					D. C.
Diseases:							
Capnodium sp	*Saccharum officinarum*		1				Pa.
Cercospora sp	*Spinacia oleracea* (spinach)					1	N. Y.
Diplodia cacaoicola	*Theobroma cacao* (cacao)			1			Pa.
Oleocellosis	*Citrus aurantifolia* (lime)				1		La.
Do	*Citrus sinensis* (orange)					1	Do.
Phytophthora sp	*Theobroma cacao*	1					N. Y.
Sclerotinia sclerotiorum	*Daucus carota* (carrot)					1	Ala.
Sphaceloma fawcettii	*Citrus limonia* (lemon)					2	La.
TURKEY							
Insects:							
Caltirhytis glandium (Cynipidae)	*Quercus* sp. (valonia)	12					N. Y.
Curculio sp. (Curculionidae)	do	2					Do.
Histiostoma sp. (mite)	*Solanum tuberosum*					1	Pa.
Phycitinae (Pyralidae)	*Phoenix dactylifera* (date)					1	Do.
Sitophilus sp. (Curculionidae)	*Quercus* sp. (valonia)	1					N. Y.
UNION OF SOUTH AFRICA							
Insects:							
Cecidomyiid	*Ornithogalum thyrsoides* (chinkerichee).		3				Pa.
Colydiid	*Juglans* sp. (walnut)	1					Md.
Frankliniella schultzei (thrips)	*Ornithogalum thyrsoides*		1				Pa.
Do	*Ornithogalum* sp		1				Do.
Frankliniella sp. (thrips)	*Protea* sp			1			N. Y.
Haplothrips bagnali (thrips)	*Ornithogalum thyrsoides*				1		Pa.
Hemichionaspis sp. (Coccidae)	*Nephrolepis* sp				1		Do.
Limothrips cerealium (thrips)	*Ornithogalum thyrsoides*		1				Do.
Macrosiphum sp. (aphid)	Cut flowers		1				Calif.*
Oecophorid	*Juglans* sp. (walnut)	1					Md.
Olethreutid	*Citrus grandis* (grapefruit)					1	N. Y.
Parlatoria sp. (Coccidae)	*Citrus sinensis* (orange)					1	Pa.
Rhizoglyphus sp. (mite)	*Helianthus tuberosus* (Jerusalem artichoke).					1	Mass.
Sitona sp. (Curculionidae)	*Cucumis sativus* (cucumber)					1	Do.
Tapinoma sp. (ant)	*Ornithogalum thyrsoides* (chinkerichee).		2				Pa.
Tetraleurodes mori (mulberry whitefly).	*Acacia horrida*		1				D. C.
Tetranychus sp. (mite)	*Codiaeum* sp. (croton)				1		Pa.
Xyleborus sp. (Scolytidae)	*Juglans* sp. (walnut)	1					Md.
Diseases:							
Capnodium citri	*Citrus limonia* (lemon)					1	Mass.
Heterosporium ornithigali	*Ornithogalum thyrsoides* (chinkerichee).		1				Do.
Do	do		1				Pa.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
UNION OF SOUTH AFRICA—Con.							
Diseases—Continued.							
Oleocellosis	*Citrus sinensis* (orange)					1	Pa.
Phyllosticta sp.	*Codiaeum* sp. (croton)				1		Do.
Plasmodiophora brassicae	*Brassica rapa* (turnip)					1	Do.
Puccinia ornithogali-thyrsoides	*Ornithogalum thyrsoides*		2				Ill.
Do	do		1				Mass.
Do	do		1				Mich.
Do	do		6		1		Pa.
Sclerotium sp.	*Citrus sinensis* (orange)					1	Tex.
Sphaceloma fawcettii	do					1	Md.
Sphaceloma sp.	do					1	La.
UNION OF SOVIET SOCIALIST REPUBLICS							
Insects:							
Anobiid	*Juniperus excelsa*		1				D. C.
Curculio sp. (Curculionidae)	*Castanea sativa* (Spanish chestnut)		1				Do.
Laspeyresia splendana (Olethreutidae)	*Castanea* sp. (chestnut)		1				Calif.*
Laspeyresia sp. (Olethreutidae)	*Castanea sativa*		1				D. C.
Diseases:							
Anguillulina dipsaci	*Solanum tuberosum*					1	Md.
Claviceps purpurea	*Secale cereale* (rye)		1				D. C.
Pleospora salsolae	*Salsola* sp.		1				Do.
Pleospora sp.	*Carex physodes*		1				Do.
Rhabdospora sp.	*Ephedra strobiacea*		1				Do.
URUGUAY							
Diseases:							
Cercospora beticola	*Beta cicla* (chard)					1	Pa.
Diplodia sp.	*Tipuana speciosa* (tipu-tree)		1				D. C.
Macrophoma sp.	*Fraxinus excelsior* (European ash).		1				Do.
Pestalozzia funerea?	*Araucaria angusti*		1				Do.
Phoma sp.	*Acer negundo* (boxelder)		1				Do.
VENEZUELA							
Insects:							
Anobium sp. (Anobiidae)	*Guazuma ulmifolia*			1			N. Y.
Camponotus sp. (ant)	*Cattleya mossiae* (orchid)	1					P. R.
Do	*Cattleya* sp. (orchid)	1					D. C.
Clerada apicicornis (Lygaeidae)	In packing with *Cattleya* plants	1					Do.
Cryptocerus sp. (ant)	*Cattleya superba* (orchid)	1					P. R.
Curculionid	*Cattleya* sp. (orchid)	1					D. C.
Diaspis sp. (Coccidae)	do	1					Do.
Euxestus sp. (Colydiidae)	*Cattleya lawrenceana* (orchid)	1					P. R.
Do	*Cattleya lueddemanniana* (orchid).	1					Do.
Furcaspis biformis (Coccidae)	Orchid	1					N. Y.
Labia arcuata (earwig)	do	1					P. R.
Melanodermus picipes (Pentatomidae).	In packing with *Cattleya* plants	1					D. C.
Mordella sp. (Mordellidae)	Orchid	1					Do.
Neolobophora bogotensis (earwig)	*Cattleya* sp. (orchid)	1					Do.
Pachycondyla sp. (ant)	In case with *Cattleya* plants	1					Do.
Phycitinae (Pyralidae)	*Guazuma ulmifolia*			1			N. Y.
Prenolepis sp. (ant)	In case with *Cattleya* plants	1					D. C.
Psalis americana (earwig)	Orchid	1					P. R.
Pseudaonidia articulatus (rufous scale).	*Citrus sinensis* (orange)				1		Ga.
Solenopsis sp. (ant)	*Cattleya* sp. (orchid)	1					D. C.
Do	In case with *Cattleya* plants	1					Do.
Spermophagus sp. (Bruchidae)	*Guazuma ulmifolia*			1			N. Y.
Sysinas floridulus (Miridae)	In packing with *Cattleya* plants	1					D. C.
Sysinas sp. (Miridae)	*Cattleya mossiae* (orchid)	1					P. R.
Do	*Cattleya percivaliana* (orchid)	1					Do.
Do	*Cattleya* sp. (orchid)	1					D. C.
Do	Orchid	1					Do.
Tapinoma sp. (ant)	do	1					P. R.
Tineid	*Cattleya* sp. (orchid)	1					D. C.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
VENEZUELA—Continued							
Diseases:							
Diplodia sp.	*Opuntia* sp.			1			D. C.
Gloeosporium cattleyae	*Cattleya mossiae* (orchid)	2					P. R.
Do	*Cattleya percivaliana* (orchid)	1					Do.
Gloeosporium sp.	*Cattleya* sp. (orchid)	1					D. C.
Phoma destructiva	*Lycopersicum esculentum*					1	N. Y.
VIRGIN ISLANDS							
Insects:							
Pseudaonidia articulatus (rufous scale).	*Citrus sinensis* (orange)					1	Calif.*
WALES							
Diseases:							
Aphelenchoides parietinus	*Narcissus* sp.		1				D. C.
Sclerotinia sclerotiorum	*Daucus carota* (carrot)					1	Mass
WEST AFRICA							
Diseases:							
Oospora citri-aurantii	*Citrus aurantifolia* (lime)					1	Pa.
Sclerotinia sp.	*Citrus sinensis* (orange)				1	1	Do.
WEST INDIES							
Insects:							
Anastrepha sp. (Trypetidae)	*Annona reticulata* (custard-apple).			1			N. Y.
Pseudaonidia articulatus (rufous scale).	*Citrus grandis* (grapefruit)					1	Fla.*
Do	*Citrus sinensis* (orange)				1		Calif.*
Syrphid	*Musa* sp. (banana)			1			N. Y.
Diseases:							
Cerotelium desmium	*Gossypium* sp. (cotton)	1					D. C.
YUGOSLAVIA							
Insects:							
Diaspis carueli (Coccidae)	*Juniperus cedrus*		1				Calif.*
Ephydrid	*Ceratonia siliqua* (St. Johns-bread).		1				Do.*
Pheidole sp. (ant)	do		1				Do.*
Rhagoletis cerasi (Trypetidae)	*Prunus cerasus* (sour cherry)	1					Pa.
Rhagoletis sp. (Trypetidae)	do	1					Md.
Do	do	3					Pa.
Diseases:							
Gloeodes pomigena	*Malus sylvestris* (apple)			1			N. Y.
Leptothyrium pomi	do			1			Do.

Summary of interceptions by continents and subdivisions

Country	Insects	Diseases
	Number	*Number*
Africa:		
Africa	3	1
Algeria	2	1
Canary Islands	3	7
Cape of Good Hope	4	0
East Africa	6	0
Egypt	20	12
Liberia	4	0
Morocco	38	2
Mozambique	0	1
Rhodesia	2	0
Sierra Leone	2	0
Union of South Africa	21	20
West Africa	0	3
Asia:		
Arabia	1	0
Ceylon	2	3
China	114	199
Cyprus	0	2
French Indo-China	1	0
India	25	16
Japan	413	169
Manchuria	6	0
Orient	1	1
Palestine	1	3
Siam	6	0
Straits Settlements	21	6
Syria	1	1
Turkey	17	0
Australasia (including Pacific Islands):		
American Samoa	0	1
Australia	67	15
Fiji Islands	1	0
Guam	5	0
Hawaii	275	0
Java	12	6
New Calendonia	0	1
New Zealand	27	3
Philippines	186	11
Society Islands	6	0
Sumatra	2	0
Tahiti	11	0
Taiwan	2	0
Europe:		
Austria	14	1
Azores	23	1
Belgium	38	37
British Isles	5	0
Czechoslovakia	38	5
Danzig	1	2
Denmark	15	14
England	173	92
France	149	53
Germany	68	78
Gibraltar	3	2
Great Britain	6	0
Greece	12	7
Guernsey	0	2
Hungary	4	1
Ireland	17	0
Italy	220	86
Latvia	0	1
Lithuania	0	1
Malta	1	0
Netherlands	97	93
Norway	15	22
Poland	2	4
Portugal	16	0
Rumania	0	1
Scotland	59	10
Spain	26	48
Spitzbergen	1	0
Sweden	7	39

Country	Insects	Diseases
	Number	*Number*
Europe—Continued.		
Switzerland	5	1
Union of Soviet Socialist Republics	4	2
Wales	0	2
Yugoslavia	8	5
North America:		
Bermuda	13	4
Canada	18	23
British Columbia	14	0
New Brunswick	0	1
Nova Scotia	3	3
Ontario	1	0
Central America	8	0
British Honduras	16	0
Canal Zone	32	3
Costa Rica	99	17
Guatemala	369	20
Honduras	304	12
Mexico	1,761	305
Nicaragua	96	3
Panama	776	9
Salvador	8	0
Newfoundland	9	0
West Indies	4	1
American Virgin Islands	1	0
Antigua	4	0
Bahamas	37	4
Barbados	11	2
British West Indies	3	3
Cuba	271	100
Dominica	5	4
Dominican Republic	7	6
Dutch West Indies	0	1
Grand Cayman	1	0
Guadeloupe	2	0
Haiti	7	3
Jamaica	52	26
Montserrat	8	1
Puerto Rico	68	49
St. Kitts	8	1
St. Lucia	6	1
St. Vincent	7	0
Trinidad	18	0
Virgin Islands	1	9
South America:		
Argentina	41	21
Brazil	63	67
British Guiana	5	2
Chile	16	2
Colombia	16	6
Dutch Guiana	1	1
Ecuador	34	0
Paraguay	1	0
Peru	11	0
Uruguay	0	5
Venezuela	29	6
Total:		
Africa	105	47
Asia	609	400
Australasia	594	37
Europe	1,027	610
North America	4,048	611
South America	217	110
Total	6,600	1,815
Total (common pests, p. 4)	6,205	7,988
Total insects	12,805	
Total diseases		9,803
Grand total		22,608

U. S. GOVERNMENT PRINTING OFFICE: 1935